

EXERCISES 8.6

Using Integral Tables

Use the table of integrals at the back of the book to evaluate the integrals in Exercises 1–38.

1. $\int \frac{dx}{x\sqrt{x-3}}$

2. $\int \frac{dx}{x\sqrt{x+4}}$

3. $\int \frac{x dx}{\sqrt{x-2}}$

4. $\int \frac{x dx}{(2x+3)^{3/2}}$

5. $\int x\sqrt{2x-3} dx$

6. $\int x(7x+5)^{3/2} dx$

7. $\int \frac{\sqrt{9-4x}}{x^2} dx$

8. $\int \frac{dx}{x^2\sqrt{4x-9}}$

9. $\int x\sqrt{4x-x^2} dx$

10. $\int \frac{\sqrt{x-x^2}}{x} dx$

11. $\int \frac{dx}{x\sqrt{7+x^2}}$

12. $\int \frac{dx}{x\sqrt{7-x^2}}$

13. $\int \frac{\sqrt{4-x^2}}{x} dx$

14. $\int \frac{\sqrt{x^2-4}}{x} dx$

15. $\int \sqrt{25-p^2} dp$

16. $\int q^2\sqrt{25-q^2} dq$

17. $\int \frac{r^2}{\sqrt{4-r^2}} dr$

19. $\int \frac{d\theta}{5+4\sin 2\theta}$

21. $\int e^{2t} \cos 3t dt$

23. $\int x \cos^{-1} x dx$

25. $\int \frac{ds}{(9-s^2)^2}$

27. $\int \frac{\sqrt{4x+9}}{x^2} dx$

29. $\int \frac{\sqrt{3t-4}}{t} dt$

31. $\int x^2 \tan^{-1} x dx$

33. $\int \sin 3x \cos 2x dx$

18. $\int \frac{ds}{\sqrt{s^2-2}}$

20. $\int \frac{d\theta}{4+5\sin 2\theta}$

22. $\int e^{-3t} \sin 4t dt$

24. $\int x \tan^{-1} x dx$

26. $\int \frac{d\theta}{(2-\theta^2)^2}$

28. $\int \frac{\sqrt{9x-4}}{x^2} dx$

30. $\int \frac{\sqrt{3t+9}}{t} dt$

32. $\int \frac{\tan^{-1} x}{x^2} dx$

34. $\int \sin 2x \cos 3x dx$

35. $\int 8 \sin 4t \sin \frac{t}{2} dt$

36. $\int \sin \frac{t}{3} \sin \frac{t}{6} dt$

37. $\int \cos \frac{\theta}{3} \cos \frac{\theta}{4} d\theta$

38. $\int \cos \frac{\theta}{2} \cos 7\theta d\theta$

Substitution and Integral Tables

In Exercises 39–52, use a substitution to change the integral into one you can find in the table. Then evaluate the integral.

39. $\int \frac{x^3 + x + 1}{(x^2 + 1)^2} dx$

40. $\int \frac{x^2 + 6x}{(x^2 + 3)^2} dx$

41. $\int \sin^{-1} \sqrt{x} dx$

42. $\int \frac{\cos^{-1} \sqrt{x}}{\sqrt{x}} dx$

43. $\int \frac{\sqrt{x}}{\sqrt{1-x}} dx$

44. $\int \frac{\sqrt{2-x}}{\sqrt{x}} dx$

45. $\int \cot t \sqrt{1 - \sin^2 t} dt, \quad 0 < t < \pi/2$

46. $\int \frac{dt}{\tan t \sqrt{4 - \sin^2 t}}$

47. $\int \frac{dy}{y\sqrt{3 + (\ln y)^2}}$

48. $\int \frac{\cos \theta d\theta}{\sqrt{5 + \sin^2 \theta}}$

49. $\int \frac{3 dr}{\sqrt{9r^2 - 1}}$

50. $\int \frac{3 dy}{\sqrt{1 + 9y^2}}$

51. $\int \cos^{-1} \sqrt{x} dx$

52. $\int \tan^{-1} \sqrt{y} dy$

Using Reduction Formulas

Use reduction formulas to evaluate the integrals in Exercises 53–72.

53. $\int \sin^5 2x dx$

54. $\int \sin^5 \frac{\theta}{2} d\theta$

55. $\int 8 \cos^4 2\pi t dt$

56. $\int 3 \cos^5 3y dy$

57. $\int \sin^2 2\theta \cos^3 2\theta d\theta$

58. $\int 9 \sin^3 \theta \cos^{3/2} \theta d\theta$

59. $\int 2 \sin^2 t \sec^4 t dt$

60. $\int \csc^2 y \cos^5 y dy$

61. $\int 4 \tan^3 2x dx$

62. $\int \tan^4 \left(\frac{x}{2}\right) dx$

63. $\int 8 \cot^4 t dt$

64. $\int 4 \cot^3 2t dt$

65. $\int 2 \sec^3 \pi x dx$

66. $\int \frac{1}{2} \csc^3 \frac{x}{2} dx$

67. $\int 3 \sec^4 3x dx$

68. $\int \csc^4 \frac{\theta}{3} d\theta$

69. $\int \csc^5 x dx$

70. $\int \sec^5 x dx$

71. $\int 16x^3 (\ln x)^2 dx$

72. $\int (\ln x)^3 dx$

Powers of x Times Exponentials

Evaluate the integrals in Exercises 73–80 using table Formulas 103–106. These integrals can also be evaluated using tabular integration (Section 8.2).

73. $\int x e^{3x} dx$

74. $\int x e^{-2x} dx$

75. $\int x^3 e^{x/2} dx$

76. $\int x^2 e^{\pi x} dx$

77. $\int x^2 2^x dx$

78. $\int x^2 2^{-x} dx$

79. $\int x \pi^x dx$

80. $\int x 2^{\sqrt{2x}} dx$

Substitutions with Reduction Formulas

Evaluate the integrals in Exercises 81–86 by making a substitution (possibly trigonometric) and then applying a reduction formula.

81. $\int e^t \sec^3 (e^t - 1) dt$

82. $\int \frac{\csc^3 \sqrt{\theta}}{\sqrt{\theta}} d\theta$

83. $\int_0^1 2\sqrt{x^2 + 1} dx$

84. $\int_0^{\sqrt{3}/2} \frac{dy}{(1 - y^2)^{5/2}}$

85. $\int_1^2 \frac{(r^2 - 1)^{3/2}}{r} dr$

86. $\int_0^{1/\sqrt{3}} \frac{dt}{(t^2 + 1)^{7/2}}$

Hyperbolic Functions

Use the integral tables to evaluate the integrals in Exercises 87–92.

87. $\int \frac{1}{8} \sinh^5 3x dx$

88. $\int \frac{\cosh^4 \sqrt{x}}{\sqrt{x}} dx$

89. $\int x^2 \cosh 3x dx$

90. $\int x \sinh 5x dx$

91. $\int \operatorname{sech}^7 x \tanh x dx$

92. $\int \operatorname{csch}^3 2x \coth 2x dx$

Theory and Examples

Exercises 93–100 refer to formulas in the table of integrals at the back of the book.

93. Derive Formula 9 by using the substitution $u = ax + b$ to evaluate

$$\int \frac{x}{(ax + b)^2} dx.$$

94. Derive Formula 17 by using a trigonometric substitution to evaluate

$$\int \frac{dx}{(a^2 + x^2)^2}.$$

95. Derive Formula 29 by using a trigonometric substitution to evaluate

$$\int \sqrt{a^2 - x^2} dx.$$

96. Derive Formula 46 by using a trigonometric substitution to evaluate

$$\int \frac{dx}{x^2 \sqrt{x^2 - a^2}}.$$

97. Derive Formula 80 by evaluating

$$\int x^n \sin ax dx$$

by integration by parts.

98. Derive Formula 110 by evaluating

$$\int x^n (\ln ax)^m dx$$

by integration by parts.

99. Derive Formula 99 by evaluating

$$\int x^n \sin^{-1} ax dx$$

by integration by parts.

100. Derive Formula 101 by evaluating

$$\int x^n \tan^{-1} ax dx$$

by integration by parts.

101. **Surface area** Find the area of the surface generated by revolving the curve $y = \sqrt{x^2 + 2}$, $0 \leq x \leq \sqrt{2}$, about the x -axis.

102. **Arc length** Find the length of the curve $y = x^2$, $0 \leq x \leq \sqrt{3}/2$.

103. **Centroid** Find the centroid of the region cut from the first quadrant by the curve $y = 1/\sqrt{x+1}$ and the line $x = 3$.

104. **Moment about y -axis** A thin plate of constant density $\delta = 1$ occupies the region enclosed by the curve $y = 36/(2x + 3)$ and the line $x = 3$ in the first quadrant. Find the moment of the plate about the y -axis.


- T** 105. Use the integral table and a calculator to find to two decimal places the area of the surface generated by revolving the curve $y = x^2$, $-1 \leq x \leq 1$, about the x -axis.

106. **Volume** The head of your firm's accounting department has asked you to find a formula she can use in a computer program to calculate the year-end inventory of gasoline in the company's tanks. A typical tank is shaped like a right circular cylinder of radius r and length L , mounted horizontally, as shown here. The data come to the accounting office as depth measurements taken with a vertical measuring stick marked in centimeters.

- a. Show, in the notation of the figure here, that the volume of gasoline that fills the tank to a depth d is

$$V = 2L \int_{-r}^{-r+d} \sqrt{r^2 - y^2} dy.$$

- b. Evaluate the integral.



107. What is the largest value

$$\int_a^b \sqrt{x - x^2} dx$$

can have for any a and b ? Give reasons for your answer.

108. What is the largest value

$$\int_a^b x \sqrt{2x - x^2} dx$$

can have for any a and b ? Give reasons for your answer.

COMPUTER EXPLORATIONS

In Exercises 109 and 110, use a CAS to perform the integrations.

109. Evaluate the integrals

$$\text{a. } \int x \ln x dx \quad \text{b. } \int x^2 \ln x dx \quad \text{c. } \int x^3 \ln x dx.$$

- d. What pattern do you see? Predict the formula for $\int x^4 \ln x dx$ and then see if you are correct by evaluating it with a CAS.

- e. What is the formula for $\int x^n \ln x dx$, $n \geq 1$? Check your answer using a CAS.

110. Evaluate the integrals

$$\text{a. } \int \frac{\ln x}{x^2} dx \quad \text{b. } \int \frac{\ln x}{x^3} dx \quad \text{c. } \int \frac{\ln x}{x^4} dx.$$

- d. What pattern do you see? Predict the formula for

$$\int \frac{\ln x}{x^5} dx$$

and then see if you are correct by evaluating it with a CAS.

- e. What is the formula for

$$\int \frac{\ln x}{x^n} dx, \quad n \geq 2?$$

Check your answer using a CAS.

111. a. Use a CAS to evaluate

$$\int_0^{\pi/2} \frac{\sin^n x}{\sin^n x + \cos^n x} dx$$

where n is an arbitrary positive integer. Does your CAS find the result?

- b. In succession, find the integral when $n = 1, 2, 3, 5, 7$. Comment on the complexity of the results.

- c. Now substitute $x = (\pi/2) - u$ and add the new and old integrals. What is the value of

$$\int_0^{\pi/2} \frac{\sin^n x}{\sin^n x + \cos^n x} dx?$$

This exercise illustrates how a little mathematical ingenuity solves a problem not immediately amenable to solution by a CAS.