

## MAGNETIC SUSCEPTIBILITY OF THE ELEMENTS AND INORGANIC COMPOUNDS

When a material is placed in a magnetic field  $H$ , a magnetization (magnetic moment per unit volume)  $M$  is induced in the material which is related to  $H$  by  $M = \kappa H$ , where  $\kappa$  is called the volume susceptibility. Since  $H$  and  $M$  have the same dimensions,  $\kappa$  is dimensionless. A more useful parameter is the molar susceptibility  $\chi_m$ , defined by

$$\chi_m = \kappa V_m = \kappa M / \rho$$

where  $V_m$  is the molar volume of the substance,  $M$  the molar mass, and  $\rho$  the mass density. When the cgs system is used, the customary units for  $\chi_m$  are  $\text{cm}^3 \text{mol}^{-1}$ ; the corresponding SI units are  $\text{m}^3 \text{mol}^{-1}$ .

Substances that have no unpaired electron orbital or spin angular momentum generally have negative values of  $\chi_m$  and are called diamagnetic. Their molar susceptibility varies only slightly with temperature. Substances with unpaired electrons, which are termed paramagnetic, have positive  $\chi_m$  and show a much stronger temperature dependence, varying roughly as  $1/T$ . The net susceptibility of a paramagnetic substance is the sum of the paramagnetic and diamagnetic contributions, but the former almost always dominates.

This table gives values of  $\chi_m$  for the elements and selected inorganic compounds. All values refer to nominal room temperature (285 to 300 K) unless otherwise indicated. When the physical state (s = solid, l = liquid, g = gas, aq = aqueous solution) is not given, the

most common crystalline form is understood. An entry of Ferro indicates a ferromagnetic substance.

Substances are arranged in alphabetical order by the most common name, except that compounds such as hydrides, oxides, and acids are grouped with the parent element (the same ordering used in the table "Physical Constants of Inorganic Compounds").

In keeping with customary practice, the molar susceptibility is given here in units appropriate to the cgs system. These values should be multiplied by  $4\pi$  to obtain values for use in SI equations (where the magnetic field strength  $H$  has units of  $\text{A m}^{-1}$ ).

### References

1. *Landolt-Börnstein, Numerical Data and Functional Relationships in Science and Technology, New Series, II/16, Diamagnetic Susceptibility*, Springer-Verlag, Heidelberg, 1986.
2. *Landolt-Börnstein, Numerical Data and Functional Relationships in Science and Technology, New Series, III/19, Subvolumes a to i2, Magnetic Properties of Metals*, Springer-Verlag, Heidelberg, 1986-1992.
3. *Landolt-Börnstein, Numerical Data and Functional Relationships in Science and Technology, New Series, II/2, II/8, II/10, II/11, and II/12a, Coordination and Organometallic Transition Metal Compounds*, Springer-Verlag, Heidelberg, 1966-1984.
4. *Tables de Constantes et Données Numérique, Volume 7, Relaxation Paramagnétique*, Masson, Paris, 1957.

Name	Formula	$\chi_m / 10^{-6} \text{ cm}^3 \text{ mol}^{-1}$	Name	Formula	$\chi_m / 10^{-6} \text{ cm}^3 \text{ mol}^{-1}$
Aluminum	Al	+16.5	Arsenic(III) bromide	AsBr <sub>3</sub>	-106
Aluminum trifluoride	AlF <sub>3</sub>	-13.9	Arsenic(III) chloride	AsCl <sub>3</sub>	-72.5
Aluminum oxide	Al <sub>2</sub> O <sub>3</sub>	-37	Arsenic(III) iodide	AsI <sub>3</sub>	-142.2
Aluminum sulfate	Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	-93	Arsenic(III) oxide	As <sub>2</sub> O <sub>3</sub>	-30.34
Ammonia (g)	NH <sub>3</sub>	-16.3	Arsenic(III) sulfide	As <sub>2</sub> S <sub>3</sub>	-70
Ammonia (aq)	NH <sub>3</sub>	-18.3	Barium	Ba	+20.6
Ammonium acetate	NH <sub>4</sub> C <sub>2</sub> H <sub>3</sub> O <sub>2</sub>	-41.1	Barium bromide	BaBr <sub>2</sub>	-92
Ammonium bromide	NH <sub>4</sub> Br	-47	Barium bromide dihydrate	BaBr <sub>2</sub> ·2H <sub>2</sub> O	-119.3
Ammonium carbonate	(NH <sub>4</sub> ) <sub>2</sub> CO <sub>3</sub>	-42.5	Barium carbonate	BaCO <sub>3</sub>	-58.9
Ammonium chlorate	NH <sub>4</sub> ClO <sub>3</sub>	-42.1	Barium chloride	BaCl <sub>2</sub>	-72.6
Ammonium chloride	NH <sub>4</sub> Cl	-36.7	Barium chloride dihydrate	BaCl <sub>2</sub> ·2H <sub>2</sub> O	-100
Ammonium fluoride	NH <sub>4</sub> F	-23	Barium fluoride	BaF <sub>2</sub>	-51
Ammonium iodate	NH <sub>4</sub> IO <sub>3</sub>	-62.3	Barium hydroxide	Ba(OH) <sub>2</sub>	-53.2
Ammonium iodide	NH <sub>4</sub> I	-66	Barium iodate	Ba(IO <sub>3</sub> ) <sub>2</sub>	-122.5
Ammonium nitrate	NH <sub>4</sub> NO <sub>3</sub>	-33	Barium iodide	BaI <sub>2</sub>	-124.4
Ammonium sulfate	(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>	-67	Barium iodide dihydrate	BaI <sub>2</sub> ·2H <sub>2</sub> O	-163
Ammonium thiocyanate	NH <sub>4</sub> SCN	-48.1	Barium nitrate	Ba(NO <sub>3</sub> ) <sub>2</sub>	-66.5
Antimony	Sb	-99	Barium oxide	BaO	-29.1
Stibine (g)	SbH <sub>3</sub>	-34.6	Barium peroxide	BaO <sub>2</sub>	-40.6
Antimony(III) bromide	SbBr <sub>3</sub>	-111.4	Barium sulfate	BaSO <sub>4</sub>	-65.8
Antimony(III) chloride	SbCl <sub>3</sub>	-86.7	Beryllium	Be	-9.0
Antimony(III) fluoride	SbF <sub>3</sub>	-46	Beryllium chloride	BeCl <sub>2</sub>	-26.5
Antimony(III) iodide	SbI <sub>3</sub>	-147.2	Beryllium hydroxide	Be(OH) <sub>2</sub>	-23.1
Antimony(III) oxide	Sb <sub>2</sub> O <sub>3</sub>	-69.4	Beryllium oxide	BeO	-11.9
Antimony(III) sulfide	Sb <sub>2</sub> S <sub>3</sub>	-86	Beryllium sulfate	BeSO <sub>4</sub>	-37
Antimony(V) chloride	SbCl <sub>5</sub>	-120.5	Bismuth	Bi	-280.1
Argon (g)	Ar	-19.32	Bismuth tribromide	BiBr <sub>3</sub>	-147
Arsenic (gray)	As	-5.6	Bismuth trichloride	BiCl <sub>3</sub>	-26.5
Arsenic (yellow)	As	-23.2	Bismuth fluoride	BiF <sub>3</sub>	-61.2
Arsine (g)	AsH <sub>3</sub>	-35.2	Bismuth hydroxide	Bi(OH) <sub>3</sub>	-65.8

Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$	Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$
Bismuth triiodide	$\text{BiI}_3$	-200.5	Cesium iodide	$\text{CsI}$	-82.6
Bismuth nitrate pentahydrate	$\text{Bi}(\text{NO}_3)_3 \cdot 5\text{H}_2\text{O}$	-159	Cesium superoxide	$\text{CsO}_2$	+1534
Bismuth oxide	$\text{Bi}_2\text{O}_3$	-83	Cesium sulfate	$\text{Cs}_2\text{SO}_4$	-116
Bismuth phosphate	$\text{BiPO}_4$	-77	Chlorine (l)	$\text{Cl}_2$	-40.4
Bismuth sulfate	$\text{Bi}_2(\text{SO}_4)_3$	-199	Chlorine trifluoride (g)	$\text{ClF}_3$	-26.5
Bismuth sulfide	$\text{Bi}_2\text{S}_3$	-123	Chromium	$\text{Cr}$	+167
Boron	$\text{B}$	-6.7	Chromium(II) chloride	$\text{CrCl}_2$	+7230
Diborane (g)	$\text{B}_2\text{H}_6$	-21.0	Chromium(III) chloride	$\text{CrCl}_3$	+6350
Boric acid (orthoboric acid)	$\text{H}_3\text{BO}_3$	-34.1	Chromium(III) fluoride	$\text{CrF}_3$	+4370
Boron trichloride	$\text{BCl}_3$	-59.9	Chromium(III) oxide	$\text{Cr}_2\text{O}_3$	+1960
Boron oxide	$\text{B}_2\text{O}_3$	-38.7	Chromium(III) sulfate	$\text{Cr}_2(\text{SO}_4)_3$	+11800
Bromine (l)	$\text{Br}_2$	-56.4	Chromium(VI) oxide	$\text{CrO}_3$	+40
Bromine (g)	$\text{Br}_2$	-73.5	Cobalt	$\text{Co}$	Ferro.
Bromine trifluoride	$\text{BrF}_3$	-33.9	Cobalt(II) bromide	$\text{CoBr}_2$	+13000
Bromine pentafluoride	$\text{BrF}_5$	-45.1	Cobalt(II) chloride	$\text{CoCl}_2$	+12660
Cadmium	$\text{Cd}$	-19.7	Cobalt(II) chloride hexahydrate	$\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$	+9710
Cadmium bromide	$\text{CdBr}_2$	-87.3	Cobalt(II) cyanide	$\text{Co}(\text{CN})_2$	+3825
Cadmium bromide tetrahydrate	$\text{CdBr}_2 \cdot 4\text{H}_2\text{O}$	-131.5	Cobalt(II) fluoride	$\text{CoF}_2$	+9490
Cadmium carbonate	$\text{CdCO}_3$	-46.7	Cobalt(II) iodide	$\text{CoI}_2$	+10760
Cadmium chloride	$\text{CdCl}_2$	-68.7	Cobalt(II) sulfate	$\text{CoSO}_4$	+10000
Cadmium chromate	$\text{CdCrO}_4$	-16.8	Cobalt(II) sulfide	$\text{CoS}$	+225
Cadmium cyanide	$\text{Cd}(\text{CN})_2$	-54	Cobalt(II,III) oxide	$\text{Co}_3\text{O}_4$	+7380
Cadmium fluoride	$\text{CdF}_2$	-40.6	Cobalt(III) fluoride	$\text{CoF}_3$	+1900
Cadmium hydroxide	$\text{Cd}(\text{OH})_2$	-41	Cobalt(III) oxide	$\text{Co}_2\text{O}_3$	+4560
Cadmium iodate	$\text{Cd}(\text{IO}_3)_2$	-108.4	Copper	$\text{Cu}$	-5.46
Cadmium iodide	$\text{CdI}_2$	-117.2	Copper(I) bromide	$\text{CuBr}$	-49
Cadmium nitrate	$\text{Cd}(\text{NO}_3)_2$	-55.1	Copper(I) chloride	$\text{CuCl}$	-40
Cadmium nitrate tetrahydrate	$\text{Cd}(\text{NO}_3)_2 \cdot 4\text{H}_2\text{O}$	-140	Copper(I) cyanide	$\text{CuCN}$	-24
Cadmium oxide	$\text{CdO}$	-30	Copper(I) iodide	$\text{CuI}$	-63
Cadmium sulfate	$\text{CdSO}_4$	-59.2	Copper(I) oxide	$\text{Cu}_2\text{O}$	-20
Cadmium sulfide	$\text{CdS}$	-50	Copper(II) bromide	$\text{CuBr}_2$	+685
Calcium	$\text{Ca}$	+40	Copper(II) chloride	$\text{CuCl}_2$	+1080
Calcium bromide	$\text{CaBr}_2$	-73.8	Copper(II) chloride dihydrate	$\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$	+1420
Calcium carbonate	$\text{CaCO}_3$	-38.2	Copper(II) fluoride	$\text{CuF}_2$	+1050
Calcium chloride	$\text{CaCl}_2$	-54.7	Copper(II) fluoride dihydrate	$\text{CuF}_2 \cdot 2\text{H}_2\text{O}$	+1600
Calcium fluoride	$\text{CaF}_2$	-28	Copper(II) hydroxide	$\text{Cu}(\text{OH})_2$	+1170
Calcium hydroxide	$\text{Ca}(\text{OH})_2$	-22	Copper(II) nitrate trihydrate	$\text{Cu}(\text{NO}_3)_2 \cdot 3\text{H}_2\text{O}$	+1570
Calcium iodate	$\text{Ca}(\text{IO}_3)_2$	-101.4	Copper(II) nitrate hexahydrate	$\text{Cu}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$	+1625
Calcium iodide	$\text{CaI}_2$	-109	Copper(II) oxide	$\text{CuO}$	+238
Calcium oxide	$\text{CaO}$	-15.0	Copper(II) sulfate	$\text{CuSO}_4$	+1330
Calcium sulfate	$\text{CaSO}_4$	-49.7	Copper(II) sulfate pentahydrate	$\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$	+1460
Calcium sulfate dihydrate	$\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	-74	Copper(II) sulfide	$\text{CuS}$	-2.0
Carbon (diamond)	$\text{C}$	-5.9	Dysprosium ( $\alpha$ )	$\text{Dy}$	+98000
Carbon (graphite)	$\text{C}$	-6.0	Dysprosium(III) oxide	$\text{Dy}_2\text{O}_3$	+89600
Carbon monoxide (g)	$\text{CO}$	-11.8	Dysprosium(III) sulfide	$\text{Dy}_2\text{S}_3$	+95200
Carbon dioxide (g)	$\text{CO}_2$	-21.0	Erbium	$\text{Er}$	+48000
Cerium ( $\beta$ )	$\text{Ce}$	+2500	Erbium oxide	$\text{Er}_2\text{O}_3$	+73920
Cerium(II) sulfide	$\text{CeS}$	+2110	Erbium sulfate octahydrate	$\text{Er}_2(\text{SO}_4)_3 \cdot 8\text{H}_2\text{O}$	+74600
Cerium(III) chloride	$\text{CeCl}_3$	+2490	Erbium sulfide	$\text{Er}_2\text{S}_3$	+77200
Cerium(III) fluoride	$\text{CeF}_3$	+2190	Europium	$\text{Eu}$	+30900
Cerium(III) sulfide	$\text{Ce}_2\text{S}_3$	+5080	Europium(II) bromide	$\text{EuBr}_2$	+26800
Cerium(IV) oxide	$\text{CeO}_2$	+26	Europium(II) chloride	$\text{EuCl}_2$	+26500
Cerium(IV) sulfate tetrahydrate	$\text{Ce}(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$	-97	Europium(II) fluoride	$\text{EuF}_2$	+23750
Cesium	$\text{Cs}$	+29	Europium(II) iodide	$\text{EuI}_2$	+26000
Cesium bromate	$\text{CsBrO}_3$	-75.1	Europium(II) sulfide	$\text{EuS}$	+23800
Cesium bromide	$\text{CsBr}$	-67.2	Europium(III) oxide	$\text{Eu}_2\text{O}_3$	+10100
Cesium carbonate	$\text{Cs}_2\text{CO}_3$	-103.6	Europium(III) sulfate	$\text{Eu}_2(\text{SO}_4)_3$	+10400
Cesium chlorate	$\text{CsClO}_3$	-65	Fluorine	$\text{F}_2$	-9.63
Cesium chloride	$\text{CsCl}$	-56.7	Gadolinium (350 K)	$\text{Gd}$	+185000
Cesium fluoride	$\text{CsF}$	-44.5	Gadolinium(III) chloride	$\text{GdCl}_3$	+27930

Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$	Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$
Gadolinium(III) oxide	Gd <sub>2</sub> O <sub>3</sub>	+53200	Iron(II) chloride tetrahydrate	FeCl <sub>2</sub> ·4H <sub>2</sub> O	+12900
Gadolinium(III) sulfate octahydrate	Gd <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	+53280	Iron(II) fluoride	FeF <sub>2</sub>	+9500
Gadolinium(III) sulfide	Gd <sub>2</sub> S <sub>3</sub>	+55500	Iron(II) iodide	FeI <sub>2</sub>	+13600
Gallium	Ga	-21.6	Iron(II) oxide	FeO	+7200
Gallium suboxide	Ga <sub>2</sub> O	-34	Iron(II) sulfate	FeSO <sub>4</sub>	+12400
Gallium(II) sulfide	GaS	-23	Iron(II) sulfate monohydrate	FeSO <sub>4</sub> ·H <sub>2</sub> O	+10500
Gallium(III) chloride	GaCl <sub>3</sub>	-63	Iron(II) sulfate heptahydrate	FeSO <sub>4</sub> ·7H <sub>2</sub> O	+11200
Gallium(III) sulfide	Ga <sub>2</sub> S <sub>3</sub>	-80	Iron(II) sulfide	FeS	+1074
Germanium	Ge	-11.6	Iron(III) chloride	FeCl <sub>3</sub>	+13450
Germane (g)	GeH <sub>4</sub>	-29.7	Iron(III) chloride hexahydrate	FeCl <sub>3</sub> ·6H <sub>2</sub> O	+15250
Germanium(II) oxide	GeO	-28.8	Iron(III) fluoride	FeF <sub>3</sub>	+13760
Germanium(II) sulfide	GeS	-40.9	Iron(III) fluoride trihydrate	FeF <sub>3</sub> ·3H <sub>2</sub> O	+7870
Germanium(IV) chloride	GeCl <sub>4</sub>	-72	Iron(III) nitrate nonahydrate	Fe(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	+15200
Germanium(IV) fluoride	GeF <sub>4</sub>	-50	Krypton (g)	Kr	-29.0
Germanium(IV) iodide	GeI <sub>4</sub>	-171	Lanthanum (α)	La	+95.9
Germanium(IV) oxide	GeO <sub>2</sub>	-34.3	Lanthanum oxide	La <sub>2</sub> O <sub>3</sub>	-78
Germanium(IV) sulfide	GeS <sub>2</sub>	-53.9	Lanthanum sulfate nonahydrate	La <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	-262
Gold	Au	-28	Lanthanum sulfide	La <sub>2</sub> S <sub>3</sub>	-37
Gold(I) bromide	AuBr	-61	Lead	Pb	-23
Gold(I) chloride	AuCl	-67	Lead(II) acetate	Pb(C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> ) <sub>2</sub>	-89.1
Gold(I) iodide	AuI	-91	Lead(II) bromide	PbBr <sub>2</sub>	-90.6
Gold(III) chloride	AuCl <sub>3</sub>	-112	Lead(II) carbonate	PbCO <sub>3</sub>	-61.2
Hafnium	Hf	+71	Lead(II) chloride	PbCl <sub>2</sub>	-73.8
Hafnium oxide	HfO <sub>2</sub>	-23	Lead(II) chromate	PbCrO <sub>4</sub>	-18
Helium (g)	He	-2.02	Lead(II) fluoride	PbF <sub>2</sub>	-58.1
Holmium	Ho	+72900	Lead(II) iodate	Pb(IO <sub>3</sub> ) <sub>2</sub>	-131
Holmium oxide	Ho <sub>2</sub> O <sub>3</sub>	+88100	Lead(II) iodide	PbI <sub>2</sub>	-126.5
Hydrazine (l)	N <sub>2</sub> H <sub>4</sub>	-201	Lead(II) nitrate	Pb(NO <sub>3</sub> ) <sub>2</sub>	-74
Hydrogen (l, 20.3 K)	H <sub>2</sub>	-5.44	Lead(II) oxide	PbO	-42
Hydrogen (g)	H <sub>2</sub>	-3.99	Lead(II) phosphate	Pb <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub>	-182
Hydrogen chloride (l)	HCl	-22.6	Lead(II) sulfate	PbSO <sub>4</sub>	-69.7
Hydrogen chloride (aq)	HCl	-22	Lead(II) sulfide	PbS	-83.6
Hydrogen fluoride (l)	HF	-8.6	Lithium	Li	+14.2
Hydrogen fluoride (aq)	HF	-9.3	Lithium bromide	LiBr	-34.3
Hydrogen iodide (s, 195 K)	HI	-47.3	Lithium carbonate	Li <sub>2</sub> CO <sub>3</sub>	-27
Hydrogen iodide (l, 233 K)	HI	-48.3	Lithium chloride	LiCl	-24.3
Hydrogen iodide (aq)	HI	-50.2	Lithium fluoride	LiF	-10.1
Hydrogen peroxide (l)	H <sub>2</sub> O <sub>2</sub>	-17.3	Lithium hydride	LiH	-4.6
Hydrogen sulfide (g)	H <sub>2</sub> S	-25.5	Lithium hydroxide (aq)	LiOH	-12.3
Indium	In	-10.2	Lithium iodide	LiI	-50
Indium(I) chloride	InCl	-30	Lithium sulfate	Li <sub>2</sub> SO <sub>4</sub>	-41.6
Indium(II) chloride	InCl <sub>2</sub>	-56	Lutetium	Lu	+182.9
Indium(II) sulfide	InS	-28	Magnesium	Mg	+13.1
Indium(III) bromide	InBr <sub>3</sub>	-107	Magnesium bromide	MgBr <sub>2</sub>	-72
Indium(III) chloride	InCl <sub>3</sub>	-86	Magnesium carbonate	MgCO <sub>3</sub>	-32.4
Indium(III) oxide	In <sub>2</sub> O <sub>3</sub>	-56	Magnesium chloride	MgCl <sub>2</sub>	-47.4
Indium(III) sulfide	In <sub>2</sub> S <sub>3</sub>	-98	Magnesium fluoride	MgF <sub>2</sub>	-22.7
Iodine	I <sub>2</sub>	-90	Magnesium hydroxide	Mg(OH) <sub>2</sub>	-22.1
Iodic acid	HIO <sub>3</sub>	-48	Magnesium iodide	MgI <sub>2</sub>	-111
Iodine pentoxide	I <sub>2</sub> O <sub>5</sub>	-79.4	Magnesium oxide	MgO	-10.2
Iodine chloride	ICl	-54.6	Magnesium sulfate	MgSO <sub>4</sub>	-42
Iodine trichloride	ICl <sub>3</sub>	-90.2	Magnesium sulfate monohydrate	MgSO <sub>4</sub> ·H <sub>2</sub> O	-61
Iodine pentafluoride	IF <sub>5</sub>	-58.1	Magnesium sulfate heptahydrate	MgSO <sub>4</sub> ·7H <sub>2</sub> O	-135.7
Iridium	Ir	+25	Manganese	Mn	+511
Iridium(III) chloride	IrCl <sub>3</sub>	-14.4	Manganese(II) bromide	MnBr <sub>2</sub>	+13900
Iridium(IV) oxide	IrO <sub>2</sub>	+224	Manganese(II) carbonate	MnCO <sub>3</sub>	+11400
Iron	Fe	Ferro.	Manganese(II) chloride	MnCl <sub>2</sub>	+14350
Iron(II) bromide	FeBr <sub>2</sub>	+13600	Manganese(II) chloride tetrahydrate	MnCl <sub>2</sub> ·4H <sub>2</sub> O	+14600
Iron(II) carbonate	FeCO <sub>3</sub>	+11300	Manganese(II) fluoride	MnF <sub>2</sub>	+10700
Iron(II) chloride	FeCl <sub>2</sub>	+14750	Manganese(II) hydroxide	Mn(OH) <sub>2</sub>	+13500

Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$	Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$
Manganese(II) iodide	MnI <sub>2</sub>	+14400	Niobium(V) oxide	Nb <sub>2</sub> O <sub>5</sub>	-10
Manganese(II) oxide	MnO	+4850	Nitrogen (g)	N <sub>2</sub>	-12.0
Manganese(II) sulfate	MnSO <sub>4</sub>	+13660	Nitric acid (l)	HNO <sub>3</sub>	-19.9
Manganese(II) sulfate monohydrate	MnSO <sub>4</sub> ·H <sub>2</sub> O	+14200	Nitrous oxide (g)	N <sub>2</sub> O	-18.9
Manganese(II) sulfate tetrahydrate	MnSO <sub>4</sub> ·4H <sub>2</sub> O	+14600	Nitric oxide (s, 90 K)	NO	+19.8
Manganese(II) sulfide (α form)	MnS	+5630	Nitric oxide (l, 118 K)	NO	+114.2
Manganese(II) sulfide (β form)	MnS	+3850	Nitric oxide (g)	NO	+1461
Manganese(II,III) oxide	Mn <sub>3</sub> O <sub>4</sub>	+12400	Nitrogen dioxide (g, 408 K)	NO <sub>2</sub>	+150
Manganese(III) fluoride	MnF <sub>3</sub>	+10500	Nitrogen trioxide (g)	N <sub>2</sub> O <sub>3</sub>	-16
Manganese(III) oxide	Mn <sub>2</sub> O <sub>3</sub>	+14100	Nitrogen tetroxide (g)	N <sub>2</sub> O <sub>4</sub>	-23.0
Manganese(IV) oxide	MnO <sub>2</sub>	+2280	Osmium	Os	+11
Mercury (s, 234 K)	Hg	-24.1	Oxygen (s, 54 K)	O <sub>2</sub>	+10200
Mercury (l)	Hg	-33.5	Oxygen (l, 90 K)	O <sub>2</sub>	+7699
Mercury(I) bromide	Hg <sub>2</sub> Br <sub>2</sub>	-105	Oxygen (g)	O <sub>2</sub>	+3449
Mercury(I) chloride	Hg <sub>2</sub> Cl <sub>2</sub>	-120	Ozone (l)	O <sub>3</sub>	+6.7
Mercury(I) fluoride	Hg <sub>2</sub> F <sub>2</sub>	-106	Palladium	Pd	+540
Mercury(I) iodide	Hg <sub>2</sub> I <sub>2</sub>	-166	Palladium(II) chloride	PdCl <sub>2</sub>	-38
Mercury(I) nitrate	Hg <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub>	-121	Phosphorus (white)	P	-26.66
Mercury(I) oxide	Hg <sub>2</sub> O	-76.3	Phosphorus (red)	P	-20.77
Mercury(I) sulfate	Hg <sub>2</sub> SO <sub>4</sub>	-123	Phosphine (g)	PH <sub>3</sub>	-26.2
Mercury(II) bromide	HgBr <sub>2</sub>	-94.2	Phosphoric acid (aq)	H <sub>3</sub> PO <sub>4</sub>	-43.8
Mercury(II) chloride	HgCl <sub>2</sub>	-82	Phosphorous acid (aq)	H <sub>3</sub> PO <sub>3</sub>	-42.5
Mercury(II) cyanide	Hg(CN) <sub>2</sub>	-67	Phosphorus(III) chloride (l)	PCl <sub>3</sub>	-63.4
Mercury(II) fluoride	HgF <sub>2</sub>	-57.3	Platinum	Pt	+193
Mercury(II) iodide	HgI <sub>2</sub>	-165	Platinum(II) chloride	PtCl <sub>2</sub>	-54
Mercury(II) nitrate	Hg(NO <sub>3</sub> ) <sub>2</sub>	-74	Platinum(III) chloride	PtCl <sub>3</sub>	-66.7
Mercury(II) oxide	HgO	-46	Platinum(IV) chloride	PtCl <sub>4</sub>	-93
Mercury(II) sulfate	HgSO <sub>4</sub>	-78.1	Platinum(IV) fluoride	PtF <sub>4</sub>	+445
Mercury(II) sulfide	HgS	-55.4	Plutonium	Pu	+525
Mercury(II) thiocyanate	Hg(SCN) <sub>2</sub>	-96.5	Plutonium(IV) fluoride	PuF <sub>4</sub>	+1760
Molybdenum	Mo	+72	Plutonium(IV) oxide	PuO <sub>2</sub>	+730
Molybdenum(III) bromide	MoBr <sub>3</sub>	+525	Plutonium(VI) fluoride	PuF <sub>6</sub>	+173
Molybdenum(III) chloride	MoCl <sub>3</sub>	+43	Potassium	K	+20.8
Molybdenum(III) oxide	Mo <sub>2</sub> O <sub>3</sub>	-42.0	Potassium bromate	KBrO <sub>3</sub>	-52.6
Molybdenum(IV) bromide	MoBr <sub>4</sub>	+520	Potassium bromide	KBr	-49.1
Molybdenum(IV) chloride	MoCl <sub>4</sub>	+1750	Potassium carbonate	K <sub>2</sub> CO <sub>3</sub>	-59
Molybdenum(IV) oxide	MoO <sub>2</sub>	+41	Potassium chlorate	KClO <sub>3</sub>	-42.8
Molybdenum(V) chloride	MoCl <sub>5</sub>	+990	Potassium chloride	KCl	-38.8
Molybdenum(VI) fluoride	MoF <sub>6</sub>	-26.0	Potassium chromate	K <sub>2</sub> CrO <sub>4</sub>	-3.9
Molybdenum(VI) oxide	MoO <sub>3</sub>	+3	Potassium cyanide	KCN	-37
Neodymium (α)	Nd	+5930	Potassium ferricyanide	K <sub>3</sub> Fe(CN) <sub>6</sub>	+2290
Neodymium fluoride	NdF <sub>3</sub>	+4980	Potassium ferrocyanide trihydrate		-172.3
Neodymium oxide	Nd <sub>2</sub> O <sub>3</sub>	+10200	Potassium fluoride	KF	-23.6
Neodymium sulfate	Nd <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	+9990	Potassium hydrogen sulfate	KHSO <sub>4</sub>	-49.8
Neodymium sulfide	Nd <sub>2</sub> S <sub>3</sub>	+5550	Potassium hydroxide (aq)	KOH	-22
Neon (g)	Ne	-6.96	Potassium iodate	KIO <sub>3</sub>	-63.1
Neptunium	Np	+575	Potassium iodide	KI	-63.8
Nickel	Ni	Ferro.	Potassium nitrate	KNO <sub>3</sub>	-33.7
Nickel(II) bromide	NiBr <sub>2</sub>	+5600	Potassium nitrite	KNO <sub>2</sub>	-23.3
Nickel(II) chloride	NiCl <sub>2</sub>	+6145	Potassium permanganate	KMnO <sub>4</sub>	+20
Nickel(II) chloride hexahydrate	NiCl <sub>2</sub> ·6H <sub>2</sub> O	+4240	Potassium sulfate	K <sub>2</sub> SO <sub>4</sub>	-67
Nickel(II) fluoride	NiF <sub>2</sub>	+2410	Potassium sulfide	K <sub>2</sub> S	-60
Nickel(II) hydroxide	Ni(OH) <sub>2</sub>	+4500	Potassium superoxide	KO <sub>2</sub>	+3230
Nickel(II) iodide	NiI <sub>2</sub>	+3875	Potassium thiocyanate	KSCN	-48
Nickel(II) nitrate hexahydrate	Ni(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O	+4300	Praseodymium (α)	Pr	+5530
Nickel(II) oxide	NiO	+660	Praseodymium chloride	PrCl <sub>3</sub>	+44.5
Nickel(II) sulfate	NiSO <sub>4</sub>	+4005	Praseodymium oxide	Pr <sub>2</sub> O <sub>3</sub>	+8994
Nickel(II) sulfide	NiS	+190	Praseodymium sulfide	Pr <sub>2</sub> S <sub>3</sub>	+10770
Nickel(III) sulfide	Ni <sub>3</sub> S <sub>2</sub>	+1030	Protactinium	Pa	+277
Niobium	Nb	+208	Rhenium	Re	+67

Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$	Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$
Rhenium(IV) oxide	ReO <sub>2</sub>	+44	Sodium carbonate	Na <sub>2</sub> CO <sub>3</sub>	-41
Rhenium(IV) sulfide	ReS <sub>2</sub>	+38	Sodium chlorate	NaClO <sub>3</sub>	-34.7
Rhenium(V) chloride	ReCl <sub>5</sub>	+1225	Sodium chloride	NaCl	-30.2
Rhenium(VI) oxide	ReO <sub>3</sub>	+16	Sodium dichromate	Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub>	+55
Rhenium(VII) oxide	Re <sub>2</sub> O <sub>7</sub>	-16	Sodium fluoride	NaF	-15.6
Rhodium	Rh	+102	Sodium hydrogen phosphate	Na <sub>2</sub> HPO <sub>4</sub>	-56.6
Rhodium(III) chloride	RhCl <sub>3</sub>	-7.5	Sodium hydroxide (aq)	NaOH	-15.8
Rhodium(III) oxide	Rh <sub>2</sub> O <sub>3</sub>	+104	Sodium iodate	NaIO <sub>3</sub>	-53
Rubidium	Rb	+17	Sodium iodide	NaI	-57
Rubidium bromide	RbBr	-56.4	Sodium nitrate	NaNO <sub>3</sub>	-25.6
Rubidium carbonate	Rb <sub>2</sub> CO <sub>3</sub>	-75.4	Sodium nitrite	NaNO <sub>2</sub>	-14.5
Rubidium chloride	RbCl	-46	Sodium oxide	Na <sub>2</sub> O	-19.8
Rubidium fluoride	RbF	-31.9	Sodium peroxide	Na <sub>2</sub> O <sub>2</sub>	-28.10
Rubidium iodide	RbI	-72.2	Sodium sulfate	Na <sub>2</sub> SO <sub>4</sub>	-52
Rubidium nitrate	RbNO <sub>3</sub>	-41	Sodium sulfate decahydrate	Na <sub>2</sub> SO <sub>4</sub> ·10H <sub>2</sub> O	-184
Rubidium sulfate	Rb <sub>2</sub> SO <sub>4</sub>	-88.4	Sodium sulfide	Na <sub>2</sub> S	-39
Rubidium superoxide	RbO <sub>2</sub>	+1527	Sodium tetraborate	Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	-85
Ruthenium	Ru	+39	Strontium	Sr	+92
Ruthenium(III) chloride	RuCl <sub>3</sub>	+1998	Strontium bromide	SrBr <sub>2</sub>	-86.6
Ruthenium(IV) oxide	RuO <sub>2</sub>	+162	Strontium bromide hexahydrate	SrBr <sub>2</sub> ·6H <sub>2</sub> O	-160
Samarium (α)	Sm	+1278	Strontium carbonate	SrCO <sub>3</sub>	-47
Samarium(II) bromide	SmBr <sub>2</sub>	+5337	Strontium chlorate	Sr(ClO <sub>3</sub> ) <sub>2</sub>	-73
Samarium(III) bromide	SmBr <sub>3</sub>	+972	Strontium chloride	SrCl <sub>2</sub>	-61.5
Samarium(III) oxide	Sm <sub>2</sub> O <sub>3</sub>	+1988	Strontium chloride hexahydrate	SrCl <sub>2</sub> ·6H <sub>2</sub> O	-145
Samarium(III) sulfate octahydrate	Sm <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	+1710	Strontium chromate	SrCrO <sub>4</sub>	-5.1
Samarium(III) sulfide	Sm <sub>2</sub> S <sub>3</sub>	+3300	Strontium fluoride	SrF <sub>2</sub>	-37.2
Scandium (α)	Sc	+295.2	Strontium hydroxide	Sr(OH) <sub>2</sub>	-40
Selenium	Se	-25	Strontium iodate	Sr(IO <sub>3</sub> ) <sub>2</sub>	-108
Selenium dioxide	SeO <sub>2</sub>	-27.2	Strontium iodide	SrI <sub>2</sub>	-112
Selenium bromide	Se <sub>2</sub> Br <sub>2</sub>	-113	Strontium nitrate	Sr(NO <sub>3</sub> ) <sub>2</sub>	-57.2
Selenium chloride (I)	Se <sub>2</sub> Cl <sub>2</sub>	-94.8	Strontium oxide	SrO	-35
Selenium hexafluoride (g)	SeF <sub>6</sub>	-51	Strontium peroxide	SrO <sub>2</sub>	-32.3
Silicon	Si	-3.12	Strontium sulfate	SrSO <sub>4</sub>	-57.9
Silane (g)	SiH <sub>4</sub>	-20.4	Sulfur (rhombic)	S	-15.5
Disilane (g)	Si <sub>2</sub> H <sub>6</sub>	-37.3	Sulfur (monoclinic)	S	-14.9
Tetramethylsilane (l)	(CH <sub>3</sub> ) <sub>4</sub> Si	-74.80	Sulfuric acid (l)	H <sub>2</sub> SO <sub>4</sub>	-39
Tetraethylsilane (l)	(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> Si	-120.2	Sulfur dioxide (g)	SO <sub>2</sub>	-18.2
Tetrabromosilane (l)	SiBr <sub>4</sub>	-126	Sulfur trioxide (l)	SO <sub>3</sub>	-28.54
Tetrachlorosilane (l)	SiCl <sub>4</sub>	-87.5	Sulfur chloride (l)	SSCl <sub>2</sub>	-62.2
Silicon carbide	SiC	-12.8	Sulfur dichloride (l)	SCl <sub>2</sub>	-49.4
Silicon dioxide	SiO <sub>2</sub>	-29.6	Sulfur hexafluoride (g)	SF <sub>6</sub>	-44
Silver	Ag	-19.5	Thionyl chloride (l)	SOCl <sub>2</sub>	-44.3
Silver(I) bromide	AgBr	-61	Tantalum	Ta	+154
Silver(I) carbonate	Ag <sub>2</sub> CO <sub>3</sub>	-80.90	Tantalum(V) chloride	TaCl <sub>5</sub>	+140
Silver(I) chloride	AgCl	-49	Tantalum(V) oxide	Ta <sub>2</sub> O <sub>5</sub>	-32
Silver(I) chromate	Ag <sub>2</sub> CrO <sub>4</sub>	-40	Technetium	Tc	+115
Silver(I) cyanide	AgCN	-43.2	Tellurium	Te	-38
Silver(I) fluoride	AgF	-36.5	Tellurium dibromide	TeBr <sub>2</sub>	-106
Silver(I) iodide	AgI	-80	Tellurium dichloride	TeCl <sub>2</sub>	-94
Silver(I) nitrate	AgNO <sub>3</sub>	-45.7	Tellurium hexafluoride (g)	TeF <sub>6</sub>	-66
Silver(I) nitrite	AgNO <sub>2</sub>	-42	Terbium (α)	Tb	+170000
Silver(I) oxide	Ag <sub>2</sub> O	-134	Terbium oxide	Tb <sub>2</sub> O <sub>3</sub>	+78340
Silver(I) phosphate	Ag <sub>3</sub> PO <sub>4</sub>	-120	Thallium	Tl	-50
Silver(I) sulfate	Ag <sub>2</sub> SO <sub>4</sub>	-92.90	Thallium(I) bromate	TlBrO <sub>3</sub>	-75.9
Silver(I) thiocyanate	AgSCN	-61.8	Thallium(I) bromide	TlBr	-63.9
Silver(II) oxide	AgO	-19.6	Thallium(I) carbonate	Tl <sub>2</sub> CO <sub>3</sub>	-101.6
Sodium	Na	+16	Thallium(I) chlorate	TlClO <sub>3</sub>	-65.5
Sodium acetate	NaC <sub>2</sub> H <sub>3</sub> O <sub>2</sub>	-37.6	Thallium(I) chloride	TlCl	-57.8
Sodium bromate	NaBrO <sub>3</sub>	-44.2	Thallium(I) chromate	Tl <sub>2</sub> CrO <sub>4</sub>	-39.3
Sodium bromide	NaBr	-41	Thallium(I) cyanide	TlCN	-49

Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$	Name	Formula	$\chi_m/10^{-6} \text{ cm}^3 \text{ mol}^{-1}$
Thallium(I) fluoride	TlF	-44.4	Uranium(IV) bromide	U <sub>4</sub> Br <sub>4</sub>	+3530
Thallium(I) iodate	TlIO <sub>3</sub>	-86.8	Uranium(IV) chloride	UCl <sub>4</sub>	+3680
Thallium(I) iodide	TlI	-82.2	Uranium(IV) fluoride	UF <sub>4</sub>	+3530
Thallium(I) nitrate	TlNO <sub>3</sub>	-56.5	Uranium(IV) oxide	UO <sub>2</sub>	+2360
Thallium(I) nitrite	TlNO <sub>2</sub>	-50.8	Uranium(VI) fluoride	UF <sub>6</sub>	+43
Thallium(I) sulfate	Tl <sub>2</sub> SO <sub>4</sub>	-112.6	Uranium(VI) oxide	UO <sub>3</sub>	+128
Thallium(I) sulfide	Tl <sub>2</sub> S	-88.8	Vanadium	V	+285
Thorium	Th	+97	Vanadium(II) bromide	VBr <sub>2</sub>	+3230
Thorium(IV) oxide	ThO <sub>2</sub>	-16	Vanadium(II) chloride	VCl <sub>2</sub>	+2410
Thulium	Tm	+24700	Vanadium(III) bromide	VBr <sub>3</sub>	+2910
Thulium oxide	Tm <sub>2</sub> O <sub>3</sub>	+51444	Vanadium(III) chloride	VCl <sub>3</sub>	+3030
Tin (gray)	Sn	-37.4	Vanadium(III) fluoride	VF <sub>3</sub>	+2757
Tin(II) chloride	SnCl <sub>2</sub>	-69	Vanadium(III) oxide	V <sub>2</sub> O <sub>3</sub>	+1976
Tin(II) chloride dihydrate	SnCl <sub>2</sub> ·2H <sub>2</sub> O	-91.4	Vanadium(III) sulfide	V <sub>2</sub> S <sub>3</sub>	+1560
Tin(II) oxide	SnO	-19	Vanadium(IV) chloride	VCl <sub>4</sub>	+1215
Tin(IV) bromide	SnBr <sub>4</sub>	-149	Vanadium(IV) oxide	VO <sub>2</sub>	+99
Tin(IV) chloride (l)	SnCl <sub>4</sub>	-115	Vanadium(V) oxide	V <sub>2</sub> O <sub>5</sub>	+128
Tin(IV) oxide	SnO <sub>2</sub>	-41	Water (s, 273 K)	H <sub>2</sub> O	-12.63
Titanium	Ti	+151	Water (l, 293 K)	H <sub>2</sub> O	-12.96
Titanium(II) bromide	TiBr <sub>2</sub>	+720	Water (l, 373 K)	H <sub>2</sub> O	-13.09
Titanium(II) chloride	TiCl <sub>2</sub>	+484	Water (g, 373 K)	H <sub>2</sub> O	-13.1
Titanium(II) iodide	TiI <sub>2</sub>	+1790	Xenon (g)	Xe	-45.5
Titanium(II) sulfide	TiS	+432	Ytterbium (β)	Yb	+67
Titanium(III) bromide	TiBr <sub>3</sub>	+660	Yttrium (α)	Y	+187.7
Titanium(III) chloride	TiCl <sub>3</sub>	+1110	Yttrium oxide	Y <sub>2</sub> O <sub>3</sub>	+44.4
Titanium(III) fluoride	TiF <sub>3</sub>	+1300	Yttrium sulfide	Y <sub>2</sub> S <sub>3</sub>	+100
Titanium(III) oxide	Ti <sub>2</sub> O <sub>3</sub>	+132	Zinc	Zn	-9.15
Titanium(IV) chloride	TiCl <sub>4</sub>	-54	Zinc carbonate	ZnCO <sub>3</sub>	-34
Titanium(IV) oxide	TiO <sub>2</sub>	+5.9	Zinc chloride	ZnCl <sub>2</sub>	-55.33
Tungsten	W	+53	Zinc cyanide	Zn(CN) <sub>2</sub>	-46
Tungsten carbide	WC	+10	Zinc fluoride	ZnF <sub>2</sub>	-34.3
Tungsten(II) chloride	WCl <sub>2</sub>	-25	Zinc hydroxide	Zn(OH) <sub>2</sub>	-67
Tungsten(IV) oxide	WO <sub>2</sub>	+57	Zinc iodide	ZnI <sub>2</sub>	-108
Tungsten(IV) sulfide	WS <sub>2</sub>	+5850	Zinc oxide	ZnO	-27.2
Tungsten(V) bromide	WBr <sub>5</sub>	+270	Zinc phosphate	Zn <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub>	-141
Tungsten(V) chloride	WCl <sub>5</sub>	+387	Zinc sulfate	ZnSO <sub>4</sub>	-47.8
Tungsten(VI) chloride	WCl <sub>6</sub>	-71	Zinc sulfate monohydrate	ZnSO <sub>4</sub> ·H <sub>2</sub> O	-63
Tungsten(VI) fluoride (g)	WF <sub>6</sub>	-53	Zinc sulfate heptahydrate	ZnSO <sub>4</sub> ·7H <sub>2</sub> O	-138
Tungsten(VI) oxide	WO <sub>3</sub>	-15.8	Zinc sulfide	ZnS	-25
Uranium	U	+409	Zirconium	Zr	+120
Uranium(III) bromide	UBr <sub>3</sub>	+4740	Zirconium carbide	ZrC	-26
Uranium(III) chloride	UCl <sub>3</sub>	+3460	Zirconium nitrate pentahydrate	Zr(NO <sub>3</sub> ) <sub>4</sub> ·5H <sub>2</sub> O	-77
Uranium(III) hydride	UH <sub>3</sub>	+6244	Zirconium(IV) oxide	ZrO <sub>2</sub>	-13.8
Uranium(III) iodide	UI <sub>3</sub>	+4460			