

BOND LENGTHS IN CRYSTALLINE ORGANIC COMPOUNDS

The following table gives average interatomic distances for bonds between the elements H, B, C, N, O, F, Si, P, S, Cl, As, Se, Br, Te, and I as determined from X-ray and neutron diffraction measurements on organic crystals. The table has been derived from an analysis of high-precision structure data on about 10,000 crystals contained in the 1985 version of the Cambridge Structural Database, which is maintained by the Cambridge Crystallographic Data Center. The explanation of the columns is:

- Column 1: Specification of elements in the bond, with coordination number given in parentheses, and bond type (single, double, etc.). For carbon, the hybridization state is given.
- Column 2: Substructure in which the bond is found. The target bond is set in boldface. Where X is not specified, it denotes any element type. C# indicates any sp^3 carbon atom, and C* denotes an sp^3 carbon whose bonds, in addition to those specified in the linear formulation, are to C and H atoms only.
- Column 3: d is the unweighted mean in Å units of all the values for that bond length found in the sample.

- Column 4: m is the median in Å units of all values.
- Column 5: σ is the standard deviation in the sample.
- Column 6: q_1 is the lower quartile for the sample (i.e., 25% of values are less than q_1 and 75% exceed it).
- Column 7: q_u is the upper quartile for the sample.
- Column 8: n is number of observations in the sample.
- Column 9: Notes refer to the footnotes in Appendix 1.

References to special cases are given in a shorthand form and listed in Appendix 2. Further information on the method of analysis of the data may be found in the reference cited below.

The table is reprinted with permission of the authors, the Royal Society of Chemistry, and the International Union of Crystallography.

Reference

Frank H. Allen, Olga Kennard, David G. Watson, Lee Brammer, A. Guy Orpen, and Robin Taylor, *J. Chem. Soc. Perkin Trans. II*, S1–S19, 1987.

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | q_1 | q_u | <i>n</i> | Note |
|------------------|---|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|-----------------------|------|
| As(3)-As(3) | $X_2\text{-As-As-X}_2$ | 2.459 | 2.457 | 0.011 | 2.456 | 2.466 | 8 | |
| As-B | see CUDLOC (2.065), CUDLUI (2.041) | | | | | | | |
| As-Br | see CODDEE, CODDII (2.346–3.203) | | | | | | | |
| As(4)-C | $X_3\text{-As-CH}_3$ $(X)_2\text{(C,O,S=)As-Csp}^3$ As-Car in Ph_4As^+ $(X)_2\text{(C,O,S=)As-Car}$ | 1.903 1.927 1.905 1.922 | 1.907 1.929 1.909 1.927 | 0.016 0.017 0.012 0.016 | 1.893 1.921 1.897 1.908 | 1.916 1.937 1.912 1.934 | 12 16 108 36 | |
| As(3)-C | $X_2\text{-As-Csp}^3$ $X_2\text{-As-Car}$ | 1.963 1.956 | 1.965 1.956 | 0.017 0.015 | 1.948 1.944 | 1.978 1.964 | 6 41 | |
| As(3)-Cl | $X_2\text{-As-Cl}$ | 2.268 | 2.256 | 0.039 | 2.247 | 2.281 | 10 | |
| As(6)-F | in AsF_6^- | 1.678 | 1.676 | 0.020 | 1.659 | 1.695 | 36 | |
| As(3)-I | see OPIMAS (2.579, 2.590) | | | | | | | |
| As(3)-N(3) | $X_2\text{-As-N-X}_2$ | 1.858 | 1.858 | 0.029 | 1.839 | 1.873 | 19 | |
| As(4)=N(2) | see TPASSN (1.837) | | | | | | | |
| As(4)-O | $(X)_2\text{(O=)As-OH}$ | 1.710 | 1.712 | 0.017 | 1.695 | 1.726 | 6 | |
| As(3)-O | see ASA2OC, PHASOC01 (1.787–1.845) | | | | | | | |
| As(4)=O | $X_3\text{-As=O}$ | 1.661 | 1.661 | 0.016 | 1.652 | 1.667 | 9 | |
| As(3)=P(3) | see BELNIP (2.350, 2.362) | | | | | | | † |
| As(3)-P(3) | see BUTHAZ10 (2.124) | | | | | | | † |
| As(3)-S | $X_2\text{-As-S}$ | 2.275 | 2.266 | 0.032 | 2.247 | 2.298 | 14 | |
| As(4)=S | $X_3\text{-As=S}$ | 2.083 | 2.082 | 0.004 | 2.080 | 2.086 | 9 | |
| As(3)-Se(2) | see COSDIX, ESEARS (2.355–2.401) | | | | | | | † |
| As(3)-Si(4) | see BICGEZ, MESIAD (2.351–2.365) | | | | | | | † |
| As(3)-Te(2) | see ETEARS (2.571, 2.576) | | | | | | | † |
| B(n)-B(n) | $n = 5\text{--}7$ in boron cages | 1.775 | 1.773 | 0.031 | 1.763 | 1.786 | 688 | |
| B(4)-B(4) | see CETTAW (2.041) | | | | | | | |
| B(4)-B(3) | see COFVOI (1.698) | | | | | | | |
| B(3)-B(3) | $X_2\text{-B-B-X}_2$ | 1.701 | 1.700 | 0.014 | 1.691 | 1.712 | 8 | |
| B(6)-BR | | 1.967 | 1.971 | 0.014 | 1.954 | 1.979 | 7 | † |
| B(4)-BR | | 2.017 | 2.008 | 0.031 | 1.990 | 2.044 | 15 | † |
| B(<i>n</i>)-C | $n = 5\text{--}7$: B-C in cages $n = 3\text{--}4$: B-Csp ³ not cages $n = 4$: B-Car $n = 4$: B-Car in Ph_4B^- | 1.716 1.597 1.606 1.643 | 1.717 1.599 1.607 1.643 | 0.020 0.022 0.012 0.006 | 1.707 1.585 1.596 1.641 | 1.728 1.611 1.615 1.645 | 96 29 41 16 | 1 |
| B(<i>n</i>)-C | $n = 3$: B-Car | 1.556 | 1.552 | 0.015 | 1.546 | 1.566 | 24 | |
| B(<i>n</i>)-Cl | B(5)-Cl and B(3)-Cl | 1.751 | 1.751 | 0.011 | 1.743 | 1.761 | 14 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | <i>σ</i> | <i>q_i</i> | <i>q_u</i> | <i>n</i> | Note |
|------------------------------------|--|----------|----------|----------|----------------------|----------------------|----------|------|
| B(4)-F | B(4)-Cl | 1.833 | 1.833 | 0.013 | 1.821 | 1.843 | 22 | |
| | B-F (B neutral) | 1.366 | 1.368 | 0.017 | 1.356 | 1.375 | 25 | |
| | B-F in BF ₄ ⁻ | 1.365 | 1.372 | 0.029 | 1.352 | 1.390 | 84 | |
| B(4)-I | see TMPBTI (2.220, 2.253) | | | | | | | |
| B(4)-N(3) | X ₃ -B-N(=C)(X) | 1.611 | 1.617 | 0.013 | 1.601 | 1.625 | 8 | |
| | in pyrazaboles | 1.549 | 1.552 | 0.015 | 1.536 | 1.560 | 10 | |
| B(3)-N(3) | X ₂ -B-N-C ₂ : all coplanar | 1.404 | 1.404 | 0.014 | 1.389 | 1.408 | 40 | 2 |
| | for τ(BN) > 30° see BOGSUL, BUSHAY, CILRUK (1.434–1.530) | | | | | | | |
| B(4)-O | S ₂ -B-N-X ₂ | 1.447 | 1.443 | 0.013 | 1.435 | 1.470 | 14 | |
| | B-O in BO ⁻ ₄ | 1.468 | 1.468 | 0.022 | 1.453 | 1.479 | 24 | |
| | for neutral B-O see Note 3 | | | | | | | 3 |
| B(3)-O(2) | X ₂ -B-O-X | 1.367 | 1.367 | 0.024 | 1.349 | 1.382 | 35 | |
| B(<i>n</i>)-P | <i>n</i> = 4: B-P | 1.922 | 1.927 | 0.027 | 1.900 | 1.954 | 10 | |
| | <i>n</i> = 3: see BUPSIB10 (1.892, 1.893) | | | | | | | |
| B(4)-S | B(4)-S(3) | 1.930 | 1.927 | 0.009 | 1.925 | 1.934 | 10 | |
| | B(4)-S(2) | 1.896 | 1.896 | 0.004 | 1.893 | 1.899 | 6 | |
| B(3)-S | N-B-S ₂ | 1.806 | 1.806 | 0.010 | 1.799 | 1.816 | 28 | |
| | (=X-)(N-)B-S | 1.851 | 1.854 | 0.013 | 1.842 | 1.859 | 10 | |
| Br-Br | see BEPZEB, TPASTB | 2.542 | 2.548 | 0.015 | 2.526 | 2.551 | 4 | |
| Br-C | Br-C* | 1.966 | 1.967 | 0.029 | 1.951 | 1.983 | 100 | 4 |
| | Br-Csp ³ (cyclopropane) | 1.910 | 1.910 | 0.010 | 1.900 | 1.914 | 8 | |
| | Br-Csp ² | 1.883 | 1.881 | 0.015 | 1.874 | 1.894 | 31 | 4 |
| | Br-Car (mono-Br + <i>m,p</i> -Br ₂) | 1.899 | 1.899 | 0.012 | 1.892 | 1.906 | 119 | 4 |
| | Br-Car (o-Br ₂) | 1.875 | 1.872 | 0.011 | 1.864 | 1.884 | 8 | 4 |
| Br(2)-Cl | see TEACBR (2.362–2.402) | | | | | | | † |
| Br-I | see DTHIBR10 (2.646), TPHOSI (2.695) | | | | | | | |
| Br-N | see NBBZAM (1.843) | | | | | | | |
| Br-O | see CIYFOF | 1.581 | 1.581 | 0.007 | 1.574 | 1.587 | 4 | |
| Br-P | see CISTED (2.366) | | | | | | | |
| Br-S(2) | see BEMLIO (2.206) | | | | | | | † |
| Br-S(3) | see CIWYIQ (2.435, 2.453) | | | | | | | † |
| Br-S(3)+ | see THINBR (2.321) | | | | | | | † |
| Br-SE | see CIFZUM (2.508, 2.619) | | | | | | | |
| Br-Si | see BIZJAV (2.284) | | | | | | | |
| Br-Te | In Br ₆ Te ²⁻ see CUGBAH (2.692–2.716) | | | | | | | |
| | Br-Te(4) see BETUTE10 (3.079, 3.015) | | | | | | | |
| | Br-Te(3) see BTUPTE (2.835) | | | | | | | |
| Csp ³ -Csp ³ | C#-CH ₂ -CH ₃ | 1.513 | 1.514 | 0.014 | 1.507 | 1.523 | 192 | |
| | (C#) ₂ -CH-CH ₃ | 1.524 | 1.526 | 0.015 | 1.518 | 1.534 | 226 | |
| | (C#) ₃ -C-CH ₃ | 1.534 | 1.534 | 0.011 | 1.527 | 1.541 | 825 | |
| | C#-CH ₂ -CH ₂ -C# | 1.524 | 1.524 | 0.014 | 1.516 | 1.532 | 2459 | |
| | (C#) ₂ -CH-CH ₂ -C# | 1.531 | 1.531 | 0.012 | 1.524 | 1.538 | 1217 | |
| | (C#) ₃ -C-CH ₂ -C# | 1.538 | 1.539 | 0.010 | 1.533 | 1.544 | 330 | |
| | (C#) ₂ -CH-CH-(C#) ₂ | 1.542 | 1.542 | 0.011 | 1.536 | 1.549 | 321 | |
| | (C#) ₃ -C-CH-(C#) ₂ | 1.556 | 1.556 | 0.011 | 1.549 | 1.562 | 215 | |
| | (C#) ₃ -C-C-(C#) ₃ | 1.588 | 1.580 | 0.025 | 1.566 | 1.610 | 21 | |
| | C*-C* (overall) | 1.530 | 1.530 | 0.015 | 1.521 | 1.539 | 5777 | 5,6 |
| | in cyclopropane (any subst.) | 1.510 | 1.509 | 0.026 | 1.497 | 1.523 | 888 | 7 |
| | in cyclobutane (any subst.) | 1.554 | 1.553 | 0.021 | 1.540 | 1.567 | 679 | 8 |
| | in cyclopentane (C,H-subst.) | 1.543 | 1.543 | 0.018 | 1.532 | 1.554 | 1641 | |
| | in cyclohexane (C,H-subst.) | 1.535 | 1.535 | 0.016 | 1.525 | 1.545 | 2814 | |
| | cyclopropyl-C* (exocyclic) | 1.518 | 1.518 | 0.019 | 1.505 | 1.531 | 366 | 7 |
| | cyclobutyl-C* (exocyclic) | 1.529 | 1.529 | 0.016 | 1.519 | 1.539 | 376 | 8 |
| | cyclopentyl-C* (exocyclic) | 1.540 | 1.541 | 0.017 | 1.527 | 1.549 | 956 | |
| | cyclohexyl-C* (exocyclic) | 1.539 | 1.538 | 0.016 | 1.529 | 1.549 | 2682 | |
| | in cyclobutene (any subst.) | 1.573 | 1.574 | 0.017 | 1.566 | 1.586 | 25 | 8 |
| | in cyclopentene (C,H-subst.) | 1.541 | 1.539 | 0.015 | 1.532 | 1.549 | 208 | |
| | in cyclohexene (C,H-subst.) | 1.541 | 1.541 | 0.020 | 1.528 | 1.554 | 586 | |
| | in oxirane (epoxide) | 1.466 | 1.466 | 0.015 | 1.458 | 1.474 | 249 | 9 |
| | in aziridine | 1.480 | 1.481 | 0.021 | 1.465 | 1.496 | 67 | 9 |

| Bond | Substructure | <i>d</i> | <i>m</i> | <i>σ</i> | <i>q_l</i> | <i>q_u</i> | <i>n</i> | Note |
|--|---|----------|----------|----------|----------------------|----------------------|----------|-------|
| Csp³–Csp² | in oxetane | 1.541 | 1.541 | 0.019 | 1.527 | 1.557 | 16 | |
| | in azetidine | 1.548 | 1.543 | 0.018 | 1.536 | 1.558 | 22 | |
| | oxiranyl-C* (exocyclic) | 1.509 | 1.507 | 0.018 | 1.497 | 1.519 | 333 | 9 |
| | aziridinyl-C* (exocyclic) | 1.512 | 1.512 | 0.018 | 1.496 | 1.526 | 13 | 9 |
| | CH₃–C=C | 1.503 | 1.504 | 0.011 | 1.497 | 1.509 | 215 | |
| | C#–CH₂–C=C | 1.502 | 1.502 | 0.013 | 1.494 | 1.510 | 483 | |
| | (C#)₂–CH–C=C | 1.510 | 1.510 | 0.014 | 1.501 | 1.518 | 564 | |
| | (C#)₃–C–C=C | 1.522 | 1.522 | 0.016 | 1.511 | 1.533 | 193 | |
| | C*–C=C (overall) | 1.507 | 1.507 | 0.015 | 1.499 | 1.517 | 1456 | 5 |
| | C*–C=C (endocyclic) | | | | | | | |
| | in cyclopropene | 1.509 | 1.508 | 0.016 | 1.500 | 1.516 | 20 | 10 |
| | in cyclobutene | 1.513 | 1.512 | 0.018 | 1.500 | 1.525 | 50 | 8 |
| | in cyclopentene | 1.512 | 1.512 | 0.014 | 1.502 | 1.521 | 208 | |
| | in cyclohexene | 1.506 | 1.505 | 0.016 | 1.495 | 1.516 | 391 | |
| | in cyclopentadiene | 1.502 | 1.503 | 0.019 | 1.490 | 1.515 | 18 | |
| | in cyclohexa-1,3-diene | 1.504 | 1.504 | 0.017 | 1.491 | 1.517 | 56 | |
| | C*–C=C (exocyclic): | | | | | | | |
| | cyclopropenyl-C* | 1.478 | 1.475 | 0.012 | 1.470 | 1.485 | 7 | 10 |
| | cyclobutenyl-C* | 1.489 | 1.483 | 0.015 | 1.479 | 1.496 | 11 | 8 |
| | cyclopentenyl-C* | 1.504 | 1.506 | 0.012 | 1.495 | 1.512 | 115 | |
| Csp³–Csp² | cyclohexenyl-C* | 1.511 | 1.511 | 0.013 | 1.502 | 1.519 | 292 | |
| | C*CH=O in aldehydes | 1.510 | 1.510 | 0.008 | 1.501 | 1.518 | 7 | |
| | (C*)₂–C=O | | | | | | | |
| | in ketones | 1.511 | 1.511 | 0.015 | 1.501 | 1.521 | 952 | 11 |
| | in cyclobutanone | 1.529 | 1.530 | 0.016 | 1.514 | 1.545 | 18 | |
| | in cyclopentanone | 1.514 | 1.514 | 0.016 | 1.505 | 1.523 | 312 | |
| | acyclic and 6 + rings | 1.509 | 1.509 | 0.016 | 1.499 | 1.519 | 626 | |
| | C*–COOH in carboxylic acids | 1.502 | 1.502 | 0.014 | 1.495 | 1.510 | 176 | |
| | C*–COO⁻ in carboxylate anions | 1.520 | 1.521 | 0.011 | 1.516 | 1.528 | 57 | |
| | C*–C(=O)(–OC*) | | | | | | | |
| | in acyclic esters | 1.497 | 1.496 | 0.018 | 1.484 | 1.509 | 553 | 12 |
| | in β-lactones | 1.519 | 1.519 | 0.020 | 1.500 | 1.538 | 4 | 13 |
| | in γ-lactones | 1.512 | 1.512 | 0.015 | 1.501 | 1.521 | 110 | 12 |
| | in δ-lactones | 1.504 | 1.502 | 0.013 | 1.495 | 1.517 | 27 | 12 |
| | cyclopropyl (C)–C=O in ketones, acids and esters | 1.486 | 1.485 | 0.018 | 1.474 | 1.497 | 105 | 7 |
| | C*–C(=O)(–NH₂) in acyclic amides | 1.514 | 1.512 | 0.016 | 1.506 | 1.526 | 32 | 14 |
| | C*–C(=O)(–NHC*) in acyclic amides | 1.506 | 1.505 | 0.012 | 1.498 | 1.515 | 78 | 14 |
| | C*–C(=O)[–N(C*)]₂ in acyclic amides | 1.505 | 1.505 | 0.011 | 1.496 | 1.517 | 15 | 14 |
| | CH₃–Car | 1.506 | 1.507 | 0.011 | 1.501 | 1.513 | 454 | |
| | C#–CH₂–Car | 1.510 | 1.510 | 0.009 | 1.505 | 1.516 | 674 | |
| Csp³–Car | (C#)₂–CH–Car | 1.515 | 1.515 | 0.011 | 1.508 | 1.522 | 363 | |
| | (C#)₃–C–Car | 1.527 | 1.530 | 0.016 | 1.517 | 1.539 | 308 | |
| | Car (overall) | 1.513 | 1.513 | 0.014 | 1.505 | 1.521 | 1813 | |
| | cyclopropyl (C)–Car | 1.490 | 1.490 | 0.015 | 1.479 | 1.503 | 90 | 7 |
| | C*–C≡C | 1.466 | 1.465 | 0.010 | 1.460 | 1.469 | 21 | 15 |
| | C#–C≡C | 1.472 | 1.472 | 0.012 | 1.464 | 1.481 | 88 | 15 |
| | C*–C≡N | 1.470 | 1.469 | 0.013 | 1.463 | 1.479 | 106 | 7b |
| | cyclopropyl (C)–C≡N | 1.444 | 1.447 | 0.010 | 1.436 | 1.451 | 38 | 7 |
| | C=C–C=C | | | | | | | |
| Csp²–Csp² | (conjugated) | 1.455 | 1.455 | 0.011 | 1.447 | 1.463 | 30 | 16,18 |
| | (unconjugated) | 1.478 | 1.476 | 0.012 | 1.470 | 1.479 | 8 | 17,18 |
| | (overall) | 1.460 | 1.460 | 0.015 | 1.450 | 1.470 | 38 | |
| | C=C–C=C–C=C | 1.443 | 1.445 | 0.013 | 1.431 | 1.454 | 29 | 18 |
| | C=C–C=C (endocyclic in TCNQ) | 1.432 | 1.433 | 0.012 | 1.424 | 1.441 | 280 | 19 |
| | C=C–C(=O)(–C*) | | | | | | | |
| | (conjugated) | 1.464 | 1.462 | 0.018 | 1.453 | 1.476 | 211 | 16,18 |
| | (unconjugated) | 1.484 | 1.486 | 0.017 | 1.475 | 1.497 | 14 | 17,18 |
| | (overall) | 1.465 | 1.462 | 0.018 | 1.453 | 1.478 | 226 | |
| | C=C–C(=O)–C=C | | | | | | | |
| | in benzoquinone (C ₆ H-subst. only) | 1.478 | 1.476 | 0.011 | 1.469 | 1.488 | 28 | |
| | in benzoquinone (any subst.) | 1.478 | 1.478 | 0.031 | 1.464 | 1.498 | 172 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|------------------------------------|---|----------|----------|----------|-----------------------|-----------------------|----------|-------|
| | non-quinonoid | 1.456 | 1.455 | 0.012 | 1.447 | 1.464 | 28 | |
| | C=C-COOH | 1.475 | 1.476 | 0.015 | 1.461 | 1.488 | 22 | |
| | C=C-COOC* | 1.488 | 1.489 | 0.014 | 1.478 | 1.497 | 113 | |
| | C=C-COO ⁻ | 1.502 | 1.499 | 0.017 | 1.488 | 1.510 | 11 | |
| | HOOC-COOH | 1.538 | 1.537 | 0.007 | 1.535 | 1.541 | 9 | |
| | HOOC-COO ⁻ | 1.549 | 1.552 | 0.009 | 1.546 | 1.553 | 13 | |
| | -OOC-COO ⁻ | 1.564 | 1.559 | 0.022 | 1.554 | 1.568 | 9 | |
| | formal Csp ² -Csp ² single bond in selected non-fused heterocycles: | | | | | | | |
| | in 1 <i>H</i> -pyrrole (C3-C4) | 1.412 | 1.410 | 0.016 | 1.401 | 1.427 | 29 | |
| | in furan (C3-C4) | 1.423 | 1.423 | 0.016 | 1.412 | 1.433 | 62 | |
| | in thiophene (C3-C4) | 1.424 | 1.425 | 0.015 | 1.415 | 1.433 | 40 | |
| | in pyrazole (C3-C4) | 1.410 | 1.412 | 0.016 | 1.400 | 1.418 | 20 | |
| | in isoxazole (C3-C4) | 1.425 | 1.425 | 0.016 | 1.413 | 1.438 | 9 | |
| | in furazan (C3-C4) | 1.428 | 1.427 | 0.007 | 1.422 | 1.435 | 6 | |
| | in furoxan (C3-C4) | 1.417 | 1.417 | 0.006 | 1.412 | 1.422 | 14 | |
| Csp ² -Car | C=C-Car | | | | | | | |
| | (conjugated) | 1.470 | 1.470 | 0.015 | 1.463 | 1.480 | 37 | 16,18 |
| Csp ² -Car | | 1.488 | 1.490 | 0.012 | 1.480 | 1.496 | 87 | 17,18 |
| | (overall) | 1.483 | 1.483 | 0.015 | 1.472 | 1.494 | 124 | |
| | cyclopropenyl (C=C)-Car | 1.447 | 1.448 | 0.006 | 1.441 | 1.452 | 8 | 10 |
| | Car-C(=O)-C* | 1.488 | 1.489 | 0.016 | 1.478 | 1.500 | 84 | |
| | Car-C(=O)-Car | 1.480 | 1.481 | 0.017 | 1.468 | 1.494 | 58 | |
| | Car-COOH | 1.484 | 1.485 | 0.014 | 1.474 | 1.491 | 75 | |
| | Car-C(=O)(-OC*) | 1.487 | 1.487 | 0.012 | 1.480 | 1.494 | 218 | |
| | Car-COO ⁻ | 1.504 | 1.509 | 0.014 | 1.495 | 1.512 | 26 | |
| | Car-C(-O)-NH ₂ | 1.500 | 1.503 | 0.020 | 1.498 | 1.510 | 19 | |
| | Car-C=N-C# | | | | | | | |
| | (conjugated) | 1.476 | 1.478 | 0.014 | 1.466 | 1.486 | 27 | 16 |
| | (unconjugated) | 1.491 | 1.490 | 0.008 | 1.485 | 1.496 | 48 | 17 |
| | (overall) | 1.485 | 1.487 | 0.013 | 1.481 | 1.493 | 75 | |
| | in indole (C3-C3a) | 1.434 | 1.434 | 0.011 | 1.428 | 1.439 | 40 | |
| Csp ² -Csp ¹ | C=C-C≡C | 1.431 | 1.427 | 0.014 | 1.425 | 1.441 | 11 | 7b |
| | C=C-C≡N in TCNQ | 1.427 | 1.427 | 0.010 | 1.420 | 1.433 | 280 | 19 |
| Car-Car | in biphenyls (<i>ortho</i> subst. all H) | 1.487 | 1.488 | 0.007 | 1.484 | 1.493 | 30 | |
| | (≥1 non-H <i>ortho</i> -subst.) | 1.490 | 1.491 | 0.010 | 1.486 | 1.495 | 212 | |
| Car-Csp ¹ | Car-C≡C | 1.434 | 1.436 | 0.006 | 1.430 | 1.437 | 37 | |
| | Car-C≡N | 1.443 | 1.444 | 0.008 | 1.436 | 1.448 | 31 | |
| Csp ¹ -Csp ¹ | C≡C-C=C | 1.377 | 1.378 | 0.012 | 1.374 | 1.384 | 21 | |
| Csp ² -Csp ² | C*-CH=CH ₂ | 1.299 | 1.300 | 0.027 | 1.280 | 1.311 | 42 | |
| | (C*) ₂ -C=CH ₂ | 1.321 | 1.321 | 0.013 | 1.313 | 1.328 | 77 | |
| | C*-CH=CH-C* | | | | | | | |
| | (<i>cis</i>) | 1.317 | 1.318 | 0.013 | 1.310 | 1.323 | 106 | |
| | (<i>trans</i>) | 1.312 | 1.311 | 0.011 | 1.304 | 1.320 | 19 | |
| | (overall) | 1.316 | 1.317 | 0.015 | 1.309 | 1.323 | 127 | |
| | (C*) ₂ -C=CH-C* | 1.326 | 1.328 | 0.011 | 1.319 | 1.334 | 168 | |
| | (C*) ₂ -C=C-(C*) ₂ | 1.331 | 1.330 | 0.009 | 1.326 | 1.334 | 89 | |
| | (C*,H) ₂ -C=C-(C*,H) ₂ (overall) | 1.322 | 1.323 | 0.014 | 1.315 | 1.331 | 493 | 5 |
| | in cyclopropene (any subst.) | 1.294 | 1.288 | 0.017 | 1.284 | 1.302 | 10 | 10 |
| | in cyclobutene (any subst.) | 1.335 | 1.335 | 0.019 | 1.324 | 1.347 | 25 | 8 |
| | in cyclopentene (C,H-subst.) | 1.323 | 1.324 | 0.013 | 1.314 | 1.331 | 104 | |
| | in cyclohexene (C,H-subst.) | 1.326 | 1.325 | 0.012 | 1.318 | 1.334 | 196 | |
| | C=C=C (allenes, any subst.) | 1.307 | 1.307 | 0.005 | 1.303 | 1.310 | 18 | |
| | C=C-C=C (C,H subst., conjugated) | 1.330 | 1.330 | 0.014 | 1.322 | 1.338 | 76 | 16 |
| | C=C-C=C-C=C (C,H subst., conjugated) | 1.345 | 1.345 | 0.012 | 1.337 | 1.350 | 58 | 16 |
| | C=C-Car (C,H subst., conjugated) | 1.339 | 1.340 | 0.011 | 1.334 | 1.346 | 124 | 16 |
| | C=C in cyclopenta-1,3-diene (any subst.) | 1.341 | 1.341 | 0.017 | 1.328 | 1.356 | 18 | |
| | C=C in cyclohexa-1,3-diene (any subst.) | 1.332 | 1.332 | 0.013 | 1.323 | 1.341 | 56 | |
| | in C=C-C=O | | | | | | | |
| | (C,H subst., conjugated) | 1.340 | 1.340 | 0.013 | 1.332 | 1.348 | 211 | 16,18 |
| | (C,H subst., unconjugated) | 1.331 | 1.330 | 0.008 | 1.326 | 1.339 | 14 | 17,18 |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q₁</i> | <i>q_u</i> | <i>n</i> | Note |
|------------------------------------|---|----------|----------|----------|----------------------|----------------------|----------|------|
| | (C,H subst., overall) | 1.340 | 1.339 | 0.013 | 1.332 | 1.348 | 226 | |
| | in cyclohexa-2,5-dien-1-ones | 1.329 | 1.327 | 0.011 | 1.321 | 1.335 | 28 | |
| | in <i>p</i> -benzoquinones | | | | | | | |
| | (C*,H subst.) | 1.333 | 1.337 | 0.011 | 1.325 | 1.338 | 14 | |
| | (any subst.) | 1.349 | 1.339 | 0.030 | 1.330 | 1.364 | 86 | |
| | in TCNQ | | | | | | | |
| | (endocyclic) | 1.352 | 1.353 | 0.010 | 1.345 | 1.358 | 142 | 19 |
| | (exocyclic) | 1.392 | 1.391 | 0.017 | 1.379 | 1.405 | 139 | 19 |
| | C=C–OH in enol tautomers | 1.362 | 1.360 | 0.020 | 1.349 | 1.370 | 54 | |
| | in heterocycles (any subst.): | | | | | | | |
| | 1 <i>H</i> -pyrrole (C2–C3, C4–C5) | 1.375 | 1.377 | 0.018 | 1.361 | 1.388 | 58 | |
| | furan (C2–C3, C4–C5) | 1.341 | 1.342 | 0.021 | 1.329 | 1.351 | 125 | |
| | thiophene (C2–C3, C4–C5) | 1.362 | 1.359 | 0.025 | 1.346 | 1.377 | 60 | |
| | pyrazole (C4–C5) | 1.369 | 1.372 | 0.019 | 1.362 | 1.383 | 20 | |
| | imidazole (C4–C5) | 1.360 | 1.361 | 0.014 | 1.352 | 1.367 | 44 | |
| | isoxazole (C4–C5) | 1.341 | 1.336 | 0.012 | 1.331 | 1.355 | 9 | |
| | indole (C2–C3) | 1.364 | 1.363 | 0.012 | 1.355 | 1.371 | 40 | |
| Car ≈ Car | in phenyl rings with C*, H subst. only | | | | | | | |
| | H–C ≈ C–H | 1.380 | 1.381 | 0.013 | 1.372 | 1.388 | 2191 | |
| | C*–C ≈ C–H | 1.387 | 1.388 | 0.010 | 1.382 | 1.393 | 891 | |
| | C*–C ≈ C–C* | 1.397 | 1.397 | 0.009 | 1.392 | 1.403 | 182 | |
| | C ≈ C (overall) | 1.384 | 1.384 | 0.013 | 1.375 | 1.391 | 3264 | |
| | F–C ≈ C–F | 1.372 | 1.374 | 0.011 | 1.366 | 1.380 | 84 | 4 |
| | Cl–C ≈ C–Cl | 1.388 | 1.389 | 0.014 | 1.380 | 1.398 | 152 | 4 |
| | in naphthalene (D _{2h} , any subst.) | | | | | | | |
| | C1–C2 | 1.364 | 1.364 | 0.014 | 1.356 | 1.373 | 440 | |
| | C2–C3 | 1.406 | 1.406 | 0.014 | 1.397 | 1.415 | 218 | |
| | C1–C8a | 1.420 | 1.419 | 0.012 | 1.412 | 1.426 | 440 | |
| | C4a–C8a | 1.422 | 1.424 | 0.011 | 1.417 | 1.429 | 109 | |
| Car ≈ Car | in anthracene (D _{2h} , any subst.) | | | | | | | |
| | C1–C2 | 1.356 | 1.356 | 0.009 | 1.350 | 1.360 | 56 | |
| | C2–C3 | 1.410 | 1.410 | 0.010 | 1.401 | 1.416 | 34 | |
| | C1–C9a | 1.430 | 1.430 | 0.006 | 1.426 | 1.434 | 56 | |
| | C4a–C9a | 1.435 | 1.436 | 0.007 | 1.429 | 1.440 | 34 | |
| | C9–C9a | 1.400 | 1.402 | 0.009 | 1.395 | 1.406 | 68 | |
| | in pyridine (C,H subst.) | 1.379 | 1.381 | 0.012 | 1.371 | 1.387 | 276 | 20 |
| | (any subst.) | 1.380 | 1.380 | 0.015 | 1.371 | 1.389 | 537 | 20 |
| | in pyridinium cation | | | | | | | |
| | (N ⁺ –H; C,H subst. on C) | | | | | | | |
| | C2–C3 | 1.373 | 1.375 | 0.012 | 1.368 | 1.380 | 30 | |
| | C3–C4 | 1.379 | 1.380 | 0.011 | 1.371 | 1.388 | 30 | |
| | (N ⁺ –X; C,H subst. on C) | | | | | | | |
| | C2–C3 | 1.373 | 1.372 | 0.019 | 1.362 | 1.382 | 151 | |
| | C3–C4 | 1.383 | 1.385 | 0.019 | 1.372 | 1.394 | 151 | |
| | in pyrazine (H subst. on C) | 1.379 | 1.377 | 0.010 | 1.370 | 1.388 | 10 | |
| | (any subst. on C) | 1.405 | 1.405 | 0.024 | 1.388 | 1.420 | 60 | |
| | in pyrimidine (C,H subst. on C) | 1.387 | 1.389 | 0.018 | 1.379 | 1.400 | 28 | |
| Csp ¹ =Csp ¹ | X–C≡C–X | 1.183 | 1.183 | 0.014 | 1.174 | 1.193 | 119 | 15 |
| | C ₂ H–C≡C–C ₂ H | 1.181 | 1.181 | 0.014 | 1.173 | 1.192 | 104 | 15 |
| | in C≡C–C(sp ² ,ar) | 1.189 | 1.193 | 0.010 | 1.181 | 1.195 | 38 | 15 |
| | in C≡C–C≡C | 1.192 | 1.192 | 0.010 | 1.187 | 1.197 | 42 | 15 |
| | in CH≡C–C# | 1.174 | 1.174 | 0.011 | 1.167 | 1.180 | 42 | 15 |
| Csp ³ –Cl | Omitting 1,2-dichlorides: | | | | | | | |
| | C–CH ₂ –Cl | 1.790 | 1.790 | 0.007 | 1.783 | 1.795 | 13 | 4 |
| | C ₂ –CH–Cl | 1.803 | 1.802 | 0.003 | 1.800 | 1.807 | 8 | 4 |
| | C ₃ –C–Cl | 1.849 | 1.856 | 0.011 | 1.837 | 1.858 | 5 | 4 |
| | X–CH ₂ –Cl (X = C,H,N,O) | 1.790 | 1.791 | 0.011 | 1.783 | 1.797 | 37 | 4 |
| | X ₂ –CH–Cl (X = C,H,N,O) | 1.805 | 1.803 | 0.014 | 1.800 | 1.812 | 26 | 4 |
| | X ₃ –C–Cl (X = C,H,N,O) | 1.843 | 1.838 | 0.014 | 1.835 | 1.858 | 7 | 4 |
| | X ₂ –C–Cl ₂ (X = C,H,N,O) | 1.779 | 1.776 | 0.015 | 1.769 | 1.790 | 18 | 4 |
| | X–C–Cl ₃ (X = C,H,N,O) | 1.768 | 1.765 | 0.011 | 1.761 | 1.776 | 33 | 4 |

| Bond | Substructure | <i>d</i> | <i>m</i> | <i>σ</i> | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|-------------------------------|---|----------|----------|----------|-----------------------|-----------------------|----------|------|
| <i>Csp</i> ² -Cl | Cl-CH(-C)-CH(-C)-Cl | 1.793 | 1.793 | 0.013 | 1.786 | 1.800 | 66 | 4 |
| | Cl-C(-C ₂)-C(-C ₂)-Cl | 1.762 | 1.760 | 0.010 | 1.757 | 1.765 | 54 | 4 |
| | cyclopropyl-Cl | 1.755 | 1.756 | 0.011 | 1.749 | 1.763 | 64 | |
| <i>Car</i> -Cl | C=C-Cl (C,H,N,O subst. on C) | 1.734 | 1.729 | 0.019 | 1.719 | 1.748 | 63 | 4 |
| | C=C-Cl ₂ (C,H,N,O subst. on C) | 1.720 | 1.716 | 0.013 | 1.708 | 1.729 | 20 | 4 |
| | Cl-C=C-Cl | 1.713 | 1.711 | 0.011 | 1.705 | 1.720 | 80 | 4 |
| <i>Car</i> -Cl | Car-Cl (mono-Cl + m,p-Cl ₂) | 1.739 | 1.741 | 0.010 | 1.734 | 1.745 | 340 | 4 |
| | Car-Cl (<i>o</i> -Cl ₂) | 1.720 | 1.720 | 0.010 | 1.713 | 1.717 | 364 | 4 |
| <i>Csp</i> ¹ Cl | see HCLENE10 (1.634, 1.646) | | | | | | | |
| <i>Csp</i> ³ -F | Omitting 1,2-difluorides | | | | | | | |
| | C-CH ₂ -F and C ₂ -CH-F | 1.399 | 1.399 | 0.017 | 1.389 | 1.408 | 25 | 4 |
| | C ₃ -C-F | 1.428 | 1.431 | 0.009 | 1.421 | 1.435 | 11 | 4 |
| | (C [*] ,H) ₂ -C-F ₂ | 1.349 | 1.347 | 0.012 | 1.342 | 1.356 | 58 | 4 |
| | C [*] -C-F ₃ | 1.336 | 1.334 | 0.007 | 1.330 | 1.344 | 12 | 4 |
| | F-C [*] -C [*] -F | 1.371 | 1.374 | 0.007 | 1.362 | 1.375 | 26 | 4 |
| | X ₃ -C-F (X = C,H,N,O) | 1.386 | 1.389 | 0.033 | 1.373 | 1.408 | 70 | 4 |
| | X ₂ -C-F ₂ (X = C,H,N,O) | 1.351 | 1.349 | 0.013 | 1.342 | 1.356 | 58 | 4 |
| | X-C-F ₃ (X = C,H,N,O) | 1.322 | 1.323 | 0.015 | 1.314 | 1.332 | 309 | 4 |
| | F-C(-X) ₂ -C(-X) ₂ -F (X = C,H,N,O) | 1.373 | 1.374 | 0.009 | 1.362 | 1.377 | 30 | 4 |
| | F-C(-X) ₂ -NO ₂ (X = any subst.) | 1.320 | 1.319 | 0.009 | 1.312 | 1.327 | 18 | |
| <i>Csp</i> ² -F | C=C-F (C,H,N,O subst. on C) | 1.340 | 1.340 | 0.013 | 1.334 | 1.346 | 34 | 4 |
| <i>Car</i> -F | Car-F (mono-F + <i>m,p</i> -F ₂) | 1.363 | 1.362 | 0.008 | 1.357 | 1.368 | 38 | 4 |
| | Car-F (<i>o</i> -F ₂) | 1.340 | 1.340 | 0.009 | 1.336 | 1.344 | 167 | 4 |
| <i>Csp</i> ³ -H | C-C-H ₃ (methyl) | 1.059 | 1.061 | 0.030 | 1.039 | 1.083 | 83 | 21 |
| | C ₂ -C-H ₂ (primary) | 1.092 | 1.095 | 0.013 | 1.088 | 1.099 | 100 | 21 |
| | C ₃ -C-H (secondary) | 1.099 | 1.097 | 0.004 | 1.095 | 1.103 | 14 | 21 |
| | C _{2,3} -C-H (primary and secondary) | 1.093 | 1.095 | 0.012 | 1.089 | 1.100 | 118 | 21 |
| | X-C-H ₃ (methyl) | 1.066 | 1.074 | 0.028 | 1.049 | 1.087 | 160 | 21 |
| | X ₂ -C-H ₂ (primary) | 1.092 | 1.095 | 0.012 | 1.088 | 1.099 | 230 | 21 |
| | X ₃ -C-H (secondary) | 1.099 | 1.099 | 0.007 | 1.095 | 1.103 | 117 | 21 |
| | X _{2,3} -C-H (primary and secondary) | 1.094 | 1.096 | 0.011 | 1.091 | 1.100 | 348 | 21 |
| <i>Csp</i> ² -H | C-C=C-H | 1.077 | 1.079 | 0.012 | 1.074 | 1.085 | 14 | 21 |
| <i>Car</i> -H | Car-H | 1.083 | 1.083 | 0.011 | 1.080 | 1.087 | 218 | 21 |
| <i>Csp</i> ³ -I | C [*] -I | 2.162 | 2.159 | 0.015 | 2.149 | 2.179 | 15 | 4 |
| <i>Car</i> -I | Car-I | 2.095 | 2.095 | 0.015 | 2.089 | 2.104 | 51 | 4 |
| <i>Csp</i> ³ -N(4) | C [*] -NH ₃ ⁺ | 1.488 | 1.488 | 0.013 | 1.482 | 1.495 | 298 | |
| | (C [*]) ₂ -NH ₂ ⁺ | 1.494 | 1.493 | 0.016 | 1.484 | 1.503 | 249 | |
| | (C [*]) ₃ -NH ⁺ | 1.502 | 1.502 | 0.015 | 1.491 | 1.512 | 509 | |
| | (C [*]) ₄ -N ⁺ | 1.510 | 1.509 | 0.020 | 1.496 | 1.523 | 319 | |
| | C [*] -N ⁺ (overall) | 1.499 | 1.498 | 0.018 | 1.488 | 1.510 | 1370 | |
| <i>Csp</i> ³ -N(3) | C [*] -N ⁺ in N-subst. pyridinium | 1.485 | 1.484 | 0.009 | 1.477 | 1.490 | 32 | |
| | C [*] -NH ₂ (Nsp ³ : pyramidal) | 1.469 | 1.470 | 0.010 | 1.462 | 1.474 | 19 | 22 |
| | (C [*]) ₂ -NH (Nsp ³ : pyramidal) | 1.469 | 1.467 | 0.012 | 1.461 | 1.477 | 152 | 5,22 |
| | (C [*]) ₃ -N (Nsp ³ : pyramidal) | 1.469 | 1.468 | 0.014 | 1.460 | 1.476 | 1042 | 5,22 |
| | C [*] -Nsp ³ (overall) | 1.469 | 1.468 | 0.014 | 1.460 | 1.476 | 1201 | |
| | C ³ -Nsp ³ | | | | | | | |
| | in aziridine | 1.472 | 1.471 | 0.016 | 1.464 | 1.482 | 134 | |
| | in azetidine | 1.484 | 1.481 | 0.018 | 1.472 | 1.495 | 21 | |
| | in tetrahydropyrrrole | 1.475 | 1.473 | 0.016 | 1.464 | 1.483 | 66 | |
| | in piperidine | 1.473 | 1.473 | 0.013 | 1.460 | 1.479 | 240 | |
| | C ³ -Nsp ² (N planar) in: | | | | | | 23 | |
| | acyclic amides C [*] -NH-C=O | 1.454 | 1.451 | 0.011 | 1.446 | 1.461 | 78 | 14 |
| | β-lactams C [*] -N(-X)-C=O (endo) | 1.464 | 1.465 | 0.012 | 1.458 | 1.475 | 23 | 13 |
| | γ-lactams | | | | | | | |
| | C [*] -NH-C=O (endo) | 1.457 | 1.458 | 0.011 | 1.449 | 1.465 | 20 | 13 |
| | C [*] -N(-C [*])-C=O (endo) | 1.462 | 1.461 | 0.010 | 1.453 | 1.466 | 15 | 13 |
| | C [*] -N(-C [*])-C=O (exo) | 1.458 | 1.456 | 0.014 | 1.448 | 1.465 | 15 | 13 |
| | δ-lactams | | | | | | | |
| | C [*] -NH-C=O (endo) | 1.478 | 1.472 | 0.016 | 1.467 | 1.491 | 6 | 14 |
| | C [*] -N(-C [*])-C=O (endo) | 1.479 | 1.476 | 0.007 | 1.475 | 1.482 | 15 | 14 |
| | C [*] -N(-C [*])-C=O (exo) | 1.468 | 1.471 | 0.009 | 1.462 | 1.477 | 15 | 14 |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|--|--|----------|----------|----------|-----------------------|-----------------------|----------|-------|
| nitro compounds (1,2-dinitro omitted): | | | | | | | | |
| | C—CH ₂ —NO ₂ | 1.485 | 1.483 | 0.020 | 1.478 | 1.502 | 8 | |
| | C ₂ —CH—NO ₂ | 1.509 | 1.509 | 0.011 | 1.502 | 1.511 | 12 | |
| | C ₃ —C—NO ₂ | 1.533 | 1.533 | 0.013 | 1.530 | 1.539 | 17 | |
| | C ₂ —C—(NO ₂) ₂ | 1.537 | 1.536 | 0.016 | 1.525 | 1.550 | 19 | |
| | 1,2-dinitro: NO ₂ —C*—C*—NO ₂ | 1.552 | 1.550 | 0.023 | 1.536 | 1.572 | 32 | |
| Csp ³ —N(2) | C#—N=N | 1.493 | 1.493 | 0.020 | 1.477 | 1.506 | 54 | |
| | C*—N=C—Car | 1.465 | 1.468 | 0.011 | 1.461 | 1.472 | 75 | |
| Csp ² —N(3) | C=C—NH ₂ Nsp ² planar | 1.336 | 1.344 | 0.017 | 1.317 | 1.348 | 10 | 23 |
| | C=C—NH—C# Nsp ² planar | 1.339 | 1.340 | 0.016 | 1.327 | 1.351 | 17 | 23 |
| | C=C—N—(C#) ₂ | | | | | | | |
| | Nsp ² planar | 1.355 | 1.358 | 0.014 | 1.341 | 1.363 | 22 | 23 |
| | Nsp ³ pyramidal | 1.416 | 1.418 | 0.018 | 1.397 | 1.432 | 18 | 22 |
| | Csp ² —Nsp ² (N planar) in: | | | | | | | 23 |
| acyclic amides | | | | | | | | |
| | NH ₂ —C=O | 1.325 | 1.323 | 0.009 | 1.318 | 1.331 | 32 | 14 |
| | C*—NH—C=O | 1.334 | 1.333 | 0.011 | 1.326 | 1.343 | 78 | 14 |
| | (C*) ₂ —N—C=O | 1.346 | 1.342 | 0.011 | 1.339 | 1.356 | 5 | 14 |
| | β-lactams C*—NH—C=O | 1.385 | 1.388 | 0.019 | 1.374 | 1.396 | 23 | 13 |
| | γ-lactams | | | | | | | |
| | C*—NH—C=O | 1.331 | 1.331 | 0.011 | 1.326 | 1.337 | 20 | 13 |
| | C*—N(—C*)—C=O | 1.347 | 1.344 | 0.014 | 1.335 | 1.359 | 15 | 13 |
| | δ-lactams | | | | | | | |
| | C*—NH—C=O | 1.334 | 1.334 | 0.006 | 1.330 | 1.339 | 6 | 14 |
| | (C*)—N(—C*)—C=O | 1.352 | 1.353 | 0.010 | 1.344 | 1.356 | 15 | 14 |
| | peptides C#—N(—X)—C(—C#)(=O) | 1.333 | 1.334 | 0.013 | 1.326 | 1.340 | 380 | 24 |
| ureas | | | | | | | | |
| | (NH ₂) ₂ —C=O | 1.334 | 1.334 | 0.008 | 1.329 | 1.339 | 48 | 25,26 |
| | (C#—NH) ₂ —C=O | 1.347 | 1.345 | 0.010 | 1.341 | 1.354 | 26 | 25 |
| | [(C#) _n —N] ₂ —C=O | 1.363 | 1.359 | 0.014 | 1.354 | 1.370 | 40 | 25,27 |
| | thioureas | | | | | | | |
| | (X ₂ N) ₂ —C=S | 1.346 | 1.343 | 0.023 | 1.328 | 1.361 | 192 | |
| imides | | | | | | | | |
| | [C#—C(=O)] ₂ —NH | 1.376 | 1.377 | 0.012 | 1.369 | 1.383 | 64 | |
| | [C#—C(=O)] ₂ —N—C# | 1.389 | 1.383 | 0.017 | 1.376 | 1.404 | 38 | |
| | [Csp ² —C(=O)] ₂ —N—C# | 1.396 | 1.396 | 0.010 | 1.389 | 1.403 | 46 | |
| | [Csp ² —C(=O)] ₂ —N—Csp ² | 1.409 | 1.406 | 0.020 | 1.391 | 1.419 | 28 | |
| | guanidinium [C—(NH ₂) ₃] ⁺ (unsubst.) | 1.321 | 1.320 | 0.008 | 1.314 | 1.327 | 39 | |
| | (any subst.) | 1.328 | 1.325 | 0.015 | 1.317 | 1.333 | 140 | |
| in heterocyclic systems (any subst.) | | | | | | | | |
| | 1 <i>H</i> -pyrrole (N1—C2, N1—C5) | 1.372 | 1.374 | 0.016 | 1.363 | 1.384 | 58 | |
| | indole (N1—C2) | 1.370 | 1.370 | 0.012 | 1.364 | 1.377 | 40 | |
| | pyrazole (N1—C5) | 1.357 | 1.359 | 0.012 | 1.347 | 1.365 | 20 | |
| | imidazole (N1—C2) | 1.349 | 1.349 | 0.018 | 1.338 | 1.358 | 44 | |
| | imidazole (N1—C5) | 1.370 | 1.370 | 0.010 | 1.365 | 1.377 | 44 | |
| Csp ² —N(2) | in imidazole (N3—C4) | 1.376 | 1.377 | 0.011 | 1.369 | 1.384 | 44 | |
| Car—N(4) | Car—N ⁺ —(C ₂ H) ₃ | 1.465 | 1.466 | 0.007 | 1.461 | 1.470 | 23 | |
| Car—N(3) | Car—NH ₂ | | | | | | | |
| | (Nsp ² : planar) | 1.355 | 1.360 | 0.020 | 1.340 | 1.372 | 33 | 23 |
| | (Nsp ³ : pyramidal) | 1.394 | 1.396 | 0.011 | 1.385 | 1.403 | 25 | 22 |
| | (overall) | 1.375 | 1.377 | 0.025 | 1.363 | 1.394 | 98 | 28 |
| Car—N(3) | Car—NH—C# | | | | | | | |
| | (Nsp ² : planar) | 1.353 | 1.353 | 0.007 | 1.347 | 1.359 | 16 | 23 |
| | (Nsp ³ : pyramidal) | 1.419 | 1.423 | 0.017 | 1.412 | 1.432 | 8 | 22 |
| | (overall) | 1.380 | 1.364 | 0.032 | 1.353 | 1.412 | 31 | 28 |
| | Car—N—(C#) ₂ | | | | | | | |
| | (Nsp ² : planar) | 1.371 | 1.370 | 0.016 | 1.363 | 1.382 | 41 | 23 |
| | (Nsp ³ : pyramidal) | 1.426 | 1.425 | 0.011 | 1.421 | 1.431 | 22 | 22 |
| | (overall) | 1.390 | 1.385 | 0.030 | 1.366 | 1.420 | 69 | 28 |
| | in indole (N1—C7a) | 1.372 | 1.372 | 0.007 | 1.367 | 1.376 | 40 | |
| | Car—NO ₂ | 1.468 | 1.469 | 0.014 | 1.460 | 1.476 | 556 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|-------------------------------|---|----------|----------|----------|-----------------------|-----------------------|----------|-------|
| <i>Car</i> -N(2) | <i>Car</i> -N=N | 1.431 | 1.435 | 0.020 | 1.422 | 1.442 | 26 | |
| <i>Csp</i> ² =N(3) | in furoxan (*N2=C3) | 1.316 | 1.316 | 0.009 | 1.311 | 1.324 | 14 | |
| <i>Csp</i> ² =N(2) | <i>Car</i> -C=N-C# | 1.279 | 1.279 | 0.008 | 1.275 | 1.285 | 75 | |
| | (C ₂ H) ₂ -C=N-OH in oximes | 1.281 | 1.280 | 0.013 | 1.273 | 1.288 | 67 | |
| | S-C=N-X | 1.302 | 1.302 | 0.021 | 1.285 | 1.319 | 36 | |
| | in pyrazole (N2=C3) | 1.329 | 1.331 | 0.014 | 1.315 | 1.339 | 20 | |
| | in imidazole (C2=N3) | 1.313 | 1.314 | 0.011 | 1.307 | 1.319 | 44 | |
| | in isoxazole (N2=C3) | 1.314 | 1.315 | 0.009 | 1.305 | 1.320 | 9 | |
| | in furazan (N2=C3, C4=N5) | 1.298 | 1.299 | 0.006 | 1.294 | 1.303 | 12 | |
| | in furoxan (C4=N5) | 1.304 | 1.306 | 0.008 | 1.300 | 1.308 | 14 | |
| <i>Car</i> ≈ N(3) | C ≈ N ⁺ -H (pyrimidinium) | 1.335 | 1.334 | 0.015 | 1.325 | 1.342 | 30 | |
| | C ≈ N ⁺ -C* (pyrimidinium) | 1.346 | 1.346 | 0.010 | 1.340 | 1.352 | 64 | |
| | C ≈ N ⁺ -O ⁻ (pyrimidinium) | 1.362 | 1.359 | 0.013 | 1.353 | 1.369 | 56 | |
| <i>Car</i> ≈ N(2) | C ≈ N (pyridine) | 1.337 | 1.338 | 0.012 | 1.330 | 1.344 | 269 | |
| | C ≈ N (pyrazine) | 1.336 | 1.335 | 0.022 | 1.319 | 1.347 | 120 | |
| | C ≈ N ≈ C (pyrimidine) | 1.339 | 1.338 | 0.015 | 1.333 | 1.342 | 28 | |
| | N ≈ C ≈ N (pyrimidine) | 1.333 | 1.335 | 0.013 | 1.326 | 1.337 | 28 | |
| | C ≈ N (pyrimidine) (overall) | 1.336 | 1.337 | 0.014 | 1.331 | 1.339 | 56 | |
| | in any 6-membered N-containing aromatic ring: | | | | | | | |
| | H -C ≈ N ≈ C-H | 1.334 | 1.334 | 0.014 | 1.327 | 1.341 | 146 | |
| | H -C ≈ N ≈ C-C* | 1.339 | 1.341 | 0.013 | 1.336 | 1.345 | 38 | |
| | C*-C ≈ N ≈ C-C* | 1.345 | 1.345 | 0.008 | 1.342 | 1.348 | 24 | |
| | C ≈ N ≈ C (overall) | 1.336 | 1.337 | 0.014 | 1.329 | 1.344 | 204 | |
| <i>Csp</i> ¹ ≡N(2) | X-S-N≡C ⁻ (isothiocyanide) | 1.144 | 1.147 | 0.006 | 1.140 | 1.148 | 6 | |
| <i>Csp</i> ¹ ≡N(1) | C*-C≡N | 1.136 | 1.137 | 0.010 | 1.131 | 1.142 | 140 | |
| | C=C-C≡N in TCNQ | 1.144 | 1.144 | 0.008 | 1.139 | 1.149 | 284 | 19 |
| | <i>Car</i> -C≡N | 1.138 | 1.138 | 0.007 | 1.133 | 1.143 | 31 | |
| | X-C≡N | 1.144 | 1.141 | 0.012 | 1.138 | 1.151 | 10 | |
| | (S-C≡N) ⁻ | 1.155 | 1.156 | 0.012 | 1.147 | 1.165 | 14 | |
| <i>Csp</i> ³ -O(2) | in alcohols | | | | | | | |
| | CH ₃ -OH | 1.413 | 1.414 | 0.018 | 1.395 | 1.425 | 17 | |
| | C-CH ₂ -OH | 1.426 | 1.426 | 0.011 | 1.420 | 1.431 | 75 | |
| | C ₂ -CH-OH | 1.432 | 1.431 | 0.011 | 1.425 | 1.439 | 266 | |
| | C ₃ -C-OH | 1.440 | 1.440 | 0.012 | 1.432 | 1.449 | 106 | |
| | C*-OH (overall) | 1.432 | 1.431 | 0.013 | 1.424 | 1.441 | 464 | |
| | in dialkyl ethers | | | | | | | 29 |
| | CH ₃ -O-C* | 1.416 | 1.418 | 0.016 | 1.405 | 1.426 | 110 | |
| | C-CH ₂ -O-C* | 1.426 | 1.424 | 0.011 | 1.418 | 1.435 | 34 | |
| | C ₂ -CH-O-C* | 1.429 | 1.430 | 0.010 | 1.420 | 1.437 | 53 | |
| | C ₃ -C-O-C* | 1.452 | 1.450 | 0.011 | 1.445 | 1.458 | 39 | |
| | C*-O-C* (overall) | 1.426 | 1.425 | 0.019 | 1.414 | 1.437 | 236 | 5 |
| | in aryl alkyl ethers | | | | | | | 29 |
| | CH ₃ -O-Car | 1.424 | 1.424 | 0.012 | 1.417 | 1.431 | 616 | |
| | C-CH ₂ -O-Car | 1.431 | 1.430 | 0.013 | 1.422 | 1.438 | 188 | |
| | C ₂ -CH-O-Car | 1.447 | 1.446 | 0.020 | 1.435 | 1.466 | 58 | |
| | C ₃ -C-O-Car | 1.470 | 1.469 | 0.018 | 1.456 | 1.483 | 55 | |
| | C*-O-Car (overall) | 1.429 | 1.427 | 0.018 | 1.419 | 1.436 | 917 | |
| | in alkyl esters of carboxylic acids | | | | | | | 12,29 |
| | CH ₃ -O-C(=O)-C* | 1.448 | 1.449 | 0.010 | 1.442 | 1.455 | 200 | |
| | C-CH ₂ -O-C(=O)-C* | 1.452 | 1.453 | 0.009 | 1.445 | 1.458 | 32 | |
| | C ₂ -CH-O-C(=O)-C* | 1.460 | 1.460 | 0.010 | 1.454 | 1.465 | 78 | |
| | C ₃ -C-O-C(=O)-C* | 1.477 | 1.475 | 0.008 | 1.472 | 1.484 | 6 | |
| | C*-O-C(=O)-C* (overall) | 1.450 | 1.451 | 0.014 | 1.442 | 1.459 | 314 | |
| | in alkyl esters of α,β -unsaturated acids: | | | | | | | |
| | C*-O-C(=O)-C=C (overall) | 1.453 | 1.452 | 0.013 | 1.444 | 1.459 | 112 | |
| | in alkyl esters of benzoic acid | | | | | | | |
| | C*-O-C(=O)-C(phenyl) (overall) | 1.454 | 1.454 | 0.012 | 1.446 | 1.463 | 219 | |
| | in ring systems | | | | | | | |
| | oxirane (epoxides) (any subst.) | 1.446 | 1.446 | 0.014 | 1.438 | 1.456 | 498 | 9 |
| | oxetane (any subst.) | 1.463 | 1.460 | 0.015 | 1.451 | 1.474 | 16 | |
| | tetrahydrofuran (C ₂ H subst.) | 1.442 | 1.441 | 0.017 | 1.430 | 1.451 | 154 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|------------------------|--|----------|----------|----------|-----------------------|-----------------------|----------|-------|
| Csp ³ -O(2) | tetrahydropyran (C,H subst.) | 1.441 | 1.442 | 0.015 | 1.431 | 1.451 | 22 | |
| | β -lactones: C*-O-C(=O) | 1.492 | 1.494 | 0.010 | 1.481 | 1.501 | 4 | 16 |
| | γ -lactones: C*-O-C(=O) | 1.464 | 1.464 | 0.012 | 1.455 | 1.473 | 110 | 12 |
| | δ -lactones: C*-O-C(=O) | 1.461 | 1.464 | 0.017 | 1.452 | 1.473 | 27 | 12 |
| | O-C-O system in <i>gem</i> -diols, and pyranose and furanose sugars: | | | | | | | 30,31 |
| | HO-C*-OH | 1.397 | 1.401 | 0.012 | 1.388 | 1.405 | 18 | |
| | C₅-O₅-C₁-O₁H in pyranoses | | | | | | | |
| | O ₁ axial (α): | | | | | | | |
| | C ₅ -O ₅ | 1.439 | 1.440 | 0.008 | 1.432 | 1.445 | 29 | |
| | O ₅ -C ₁ | 1.427 | 1.426 | 0.012 | 1.421 | 1.432 | 29 | |
| | C ₁ -O ₁ | 1.403 | 1.400 | 0.012 | 1.391 | 1.412 | 29 | |
| | O ₁ equatorial (β): | | | | | | | |
| | C ₅ -O ₅ | 1.435 | 1.436 | 0.008 | 1.429 | 1.440 | 17 | |
| | O ₅ -C ₁ | 1.430 | 1.431 | 0.010 | 1.424 | 1.436 | 17 | |
| | C ₁ -O ₁ | 1.393 | 1.393 | 0.007 | 1.386 | 1.399 | 17 | |
| | $\alpha + \beta$ (overall): | | | | | | | |
| | C ₅ -O ₅ | 1.439 | 1.440 | 0.008 | 1.432 | 1.446 | 60 | |
| | O ₅ -C ₁ | 1.430 | 1.429 | 0.012 | 1.421 | 1.436 | 60 | |
| | C ₁ -O ₁ | 1.401 | 1.399 | 0.011 | 1.392 | 1.407 | 60 | |
| | C₄-O₄-C₁-O₁H in furanoses | | | | | | | |
| | (overall values) | | | | | | | |
| | C ₄ -O ₄ | 1.442 | 1.446 | 0.012 | 1.436 | 1.449 | 18 | |
| | O ₄ -C ₁ | 1.432 | 1.432 | 0.012 | 1.421 | 1.443 | 18 | |
| | C ₁ -O ₁ | 1.404 | 1.405 | 0.013 | 1.397 | 1.409 | 18 | |
| | C₅-O₅-C₁-O₁-C* in pyranoses | | | | | | | |
| | O ₁ axial (α): | | | | | | | |
| | C ₅ -O ₅ | 1.439 | 1.438 | 0.010 | 1.433 | 1.446 | 67 | |
| | O ₅ -C ₁ | 1.417 | 1.417 | 0.009 | 1.410 | 1.424 | 67 | |
| | C ₁ -O ₁ | 1.409 | 1.409 | 0.014 | 1.401 | 1.417 | 67 | |
| | O ₁ -C* | 1.435 | 1.435 | 0.013 | 1.427 | 1.443 | 67 | |
| | O ₁ equatorial (β): | | | | | | | |
| | C ₅ -O ₅ | 1.434 | 1.435 | 0.006 | 1.429 | 1.439 | 39 | |
| | O ₅ -C ₁ | 1.424 | 1.424 | 0.008 | 1.418 | 1.431 | 39 | |
| | C ₁ -O ₁ | 1.390 | 1.390 | 0.011 | 1.381 | 1.400 | 39 | |
| | O ₁ -C* | 1.437 | 1.438 | 0.013 | 1.428 | 1.445 | 39 | |
| | $\alpha + \beta$ (overall): | | | | | | | |
| | C ₅ -O ₅ | 1.436 | 1.436 | 0.009 | 1.431 | 1.442 | 126 | |
| | O ₅ -C ₁ | 1.419 | 1.419 | 0.011 | 1.412 | 1.426 | 126 | |
| | C ₁ -O ₁ | 1.402 | 1.403 | 0.016 | 1.391 | 1.413 | 126 | |
| | O ₁ -C* | 1.436 | 1.436 | 0.013 | 1.428 | 1.445 | 126 | |
| | C₄-O₄-C₁-O₁-C* in furanoses | | | | | | | |
| | (overall values) | | | | | | | |
| | C ₄ -O ₄ | 1.443 | 1.445 | 0.013 | 1.429 | 1.453 | 23 | |
| | O ₄ -C ₁ | 1.421 | 1.418 | 0.012 | 1.413 | 1.431 | 23 | |
| | C ₁ -O ₁ | 1.410 | 1.409 | 0.014 | 1.401 | 1.420 | 23 | |
| | O ₁ -C* | 1.439 | 1.437 | 0.014 | 1.429 | 1.449 | 23 | |
| | Miscellaneous: | | | | | | | |
| | C#-O-SiX ₃ | 1.416 | 1.416 | 0.017 | 1.405 | 1.428 | 29 | |
| | C*-O-SO ₂ -C | 1.465 | 1.461 | 0.014 | 1.454 | 1.475 | 33 | |
| Csp ² -O(2) | in enols: C=C-OH | 1.333 | 1.331 | 0.017 | 1.324 | 1.342 | 53 | |
| | in enol esters: C=C-O-C* | 1.354 | 1.353 | 0.016 | 1.341 | 1.363 | 40 | |
| | in acids: | | | | | | | |
| | C*-C(=O)-OH | 1.308 | 1.311 | 0.019 | 1.298 | 1.320 | 174 | |
| | C=C-C(=O)-OH | 1.293 | 1.295 | 0.019 | 1.279 | 1.307 | 22 | |
| | Car-C(=O)-OH | 1.305 | 1.311 | 0.020 | 1.291 | 1.317 | 75 | |
| | in esters: | | | | | | | |
| | C*-C(=O)-O-C* | 1.336 | 1.337 | 0.014 | 1.328 | 1.346 | 551 | 12,29 |
| | C=C-C(=O)-O-C* | 1.332 | 1.331 | 0.011 | 1.324 | 1.339 | 112 | |
| | Car-C(=O)-O-C* | 1.337 | 1.335 | 0.013 | 1.329 | 1.344 | 219 | 12 |
| | C*-C(=O)-O-C=C | 1.362 | 1.359 | 0.018 | 1.351 | 1.374 | 26 | |
| | C*-C(=O)-O-C=C | 1.407 | 1.405 | 0.017 | 1.394 | 1.420 | 26 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> _l | <i>q</i> _u | <i>n</i> | Note |
|------------------------|--|----------|----------|----------|-----------------------|-----------------------|----------|-------|
| | C*-C(=O)-O-Car | 1.360 | 1.359 | 0.011 | 1.355 | 1.367 | 40 | 12 |
| | in anhydrides: O=C-O-C=O | 1.386 | 1.386 | 0.011 | 1.379 | 1.393 | 70 | |
| | in ring systems: | | | | | | | |
| | furan (O1-C2, O1-C5) | 1.368 | 1.369 | 0.015 | 1.359 | 1.377 | 125 | |
| | isoxazole (O1-C5) | 1.354 | 1.354 | 0.010 | 1.345 | 1.360 | 9 | |
| | β -lactones: C*-C(=O)-O-C* | 1.359 | 1.359 | 0.013 | 1.348 | 1.371 | 4 | 13 |
| | γ -lactones: C*-C(=O)-O-C* | 1.350 | 1.349 | 0.012 | 1.342 | 1.359 | 110 | 12 |
| | δ -lactones: C*-C(=O)-O-C* | 1.339 | 1.339 | 0.016 | 1.332 | 1.347 | 27 | 12 |
| Car-O(2) | in phenols: Car-OH | 1.362 | 1.364 | 0.015 | 1.353 | 1.373 | 551 | |
| Car-O(2) | in aryl alkyl ethers: Car-O-C* | 1.370 | 1.370 | 0.011 | 1.363 | 1.377 | 920 | 29,32 |
| Car-O(2) | in diaryl ethers: Car-O-Car | 1.384 | 1.381 | 0.014 | 1.375 | 1.391 | 132 | |
| Csp ² =O(1) | in esters: Car-O-C(=O)-C* | 1.401 | 1.401 | 0.010 | 1.394 | 1.408 | 40 | 12 |
| | in aldehydes and ketones: | | | | | | | |
| | C*-CH=O | 1.192 | 1.192 | 0.005 | 1.188 | 1.197 | 7 | |
| | (C*) ₂ -C=O | 1.210 | 1.210 | 0.008 | 1.206 | 1.215 | 474 | 5 |
| | (C#) ₂ -C=O | | | | | | | |
| | in cyclobutanones | 1.198 | 1.198 | 0.007 | 1.194 | 1.204 | 12 | |
| | in cyclopentanones | 1.208 | 1.208 | 0.007 | 1.203 | 1.212 | 155 | |
| | in cyclohexanones | 1.211 | 1.211 | 0.009 | 1.207 | 1.216 | 312 | |
| | C=C-C=O | 1.222 | 1.222 | 0.010 | 1.216 | 1.229 | 225 | |
| | (C=C) ₂ -C=O | 1.233 | 1.229 | 0.010 | 1.226 | 1.242 | 28 | |
| | Car-C=O | 1.221 | 1.218 | 0.014 | 1.212 | 1.229 | 85 | |
| | (Car) ₂ -C=O | 1.230 | 1.226 | 0.015 | 1.220 | 1.238 | 66 | |
| | C=O in benzoquinones | 1.222 | 1.220 | 0.013 | 1.211 | 1.231 | 86 | |
| | delocalized double bonds in carboxylate anions: | | | | | | | |
| | H-C \simeq O ₂ ⁻ (formate) | 1.242 | 1.243 | 0.012 | 1.234 | 1.252 | 24 | |
| | C*-C \simeq O ₂ ⁻ | 1.254 | 1.253 | 0.010 | 1.247 | 1.261 | 114 | |
| | C=C-C \simeq O ₂ ⁻ | 1.250 | 1.248 | 0.017 | 1.238 | 1.261 | 52 | |
| | Car-C \simeq O ₂ ⁻ | 1.255 | 1.253 | 0.010 | 1.249 | 1.262 | 22 | |
| | HOOC-C \simeq O ₂ ⁻ (hydrogen oxalate) | 1.243 | 1.247 | 0.015 | 1.232 | 1.256 | 26 | |
| | -O ₂ ⁻ \simeq C-C \simeq O ₂ ⁻ (oxalate) | 1.251 | 1.251 | 0.007 | 1.248 | 1.254 | 18 | |
| | in carboxylic acids (X-COOH) | | | | | | | |
| | C*-C(=O)-OH | 1.214 | 1.214 | 0.019 | 1.203 | 1.224 | 175 | |
| | C=C-C(=O)-OH | 1.229 | 1.226 | 0.017 | 1.218 | 1.237 | 22 | |
| | Car-C(=O)-OH | 1.226 | 1.223 | 0.020 | 1.211 | 1.241 | 75 | |
| | in esters: | | | | | | | |
| | C*-C(=O)-O-C* | 1.196 | 1.196 | 0.010 | 1.190 | 1.202 | 551 | 12 |
| | C=C-C(=O)-O-C* | 1.199 | 1.198 | 0.009 | 1.193 | 1.203 | 113 | |
| | Car-C(=O)-O-C* | 1.202 | 1.201 | 0.009 | 1.196 | 1.207 | 218 | 12 |
| | C*-C(=O)-O-C=C | 1.190 | 1.190 | 0.014 | 1.184 | 1.198 | 26 | |
| | C*-C(=O)-O-Car | 1.187 | 1.188 | 0.011 | 1.181 | 1.195 | 40 | 12 |
| | in anhydrides: O=C-O-C=O | 1.187 | 1.187 | 0.010 | 1.184 | 1.193 | 70 | |
| | in β -lactones: C*-C(=O)-O-C* | 1.193 | 1.193 | 0.006 | 1.187 | 1.198 | 4 | 13 |
| | γ -lactones: C*-C(=O)-O-C* | 1.201 | 1.202 | 0.009 | 1.196 | 1.206 | 109 | 12 |
| | δ -lactones: C*-C(=O)-O-C* | 1.205 | 1.207 | 0.008 | 1.201 | 1.209 | 27 | 12 |
| | in amides: | | | | | | | |
| | NH ₂ -C(-C*)=O | 1.234 | 1.233 | 0.012 | 1.225 | 1.243 | 32 | 14 |
| | (C*)(C [*] ,H-)N-C(-C*)=O | 1.231 | 1.231 | 0.012 | 1.224 | 1.238 | 378 | 14 |
| | β -lactams: C*-NH-C=O | 1.198 | 1.200 | 0.012 | 1.193 | 1.204 | 23 | 13 |
| | γ -lactams: | | | | | | | |
| | C*-NH-C=O | 1.235 | 1.235 | 0.008 | 1.232 | 1.240 | 20 | 13 |
| | C*-N(-C*)-C=O | 1.225 | 1.226 | 0.011 | 1.217 | 1.233 | 15 | 13 |
| | δ -lactams: | | | | | | | |
| | C*-NH-C=O | 1.240 | 1.241 | 0.003 | 1.237 | 1.243 | 6 | 14 |
| | C*-N(-C*)-C=O | 1.233 | 1.233 | 0.007 | 1.229 | 1.239 | 15 | 14 |
| | in ureas: | | | | | | | |
| | (NH) ₂ ₂ -C=O | 1.256 | 1.256 | 0.007 | 1.249 | 1.261 | 24 | 25,26 |
| | (C#-NH) ₂ -C=O | 1.241 | 1.237 | 0.011 | 1.235 | 1.245 | 13 | 25 |
| | [(C#) _n -N] ₂ -C=O | 1.230 | 1.230 | 0.007 | 1.224 | 1.234 | 20 | 25,27 |
| Csp ³ -P(4) | C ₃ -P ⁺ -C* | 1.800 | 1.802 | 0.015 | 1.790 | 1.812 | 35 | 33 |
| | C ₂ -P(=O)-CH ₃ | 1.791 | 1.790 | 0.006 | 1.786 | 1.795 | 10 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|--------------------------------|---|----------|----------|----------|-----------------------|-----------------------|----------|------|
| <i>Csp</i> ³ -P(3) | $\text{C}_2\text{-P}(=\text{O})-\text{CH}_2\text{-C}$ | 1.806 | 1.806 | 0.009 | 1.801 | 1.813 | 45 | |
| | $\text{C}_2\text{-P}(=\text{O})-\text{CH-C}_2$ | 1.821 | 1.821 | 0.009 | 1.815 | 1.828 | 15 | |
| | $\text{C}_2\text{-P}(=\text{O})-\text{C-C}_3$ | 1.841 | 1.842 | 0.008 | 1.835 | 1.847 | 14 | |
| | $\text{C}_2\text{-P}(=\text{O})-\text{C}^*$ (overall) | 1.813 | 1.811 | 0.017 | 1.800 | 1.822 | 84 | |
| <i>Car-P(4)</i> | $\text{C}_2\text{-P-C}^*$ | 1.855 | 1.857 | 0.019 | 1.840 | 1.870 | 23 | |
| <i>Car-P(4)</i> | $\text{C}_3\text{-P}^+-\text{Car}$ | 1.793 | 1.792 | 0.011 | 1.786 | 1.800 | 276 | |
| | $\text{C}_2\text{-P}(=\text{O})-\text{Car}$ | 1.801 | 1.802 | 0.011 | 1.796 | 1.807 | 98 | |
| | $\text{Ph}_3\text{-P=N}^+=\text{P-Ph}_3$ | 1.795 | 1.795 | 0.008 | 1.789 | 1.800 | 197 | |
| | $\text{C}_2\text{-P-Car}$ | 1.836 | 1.837 | 0.010 | 1.830 | 1.844 | 102 | |
| <i>Car-P(3)</i> | $(\text{N}\simeq)_2\text{P-Car}$ ($\text{P} \simeq \text{N}$ aromatic) | 1.795 | 1.793 | 0.011 | 1.788 | 1.803 | 43 | |
| | $\text{C}^*-\text{SO}_2-\text{C}$ ($\text{C}^* = \text{CH}_3$ excluded) | 1.786 | 1.782 | 0.018 | 1.774 | 1.797 | 75 | |
| | $\text{C}^*-\text{SO}_2-\text{C}$ (overall) | 1.779 | 1.778 | 0.020 | 1.764 | 1.790 | 94 | |
| | $\text{C}^*-\text{SO}_2-\text{O-X}$ | 1.745 | 1.744 | 0.009 | 1.738 | 1.754 | 7 | 34 |
| <i>Csp</i> ³ -S(3) | $\text{C}^*-\text{SO}_2-\text{N-X}_2$ | 1.758 | 1.756 | 0.018 | 1.746 | 1.773 | 17 | 34 |
| | $\text{C}^*-\text{S}(=\text{O})-\text{C}$ ($\text{C}^* = \text{CH}_3$ excluded) | 1.818 | 1.814 | 0.024 | 1.802 | 1.829 | 69 | |
| | $\text{C}^*-\text{S}(=\text{O})-\text{C}$ (overall) | 1.809 | 1.806 | 0.025 | 1.793 | 1.820 | 88 | |
| | $\text{CH}_3\text{-S}^+-\text{X}_2$ | 1.786 | 1.787 | 0.007 | 1.779 | 1.792 | 21 | |
| <i>Csp</i> ³ -S(2) | $\text{C}^*-\text{S}^+-\text{X}_2$ ($\text{C}^* = \text{CH}_3$ excluded) | 1.823 | 1.820 | 0.016 | 1.812 | 1.834 | 18 | |
| | $\text{C}^*-\text{S}^+-\text{X}_2$ (overall) | 1.804 | 1.794 | 0.025 | 1.788 | 1.820 | 41 | |
| | C^*-SH | 1.808 | 1.805 | 0.010 | 1.800 | 1.819 | 6 | |
| | $\text{CH}_3\text{-S-C}^*$ | 1.789 | 1.787 | 0.008 | 1.784 | 1.794 | 9 | |
| <i>Csp</i> ³ -S(2) | $\text{C}-\text{CH}_2\text{-S-C}^*$ | 1.817 | 1.816 | 0.013 | 1.808 | 1.824 | 92 | |
| | $\text{C}_2\text{-CH-S-C}^*$ | 1.819 | 1.819 | 0.011 | 1.811 | 1.825 | 32 | |
| | $\text{C}_3\text{-C-S-C}^*$ | 1.856 | 1.860 | 0.011 | 1.854 | 1.863 | 26 | |
| | $\text{C}^*-\text{S-C}^*$ (overall) | 1.819 | 1.817 | 0.019 | 1.809 | 1.827 | 242 | |
| <i>Csp</i> ² -S(2) | in thiirane | 1.834 | 1.835 | 0.025 | 1.810 | 1.858 | 4 | 9 |
| | in thiirane: see ZCMXSP (1.817, 1.844) | | | | | | | |
| | in tetrahydrothiophene | 1.827 | 1.826 | 0.018 | 1.811 | 1.837 | 20 | |
| | in tetrahydrothiopyran | 1.823 | 1.821 | 0.014 | 1.812 | 1.832 | 24 | |
| <i>Csp</i> ² -S(2) | $\text{C}-\text{CH}_2\text{-S-S-X}$ | 1.823 | 1.820 | 0.014 | 1.813 | 1.832 | 41 | |
| | $\text{C}_3\text{-C-S-S-X}$ | 1.863 | 1.865 | 0.015 | 1.848 | 1.878 | 11 | |
| | $\text{C}^*-\text{S-S-X}$ (overall) | 1.833 | 1.828 | 0.022 | 1.818 | 1.848 | 59 | |
| | C=C-S-C^* | 1.751 | 1.755 | 0.017 | 1.740 | 1.764 | 61 | |
| <i>Csp</i> ² -S(2) | C=C-S-C=C (in tetrathiafulvalene) | 1.741 | 1.741 | 0.011 | 1.733 | 1.750 | 88 | |
| | C=C-S-C=C (in thiophene) | 1.712 | 1.712 | 0.013 | 1.703 | 1.722 | 60 | |
| | $\text{O=C-S-C}^{\#}$ | 1.762 | 1.759 | 0.018 | 1.747 | 1.778 | 20 | |
| | Car-S(4) | 1.763 | 1.764 | 0.009 | 1.756 | 1.769 | 96 | |
| <i>Car-S(4)</i> | $\text{Car-SO}_2\text{-C}$ | 1.752 | 1.750 | 0.008 | 1.749 | 1.756 | 27 | |
| | $\text{Car-SO}_2\text{-O-X}$ | 1.758 | 1.759 | 0.013 | 1.749 | 1.765 | 106 | 35 |
| | $\text{Car-SO}_2\text{-N-X}_2$ | 1.790 | 1.790 | 0.010 | 1.783 | 1.798 | 41 | |
| | $\text{Car-S}^+-\text{X}_2$ | 1.778 | 1.779 | 0.010 | 1.771 | 1.787 | 10 | |
| <i>Car-S(2)</i> | Car-S-C^* | 1.773 | 1.774 | 0.009 | 1.765 | 1.779 | 44 | |
| | Car-S-Car | 1.768 | 1.767 | 0.010 | 1.762 | 1.774 | 158 | |
| | Car-S-Car (in phenothiazine) | 1.764 | 1.764 | 0.008 | 1.760 | 1.769 | 48 | |
| | Car-S-S-X | 1.777 | 1.777 | 0.012 | 1.767 | 1.785 | 47 | |
| <i>Csp</i> ¹ -S(2) | $\text{N}\equiv\text{C-S-X}$ | 1.679 | 1.683 | 0.026 | 1.645 | 1.698 | 10 | |
| <i>Csp</i> ¹ -S(1) | $(\text{N}\equiv\text{C-S})^-$ | 1.630 | 1.630 | 0.014 | 1.619 | 1.641 | 14 | |
| <i>Csp</i> ² -S(1) | $(\text{C}^*)_2\text{-C=S:}$ see IPMUDS (1.599) | | | | | | | |
| | $(\text{Car})_2\text{-C=S:}$ see CELDOM (1.611) | | | | | | | |
| | $(\text{X})_2\text{-C=S}$ ($\text{X} = \text{C}, \text{N}, \text{O}, \text{S}$) | 1.671 | 1.675 | 0.024 | 1.656 | 1.689 | 245 | |
| | $\text{X}_2\text{N-C(=S)-S-X}$ | 1.660 | 1.660 | 0.016 | 1.648 | 1.674 | 38 | |
| <i>Car-S(3)</i> | $(\text{X}_2\text{N})_2\text{-C=S}$ (thioureas) | 1.681 | 1.684 | 0.020 | 1.669 | 1.693 | 96 | |
| | $\text{N-C}(\simeq\text{S})_2$ | 1.720 | 1.721 | 0.012 | 1.709 | 1.731 | 20 | |
| | $\text{C}\#-\text{Se}$ | 1.970 | 1.967 | 0.032 | 1.948 | 1.998 | 21 | |
| | C=C-Se-C=C (in tetraselenafulvalene) | 1.893 | 1.895 | 0.013 | 1.882 | 1.902 | 32 | |
| <i>Car-Se(3)</i> | $\text{Ph}_3\text{-Se}^+$ | 1.930 | 1.929 | 0.006 | 1.924 | 1.936 | 13 | |
| <i>Csp</i> ³ -Si(5) | $\text{C}\#-\text{Si}^--\text{X}_4$ | 1.874 | 1.876 | 0.015 | 1.859 | 1.884 | 9 | |
| <i>Csp</i> ³ -Si(4) | $\text{CH}_3\text{-Si-X}_3$ | 1.857 | 1.857 | 0.018 | 1.848 | 1.869 | 552 | |
| | $\text{C}^*-\text{Si-X}_3$ ($\text{C}^* = \text{CH}_3$ excluded) | 1.888 | 1.887 | 0.023 | 1.872 | 1.905 | 124 | |
| | $\text{C}^*-\text{Si-X}_3$ (overall) | 1.863 | 1.861 | 0.024 | 1.850 | 1.875 | 681 | |
| | Car-Si-X_3 | 1.868 | 1.868 | 0.014 | 1.857 | 1.878 | 178 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|-------------------------|---|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|-----------------------|------------------------|
| Csp ¹ -Si(4) | C≡C-Si-X ₃ | 1.837 | 1.840 | 0.012 | 1.824 | 1.849 | 8 | |
| Csp ³ -Te | C#-Te | 2.158 | 2.159 | 0.030 | 2.128 | 2.177 | 13 | |
| Car-Te | Car-Te | 2.116 | 2.115 | 0.020 | 2.104 | 2.130 | 72 | |
| Csp ² =Te | see CEDCUJ (2.044) | | | | | | | |
| Cl-Cl | see PHASCL (2.306, 2.227) | | | | | | | |
| Cl-I | see CMBIDZ (2.563), HXPASC (2.541, 2.513), METAMM (2.552), BQUINI (2.416, 2.718) | | | | | | | |
| Cl-N | see BECTAE (1.743-1.757), BOGPOC (1.705) | | | | | | | |
| Cl-O(1) | in ClO ₄ ⁻ | 1.414 | 1.419 | 0.026 | 1.403 | 1.431 | 252 | |
| Cl-P | (N \simeq) ₂ P-Cl (N \simeq P aromatic) | 1.997 | 1.994 | 0.015 | 1.989 | 2.004 | 46 | |
| | Cl-P (overall) | 2.008 | 2.001 | 0.035 | 1.986 | 2.028 | 111 | |
| Cl-S | Cl-S (overall) | 2.072 | 2.079 | 0.023 | 2.047 | 2.091 | 6 | |
| | see also longer bonds in CILSAR (2.283), BIHXIZ (2.357), CANLUY (2.749) | | | | | | | |
| Cl-Se | see BIRGUE10, BIRHAL10, CTCNSE (2.234-2.851) | | | | | | | |
| Cl-Si(4) | Cl-Si-X ₃ (monochloro) | 2.072 | 2.075 | 0.009 | 2.066 | 2.078 | 5 | |
| | Cl ₂ -Si-X ₂ and Cl ₃ -Si-X | 2.020 | 2.012 | 0.015 | 2.007 | 2.036 | 5 | |
| Cl-Te | Cl-Te in range 2.34-2.60 | 2.520 | 2.515 | 0.034 | 2.493 | 2.537 | 22 | 36 |
| | see also longer bonds in BARRIV, BOJPUL, CETUTE, EPHTEA, OPNTEC10 (2.73-2.94) | | | | | | | |
| F-N(3) | F-N-C ₂ and F ₂ -N-C | 1.406 | 1.404 | 0.016 | 1.395 | 1.416 | 9 | |
| F-P(6) | in hexafluorophosphate, PF ₆ ⁻ | 1.579 | 1.587 | 0.025 | 1.563 | 1.598 | 72 | |
| F-P(3) | (N \simeq) ₂ P-F (N \simeq P aromatic) | 1.495 | 1.497 | 0.016 | 1.481 | 1.510 | 10 | |
| F-S | 43 observations in range 1.409-1.770 in a wide variety of environments; F-S(6) in F ₂ -SO ₂ -C ₂ (see FPSULF10, BETJOZ) | 1.640 | 1.646 | 0.011 | 1.626 | 1.649 | 6 | |
| | F-S(4) in F ₂ -S(=O)-N (see BUDTEZ) | 1.527 | 1.528 | 0.004 | 1.524 | 1.530 | 24 | 37 |
| F-Si(6) | in SiF ₆ ²⁻ | 1.694 | 1.701 | 0.013 | 1.677 | 1.703 | 6 | |
| F-Si(5) | F-Si ⁻ -X ₄ | 1.636 | 1.639 | 0.035 | 1.602 | 1.657 | 10 | |
| F-Si(4) | F-Si-X ₃ | 1.588 | 1.587 | 0.014 | 1.581 | 1.599 | 24 | |
| F-Te | see CUCPIZ (F-Te(6) = 1.942, 1.937), FPHTEL(F-Te(4) = 2.006) | | | | | | | |
| H-N(4) | X ₃ -N ⁺ -H | 1.033 | 1.036 | 0.022 | 1.026 | 1.045 | 87 | 21 |
| H-N(3) | X ₃ -N-H | 1.009 | 1.010 | 0.019 | 0.997 | 1.023 | 95 | 21 |
| H-O(2) | in alcohols C*-O-H | 0.967 | 0.969 | 0.010 | 0.959 | 0.974 | 63 | 21 |
| | C#-O-H | 0.967 | 0.970 | 0.010 | 0.959 | 0.974 | 73 | 21 |
| | in acids O=C-O-H | 1.015 | 1.017 | 0.017 | 1.001 | 1.031 | 16 | 21,38 |
| I-I | in I ₃ ⁻ | 2.917 | 2.918 | 0.011 | 2.907 | 2.927 | 6 | |
| I-N | see BZPRIB, CMBIDZ, HMTITI, HMTNTI, IFORAM, IODMAM (2.042-2.475) | | | | | | | |
| I-O | X-I-O (see BZPRIB, CAJMAB, IBZDAC11) for IO ₆ ⁻ see BOVMEE (1.829-1.912) | 2.144 | 2.144 | 0.028 | 2.127 | 2.164 | 6 | |
| I-P(3) | see CEHKAB (2.490-2.493) | | | | | | | † |
| I-S | sec DTHIBR10 (2.687), ISUREA10 (2.629), BZTPPI (3.251) | | | | | | | |
| I-Te(4) | I-Te-X ₃ | 2.926 | 2.928 | 0.026 | 2.902 | 2.944 | 8 | |
| N(4)-N(3) | X ₃ -N ⁺ -N ⁰ -X ₂ (N ⁰ planar) | 1.414 | 1.414 | 0.005 | 1.412 | 1.418 | 13 | |
| N(3)-N(3) | (C)(C,H)-N _a -N _b (C)(C,H) N _a , N _b pyramidal N _a pyramidal, N _b planar N _a , N _b planar overall | 1.454 1.420 1.401 1.425 | 1.452 1.420 1.401 1.425 | 0.021 0.015 0.018 0.027 | 1.444 1.407 1.384 1.407 | 1.457 1.433 1.418 1.443 | 44 68 40 139 | 5,39 40 40 20 |
| N(3)-N(2) | in pyrazole (N1-N2) | 1.366 | 1.366 | 0.019 | 1.350 | 1.375 | 20 | |
| | in pyridazinium (N1 ⁺ \simeq N2) | 1.350 | 1.349 | 0.010 | 1.345 | 1.361 | 7 | |
| N(2) \simeq N(2) | N \simeq N (aromatic) in pyridazine with C,H as <i>ortho</i> substituents with N,Cl as <i>ortho</i> substituents | 1.304 1.368 | 1.300 1.373 | 0.019 0.011 | 1.287 1.362 | 1.326 1.375 | 6 9 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|--------------------|--|----------|----------|----------|-----------------------|-----------------------|----------|------|
| N(2)=N(2) | C#-N=N-C# | | | | | | | |
| | <i>cis</i> | 1.245 | 1.244 | 0.009 | 1.239 | 1.252 | 21 | |
| | <i>trans</i> | 1.222 | 1.222 | 0.006 | 1.218 | 1.227 | 6 | |
| | (overall) | 1.240 | 1.241 | 0.012 | 1.230 | 1.251 | 27 | |
| | Car-N=N-Car | 1.255 | 1.253 | 0.016 | 1.247 | 1.262 | 13 | |
| | X-N=N=N (azides) | 1.216 | 1.226 | 0.028 | 1.202 | 1.237 | 19 | |
| N(2)=N(1) | X-N=N=N (azides) | 1.124 | 1.128 | 0.015 | 1.114 | 1.137 | 19 | |
| N(3)-O(2) | (C ₂ H) ₂ -N-OH (Nsp ² : planar) | 1.396 | 1.394 | 0.012 | 1.390 | 1.401 | 28 | |
| | C ₂ -N-O-C | | | | | | | |
| | (Nsp ³ : pyramidal) | 1.463 | 1.465 | 0.012 | 1.457 | 1.468 | 22 | |
| | (Nsp ² : planar) | 1.397 | 1.394 | 0.011 | 1.388 | 1.409 | 12 | |
| | in furoxan (N2-O1) | 1.438 | 1.436 | 0.009 | 1.430 | 1.447 | 14 | |
| N(3)-O(1) | (C \simeq) ₂ N ⁺ -O ⁻ in pyridine N-oxides | 1.304 | 1.299 | 0.015 | 1.291 | 1.316 | 11 | |
| | in furoxan (⁺ N2-O6 ⁻) | 1.234 | 1.234 | 0.008 | 1.228 | 1.240 | 14 | |
| N(2)-O(2) | in oximes | | | | | | | |
| | (C#) ₂ C=N-OH | 1.416 | 1.418 | 0.006 | 1.416 | 1.420 | 7 | |
| | (H)(Csp ²)-C=N-OH | 1.390 | 1.390 | 0.011 | 1.380 | 1.401 | 20 | |
| | (C#)(Csp ²)-C=N-OH | 1.402 | 1.403 | 0.010 | 1.393 | 1.410 | 18 | |
| | (Csp ²) ₂ C=N-OH | 1.378 | 1.377 | 0.017 | 1.365 | 1.393 | 16 | |
| | (C ₂ H) ₂ -C=N-OH (overall) | 1.394 | 1.395 | 0.018 | 1.379 | 1.408 | 67 | |
| | in furazan (O1-N2, O1-N5) | 1.385 | 1.383 | 0.013 | 1.378 | 1.392 | 12 | |
| | in furoxan (O1-N5) | 1.380 | 1.380 | 0.011 | 1.370 | 1.388 | 14 | |
| | in isoxazole (O1-N2) | 1.425 | 1.425 | 0.010 | 1.417 | 1.434 | 9 | |
| N(3)=O(1) | in nitrate ions NO ₃ ⁻ | 1.239 | 1.240 | 0.020 | 1.227 | 1.251 | 105 | |
| | in nitro groups | | | | | | | |
| | C*-NO ₂ | 1.212 | 1.214 | 0.012 | 1.206 | 1.221 | 84 | |
| | C#-NO ₂ | 1.210 | 1.210 | 0.011 | 1.203 | 1.218 | 251 | |
| | Car-NO ₂ | 1.217 | 1.218 | 0.011 | 1.211 | 1.215 | 1116 | |
| | C-NO ₂ (overall) | 1.218 | 1.219 | 0.013 | 1.210 | 1.226 | 1733 | |
| N(3)-P(4) | X ₂ -P(=X)-NX ₂ | | | | | | | |
| | Nsp ² : planar | 1.652 | 1.651 | 0.024 | 1.634 | 1.670 | 205 | |
| | Nsp ³ : pyramidal | 1.683 | 1.683 | 0.005 | 1.680 | 1.686 | 6 | |
| | (overall) | 1.662 | 1.662 | 0.029 | 1.639 | 1.682 | 358 | |
| | subsets of this group are: | | | | | | | |
| | O ₂ -P(=S)-NX ₂ | 1.628 | 1.624 | 0.015 | 1.615 | 1.634 | 9 | |
| | C-P(=S)-(NX ₂) ₂ | 1.691 | 1.694 | 0.018 | 1.678 | 1.703 | 28 | |
| | O-P(=S)-(NX ₂) ₂ | 1.652 | 1.654 | 0.014 | 1.642 | 1.664 | 28 | |
| | P(=O)-(NX ₂) ₃ | 1.663 | 1.668 | 0.026 | 1.640 | 1.679 | 78 | |
| N(3)-P(3) | -NX-P(-X)-NX-P(-X)-(P ₂ N ₂ ring) | 1.730 | 1.721 | 0.017 | 1.716 | 1.748 | 20 | |
| | -NX-P(=S)-NX-P(=S)-(P ₂ N ₂ ring) | 1.697 | 1.697 | 0.015 | 1.690 | 1.703 | 44 | |
| | in P-substituted phosphazenes: | | | | | | | |
| | (N \simeq) ₂ P-N (amino) | 1.637 | 1.638 | 0.014 | 1.625 | 1.651 | 16 | |
| | (aziridinyl) | 1.672 | 1.674 | 0.010 | 1.665 | 1.676 | 15 | |
| N(2)=P(4) | Ph ₃ -P=N ⁺ =P-Ph ₃ | 1.571 | 1.573 | 0.013 | 1.563 | 1.580 | 66 | |
| N(2)=P(3) | Ph ₃ -P=N-C,S | 1.599 | 1.597 | 0.018 | 1.580 | 1.615 | 7 | |
| N(2) \simeq P(3) | N \simeq P aromatic | | | | | | | |
| | in phosphazenes | 1.582 | 1.582 | 0.019 | 1.571 | 1.594 | 126 | |
| | in P \simeq N \simeq S | 1.604 | 1.606 | 0.009 | 1.594 | 1.612 | 36 | |
| N(3)-S(4) | C-SO ₂ -NH ₂ | 1.600 | 1.601 | 0.012 | 1.591 | 1.610 | 14 | 35 |
| | C-SO ₂ -NH-C# | 1.633 | 1.633 | 0.019 | 1.615 | 1.652 | 47 | 35 |
| | C-SO ₂ -N-C(#) ₂ | 1.642 | 1.641 | 0.024 | 1.623 | 1.659 | 38 | 35 |
| N(3)-S(2) | C-S-NX ₂ Nsp ² : planar | 1.710 | 1.707 | 0.019 | 1.698 | 1.722 | 22 | 23 |
| | (for Nsp ³ pyramidal see MODIAZ: 1.765) | | | | | | | |
| | X-S-NX ₂ Nsp ² : planar | 1.707 | 1.705 | 0.012 | 1.699 | 1.715 | 30 | 23 |
| N(2)-S(2) | C=N-S-X | 1.656 | 1.663 | 0.027 | 1.632 | 1.677 | 36 | |
| N(2) \simeq S(2) | N \simeq S aromatic in P \simeq N \simeq S | 1.560 | 1.558 | 0.011 | 1.554 | 1.563 | 37 | |
| N(2)=S(2) | N=S in N=S=N and N=S=S | 1.541 | 1.546 | 0.022 | 1.521 | 1.558 | 37 | |
| N(3)-SE | see COJCUZ (1.830), DSEMOR10 (1.846, 1.852), MORTRS10 (1.841) | | | | | | | |
| N(2)-Se | see SEBZQI (1.805), NAPSEZ10 (1.809, 1.820) | | | | | | | |
| N(2)=Se | see CISMUM (1.790, 1.791) | | | | | | | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | q_1 | q_u | <i>n</i> | Note |
|------------|---|----------|----------|----------|-------|-------|----------|------|
| N(3)-Si(5) | see DMESIP01, BOJLER, CASSAQ, CASYOK, CECXEN, CINTEY, CIPBUY, FMESIB, MNPSIL, PNPOSI (1.973–2.344) | | | | | | | |
| N(3)-Si(4) | X ₃ -Si-NX ₂ (overall) subsets of this group are: X ₃ -Si-NHX X ₃ -Si-NX-Si-X ₃ acyclic N-Si-N in 4-membered rings N-Si-N in 5-membered rings | 1.748 | 1.746 | 0.022 | 1.735 | 1.757 | 170 | |
| N(2)-Si(4) | X ₃ -Si-N'-Si-X ₃ | 1.711 | 1.712 | 0.019 | 1.693 | 1.729 | 15 | |
| N-Te | see ACLTEP (2.402), BIBLAZ (1.980), CESSAU (2.023) | | | | | | | |
| O(2)-O(2) | C*-O-O-C*,H $\tau(OO) = 70\text{--}85^\circ$ $\tau(OO)$ ca. 180° overall | 1.464 | 1.464 | 0.009 | 1.458 | 1.472 | 12 | |
| | O=C-O-O-C=O see ACBZPO01 (1.446), CEYLUN (1.452), CIMHIP (1.454) | 1.482 | 1.480 | 0.005 | 1.478 | 1.486 | 5 | |
| | Si-O-O-Si | 1.469 | 1.471 | 0.012 | 1.461 | 1.478 | 17 | |
| O(2)-P(5) | X-P-(OX) ₄ trigonal bipyramidal: axial equatorial | 1.496 | 1.499 | 0.005 | 1.490 | 1.499 | 10 | 41 |
| O(2)-P(4) | square pyramidal C-O-P($\simeq O$) ₃ ²⁻ (H-O) ₂ -P($\simeq O$) ₂ ⁻ (C-O) ₂ -P($\simeq O$) ₂ ⁻ (C#-O) ₃ -P=O (Car-O) ₃ -P=O X-O-P(=O)-(C,N) ₂ (X-O) ₂ -P(=O)-(C,N) | 1.662 | 1.661 | 0.020 | 1.649 | 1.673 | 28 | |
| | 1.621 | 1.622 | 0.007 | 1.615 | 1.628 | 12 | | |
| | 1.560 | 1.561 | 0.009 | 1.555 | 1.566 | 16 | | |
| | 1.608 | 1.607 | 0.013 | 1.599 | 1.615 | 16 | | |
| | 1.558 | 1.554 | 0.011 | 1.550 | 1.564 | 30 | | |
| | 1.587 | 1.588 | 0.014 | 1.572 | 1.599 | 19 | | |
| | 1.590 | 1.585 | 0.016 | 1.577 | 1.601 | 33 | | |
| | 1.571 | 1.572 | 0.013 | 1.563 | 1.579 | 70 | | |
| O(2)-P(3) | (N \simeq) ₂ P-O-C (N \simeq P aromatic) | 1.573 | 1.573 | 0.011 | 1.563 | 1.584 | 16 | |
| O(1)=P(4) | C-O-P($\simeq O$) ₃ ²⁻ (delocalized) (H-O) ₂ -P($\simeq O$) ₂ ⁻ (delocalized) (C-O) ₂ -P($\simeq O$) ₂ ⁻ (delocalized) (C-O) ₃ -P=O C ₃ -P=O N ₃ -P=O (C) ₂ (N)-P=O (C,N) ₂ (O)-P=O (C,N)(O) ₂ -P=O | 1.513 | 1.512 | 0.008 | 1.508 | 1.518 | 42 | |
| | 1.503 | 1.503 | 0.005 | 1.499 | 1.508 | 16 | | |
| | 1.483 | 1.485 | 0.008 | 1.474 | 1.490 | 16 | | |
| | 1.449 | 1.448 | 0.007 | 1.446 | 1.452 | 18 | | |
| | 1.489 | 1.486 | 0.010 | 1.481 | 1.496 | 72 | | |
| | 1.461 | 1.462 | 0.014 | 1.449 | 1.470 | 26 | | |
| | 1.487 | 1.489 | 0.007 | 1.479 | 1.493 | 5 | | |
| | 1.467 | 1.462 | 0.007 | 1.462 | 1.472 | 33 | | |
| | 1.457 | 1.458 | 0.009 | 1.454 | 1.462 | 35 | | |
| O(2)-S(4) | C-O-SO ₂ -C C-O-SO ₂ -CH ₃ C-O-SO ₂ -Car | 1.577 | 1.576 | 0.015 | 1.566 | 1.584 | 41 | |
| | 1.569 | 1.569 | 0.013 | 1.556 | 1.582 | 7 | | |
| | 1.580 | 1.578 | 0.015 | 1.571 | 1.588 | 27 | | |
| O(1)=S(4) | C-SO ₂ -C X-SO ₂ -NX ₂ C-SO ₂ -N-(C,H) ₂ C-SO ₂ -O-C in SO ₄ ²⁻ | 1.436 | 1.437 | 0.010 | 1.431 | 1.442 | 316 | 42 |
| | 1.428 | 1.428 | 0.010 | 1.422 | 1.434 | 326 | | |
| | 1.430 | 1.430 | 0.009 | 1.425 | 1.435 | 206 | | |
| | 1.423 | 1.423 | 0.008 | 1.418 | 1.428 | 82 | | |
| | 1.472 | 1.473 | 0.013 | 1.463 | 1.481 | 104 | | |
| O(1)=S(3) | C-S(=O)-C | 1.497 | 1.498 | 0.013 | 1.489 | 1.505 | 90 | 5 |
| O-Se | see BAPPAJ, BIRGUE10, BIRHAL10, CXMSEO, DGLYSE, SPSEBU (1.597 for O=Se to 1.974 for O-Se) | | | | | | | |
| O(2)-Si(5) | (X-O) ₃ -Si-(N)(C) | 1.663 | 1.658 | 0.023 | 1.650 | 1.665 | 21 | |
| O(2)-Si(4) | X ₃ -Si-O-X (overall) | 1.631 | 1.630 | 0.022 | 1.617 | 1.646 | 191 | |
| O(2)-Si(4) | subsets of this group are: X ₃ -Si-O-C# X ₃ -Si-O-Si-X ₃ X ₃ -Si-O-O-Si-X ₃ | 1.645 | 1.647 | 0.012 | 1.634 | 1.652 | 29 | |
| | 1.622 | 1.625 | 0.014 | 1.614 | 1.631 | 70 | | |
| | 1.680 | 1.676 | 0.008 | 1.673 | 1.688 | 10 | | |
| O(2)-Te(6) | (X-O) ₆ -Te | 1.927 | 1.927 | 0.020 | 1.908 | 1.942 | 16 | |
| O(2)-Te(4) | (X-O) ₂ -Te-X ₂ | 2.133 | 2.136 | 0.054 | 2.078 | 2.177 | 12 | |
| P(4)-P(4) | X ₃ -P-P-X ₃ | 2.256 | 2.259 | 0.025 | 2.243 | 2.277 | 6 | |

| Bond | Substructure | <i>d</i> | <i>m</i> | σ | <i>q</i> ₁ | <i>q</i> _u | <i>n</i> | Note |
|-------------|--|----------|----------|----------|-----------------------|-----------------------|----------|------|
| P(4)-P(3) | see CECHEX (2.197), COZPIQ (2.249) | | | | | | | |
| P(3)-P(3) | X ₂ -P-P-X ₂ | 2.214 | 2.210 | 0.022 | 2.200 | 2.224 | 41 | |
| P(4)=P(4) | see BUTSUE (2.054) | | | | | | | |
| P(3)=P(3) | see BALXOB (2.034) | | | | | | | |
| P(4)=S(1) | C ₃ -P=S | 1.954 | 1.952 | 0.005 | 1.950 | 1.957 | 13 | |
| | (N,O) ₂ (C)-P=S | 1.922 | 1.924 | 0.014 | 1.913 | 1.927 | 26 | |
| | (N,O) ₃ -P=S | 1.913 | 1.914 | 0.014 | 1.906 | 1.921 | 50 | |
| P(4)=Se(1) | X ₃ -P=Se | 2.093 | 2.099 | 0.019 | 2.075 | 2.108 | 12 | |
| P(3)-Si(4) | X ₂ -P-Si-X ₃ : 3- and 4-rings excluded (see BOPFER, BOPFI, CASTOF10, COZVIW: 2.201–2.317) | 2.264 | 2.260 | 0.019 | 2.249 | 2.283 | 22 | |
| P(4)=Te(1) | see MOPHTE (2.356), TTEBPZ (2.327) | | | | | | | |
| S(2)-S(2) | C-S-S-C | | | | | | | |
| | τ(SS) = 75–105° | 2.031 | 2.029 | 0.015 | 2.021 | 2.038 | 46 | |
| | τ(SS) = 0–20° | 2.070 | 2.068 | 0.022 | 2.057 | 2.077 | 28 | |
| | (overall) | 2.048 | 2.045 | 0.026 | 2.028 | 2.068 | 99 | |
| | in polysulphide chain-S-S-S- | 2.051 | 2.050 | 0.022 | 2.037 | 2.065 | 126 | |
| S(2)-S(1) | X-N=S-S | 1.897 | 1.896 | 0.012 | 1.887 | 1.908 | 5 | |
| S-Se(4) | see BUWZUO (2.264, 2.269) | | | | | | | |
| S-Se(2) | X-Se-S (any) | 2.193 | 2.195 | 0.015 | 2.174 | 2.207 | 9 | |
| S(2)-Si(4) | X ₃ -Si-S-X | 2.145 | 2.138 | 0.020 | 2.130 | 2.158 | 19 | |
| S(2)-Te | X-S-Te (any) | 2.405 | 2.406 | 0.022 | 2.383 | 2.424 | 10 | |
| | X=S-Te (any) | 2.682 | 2.686 | 0.035 | 2.673 | 2.694 | 28 | |
| Se(2)-Se(2) | X-Se-Se-X | 2.340 | 2.340 | 0.024 | 2.315 | 2.361 | 15 | |
| Se(2)-Te(2) | see BAWFUA, BAWGAH (2.524–2.561) | | | | | | | † |
| Si(4)-Si(4) | X ₃ -Si-Si-X ₃ 3-membered rings excluded: see CIHRAM (2.511) | 2.359 | 2.359 | 0.012 | 2.349 | 2.366 | 42 | |
| Te-Te | see CAHJOK (2.751, 2.704) | | | | | | | |

Appendix 1. (Footnotes to Table)

1. Sample dominated by B-CH₃. For longer bonds in B-CH₃ see LITMEB10 [B(4)-CH₃ = 1.621–1.644 Å].
2. p(π)-p(π) Bonding with Bsp² and Nsp² coplanar (τBN = 0 ± 15°) predominates. See G. Schmidt, R. Boese, and D. Bläser, *Z. Naturforsch.*, 1982, **37b**, 1230.
3. 84 observations range from 1.38 to 1.61 Å and individual values depend on substituents on B and O. For a discussion of borinic acid adducts see S. J. Rettig and J. Trotter, *Can. J. Chem.*, 1982, **60**, 2957.
4. See M. Kaftory in 'The Chemistry of Functional Groups. Supplement D: The Chemistry of Halides, Pseudohalides, and Azides', S. Patai and Z. Rappoport, Eds., Wiley: New York, 1983, Part 2, ch. 24.
5. Bonds which are endocyclic or exocyclic to any 3- or 4-membered rings have been omitted from all averages in this section.
6. The overall average given here is for Csp³-Csp² bonds which carry only C or H substituents. The value cited reflects the relative abundance of each 'substitution' group. The 'mean of means' for the 9 subgroups is 1.538 (σ = 0.022) Å.
7. See F. H. Allen, (a) *Acta Crystallogr.*, 1980, **B36**, 81; (b) 1981, **B37**, 890.
8. See F. H. Allen, *Acta Crystallogr.*, 1984, **B40**, 64.
9. See F. H. Allen, *Tetrahedron*, 1982, **38**, 2843.
10. See F. H. Allen, *Tetrahedron*, 1982, **38**, 645.
11. Cyclopropanes and cyclobutanones excluded.
12. See W. B. Schweizer and J. D. Dunitz, *Helv. Chim. Acta*, 1982, **65**, 1547.
13. See L. Norskov-Lauritsen, H.-B. Bürgi, P. Hoffmann, and H. R. Schmidt, *Helv. Chim. Acta*, 1985, **68**, 76.
14. See P. Chakrabarti and J. D. Dunitz, *Helv. Chim. Acta*, 1982, **65**, 1555.
15. See J. L. Hencher in 'The Chemistry of the C≡C Triple Bond', S. Patai, Ed., Wiley, New York, 1978, ch. 2.
16. Conjugated: torsion angle about central C-C single bond is 0 ± 20° (*cis*) or 180 ± 20° (*trans*).
17. Unconjugated: torsion angle about central C-C single bond is 20–160°.
18. Other conjugative substituents excluded.
19. TCNQ is tetracyanoquinodimethane.
20. No difference detected between C2 ≈ C3 and C3 ≈ C4 bonds.
21. Derived from neutron diffraction results only.
22. Nsp²: pyramidal; mean valence angle at N is in range 108–114°.
23. Nsp²: planar; mean valence angle at N is ≥ 117.5°.
24. Cyclic and acyclic peptides.
25. See R. H. Blessing, *J. Am. Chem. Soc.*, 1983, **105**, 2776.
26. See L. Lebioda, *Acta Crystallogr.*, 1980, **B36**, 271.
27. n = 3 or 4, i.e. tri- or tetra-substituted ureas.
28. Overall value also includes structures with mean valence angle at N in the range 115–118°.
29. See F. H. Allen and A. J. Kirby, *J. Am. Chem. Soc.*, 1984, **106**, 6197.
30. See A. J. Kirby, 'The Anomeric Effect and Related Stereoelectronic Effects at Oxygen', Springer, Berlin, 1983.
31. See B. Fuchs, L. Schleifer, and E. Tartakovsky, *Nouv. J. Chim.*, 1984, **8**, 275.
32. See S. C. Nyburg and C. H. Faerman, *J. Mol. Struct.*, 1986, **140**, 347.
33. Sample dominated by P-CH₃ and P-CH₂-C.
34. Sample dominated by C* = methyl.
35. See A. Kalman, M. Czugler, and G. Argay, *Acta Crystallogr.*, 1981, **B37**, 868.
36. Bimodal distribution resolved into 22 'short' bonds and 5 longer outliers.
37. All 24 observations come from BUDTEZ.
38. 'Long' O-H bonds in centrosymmetric O---H---O H-bonded dimers are excluded.
39. N-N bond length also dependent on torsion angle about N-N bond and on nature of substituent C atoms; these effects are ignored here.
40. N pyramidal has average angle at N in range 100–113.5°; N planar has average angle of ≥ 117.5°.
41. See R. R. Holmes and J. A. Deiters, *J. Amer. Chem. Soc.*, 1977, **99**, 3318.
42. No detectable variation in S=O bond length with type of C-substituent.

Appendix 2

Short-form references to individual CSD entries cited by reference code in the Table. A full list of CSD bibliographic entries is given in SUP 56701.

| | | | |
|----------|--|----------|---|
| ACBZPO01 | <i>J. Am. Chem. Soc.</i> , 1975, 97 , 6729. | CIWYIQ | <i>Inorg. Chem.</i> , 1984, 23 , 1946. |
| ACLTEP | <i>J. Organomet. Chem.</i> , 1980, 184 , 417. | CIYFOF | <i>Inorg. Chem.</i> , 1984, 23 , 1790. |
| ASAZOC | <i>Dokl. Akad. Nauk SSSR</i> , 1979, 249 , 120. | CMBIDZ | <i>J. Org. Chem.</i> , 1979, 44 , 1447. |
| BALXOB | <i>J. Am. Chem. Soc.</i> , 1981, 103 , 4587. | CODDEE | <i>Z. Naturforsch., Teil B</i> , 1984, 39 , 1257. |
| BAPPAJ | <i>Inorg. Chem.</i> , 1981, 20 , 3071. | CODDII | <i>Z. Naturforsch., Teil B</i> , 1984, 39 , 1257. |
| BARRIV | <i>Acta Chem. Scand., Ser. A</i> , 1981, 35 , 443. | COFVOI | <i>Z. Naturforsch., Teil B</i> , 1984, 39 , 1027. |
| BAWFUA | <i>Cryst. Struct. Commun.</i> , 1981, 10 , 1345. | COJCUZ | <i>Chem. Ber.</i> , 1984, 117 , 2686. |
| BAWGAH | <i>Cryst. Struct. Commun.</i> , 1981, 10 , 1353. | COSDIX | <i>Z. Naturforsch., Teil B</i> , 1984, 39 , 1344. |
| BECTAE | <i>J. Org. Chem.</i> , 1981, 46 , 5048, 1981. | COZPIQ | <i>Chem. Ber.</i> , 1984, 117 , 2063. |
| BELNIP | <i>Z. Naturforsch., Teil B</i> , 1982, 37 , 299. | COZVIW | <i>Z. Anorg. Allg. Chem.</i> , 1984, 515 , 7. |
| BEMLIO | <i>Chem. Ber.</i> , 1982, 115 , 1126. | CTCNSE | <i>J. Am. Chem. Soc.</i> , 1980, 102 , 5430. |
| BEPZEB | <i>Cryst. Struct. Commun.</i> , 1982, 11 , 175. | CUCPIZ | <i>J. Am. Chem. Soc.</i> , 1984, 106 , 7529. |
| BETJOZ | <i>J. Am. Chem. Soc.</i> , 1982, 104 , 1683. | CUDLOC | <i>J. Cryst. Spectrosc.</i> , 1985, 15 , 53. |
| BETUTE10 | <i>Acta Chem. Scand., Ser. A</i> , 1976, 30 , 719. | CUDLUI | <i>J. Cryst. Spectrosc.</i> , 1985, 15 , 53. |
| BIBLAZ | <i>Zh. Strukt. Khim.</i> , 1981, 22 , 118. | CUGBAH | <i>Acta Crystallogr., Sect. C</i> , 1985, 41 , 476. |
| BICGEZ | <i>Z. Anorg. Allg. Chem.</i> , 1982, 486 , 90. | CXMSEO | <i>Acta Crystallogr., Sect. B</i> , 1973, 29 , 595. |
| BIHXIZ | <i>J. Chem. Soc., Chem. Commun.</i> , 1982, 982. | DGLYSE | <i>Acta Crystallogr., Sect. B</i> , 1975, 31 , 1785. |
| BIRGUE10 | <i>Z. Naturforsch., Teil B</i> , 1983, 38 , 20. | DMESIP01 | <i>Acta Crystallogr., Sect. C</i> , 1984, 40 , 895. |
| BIRHAL10 | <i>Z. Naturforsch., Teil B</i> , 1982, 37 , 1410. | DSEMOR10 | <i>J. Chem. Soc., Dalton Trans.</i> , 1980, 628. |
| BIZJAV | <i>J. Organomet. Chem.</i> , 1982, 238 , C1. | DTHIBR10 | <i>Inorg. Chem.</i> , 1971, 10 , 697. |
| BOGPOC | <i>Z. Naturforsch., Teil B</i> , 1982, 37 , 1402. | EPHTEA | <i>Inorg. Chem.</i> , 1980, 19 , 2487. |
| BOGSUL | <i>Z. Naturforsch., Teil B</i> , 1982, 37 , 1230. | ESEARS | <i>J. Chem. Soc. C</i> , 1971, 1511. |
| BOJLER | <i>Z. Anorg. Allg. Chem.</i> , 1982, 493 , 53. | ETEARS | <i>J. Chem. Soc. C</i> , 1971, 1511. |
| BOJPUL | <i>Acta Chem. Scand., Ser. A</i> , 1982, 36 , 829. | FMESIB | <i>J. Organomet. Chem.</i> , 1980, 197 , 275. |
| BOPFER | <i>Chem. Ber.</i> , 1983, 116 , 146. | FPHTEL | <i>J. Chem. Soc., Dalton Trans.</i> , 1980, 2306. |
| BOPFIV | <i>Chem. Ber.</i> , 1983, 116 , 146. | FPSULF10 | <i>J. Am. Chem. Soc.</i> , 1982, 104 , 1683. |
| BOVMEE | <i>Acta Crystallogr., Sect. B</i> , 1982, 38 , 1048. | HCLENE10 | <i>Acta Crystallogr., Sect. B</i> , 1982, 38 , 3139. |
| BQUINI | <i>Acta Crystallogr., Sect. B</i> , 1979, 35 , 1930. | HMTITI | <i>Acta Crystallogr., Sect. B</i> , 1975, 31 , 1505. |
| BTUPTE | <i>Acta Chem. Scand., Ser. A</i> , 1975, 29 , 738. | HMTNTI | <i>Z. Anorg. Allg. Chem.</i> , 1974, 409 , 237. |
| BUDTEZ | <i>Z. Naturforsch., Teil B</i> , 1983, 38 , 454. | HXPASC | <i>J. Chem. Soc., Dalton Trans.</i> , 1975, 1381. |
| BUPSIB10 | <i>Z. Anorg. Allg. Chem.</i> , 1981, 474 , 31. | IBZDAC11 | <i>J. Chem. Soc., Dalton Trans.</i> , 1979, 854. |
| BUSHAY | <i>Z. Naturforsch., Teil B</i> , 1983, 38 , 692. | IFORAM | <i>Monatsh. Chem.</i> , 1974, 105 , 621. |
| BUTHAZ10 | <i>Inorg. Chem.</i> , 1984, 23 , 2582. | IODMAM | <i>Acta Crystallogr., Sect. B</i> , 1977, 33 , 3209. |
| BUTSUE | <i>J. Chem. Soc., Chem. Commun.</i> , 1983, 862. | IPMUDS | <i>Acta Crystallogr., Sect. B</i> , 1973, 29 , 2128. |
| BUWZUO | <i>Acta Chem. Scand., Ser A</i> , 1983, 37 , 219. | ISUREA10 | <i>Acta Crystallogr., Sect. B</i> , 1972, 28 , 643. |
| BZPRIB | <i>Z. Naturforsch., Teil B</i> , 1981, 36 , 922. | LITMEB10 | <i>J. Am. Chem. Soc.</i> , 1975, 97 , 6401. |
| BZTPPI | <i>Inorg. Chem.</i> , 1978, 17 , 894. | MESIAD | <i>Z. Naturforsch., Teil B</i> , 1980, 35 , 789. |
| CAHJOK | <i>Inorg. Chem.</i> , 1983, 22 , 1809. | METAMM | <i>Acta Crystallogr., 1964, 17</i> , 1336. |
| CAJMAB | <i>Chem. Z.</i> , 1983, 107 , 169. | MNPSIL | <i>J. Am. Chem. Soc.</i> , 1969, 91 , 4134. |
| CANLUY | <i>Tetrahedron Lett.</i> , 1983, 24 , 4337. | MODIAZ | <i>J. Heterocycl. Chem.</i> , 1980, 17 , 1217. |
| CASSAQ | <i>J. Struct. Chem.</i> , 1983, 2 , 101. | MOPHTE | <i>Acta Chem. Scand., Ser. A</i> , 1980, 34 , 333. |
| CASTOF10 | <i>Acta Crystallogr., Sect. C</i> , 1984, 40 , 1879. | MORTRS10 | <i>J. Chem. Soc., Dalton Trans.</i> , 1980, 628. |
| CASYOK | <i>J. Struct. Chem.</i> , 1983, 2 , 107. | NAPSEZ10 | <i>J. Am. Chem. Soc.</i> , 1980, 102 , 5070. |
| CECHEX | <i>Z. Anorg. Allg. Chem.</i> , 1984, 508 , 61. | NBBZAM | <i>Z. Naturforsch., Teil B</i> , 1977, 32 , 1416. |
| CECXEN | <i>J. Struct. Chem.</i> , 1983, 2 , 207. | OPIMAS | <i>Aust. J. Chem.</i> , 1977, 30 , 2417. |
| CEDCUJ | <i>J. Org. Chem.</i> , 1983, 48 , 5149. | OPNTEC10 | <i>J. Chem. Soc., Dalton Trans.</i> , 1982, 251. |
| CEHKAB | <i>Z. Naturforsch., Teil B</i> , 1984, 39 , 139. | PHASCL | <i>Acta Crystallogr., Sect. B</i> , 1981, 37 , 1357. |
| CELDOM | <i>Acta Crystallogr., Sect. C</i> , 1984, 40 , 556. | PHASOC01 | <i>Aust. J. Chem.</i> , 1975, 28 , 15. |
| CESSAU | <i>Acta Crystallogr., Sect. C</i> , 1984, 40 , 653. | PNPOSI | <i>J. Am. Chem. Soc.</i> , 1968, 90 , 5102. |
| CETTAW | <i>Chem. Ber.</i> , 1984, 117 , 1089. | SEBZQI | <i>J. Chem. Soc., Chem. Commun.</i> , 1977, 325. |
| CETUTE | <i>Acta Chem. Scand., Ser A</i> , 1975, 29 , 763. | SPSEBU | <i>Acta Chem. Scand., Ser. A</i> , 1979, 33 , 403. |
| CEYLUN | <i>Izv. Akad. Nauk SSSR, Ser. Khim.</i> , 1983, 2744. | TEACBR | <i>Cryst. Struct. Commun.</i> , 1974, 3 , 753. |
| CIFZUM | <i>Acta Chem. Scand., Ser A</i> , 1984, 38 , 289. | THINBR | <i>J. Am. Chem. Soc.</i> , 1970, 92 , 4002. |
| CIHRAM | <i>Angew. Chem., Int. Ed. Engl.</i> , 1984, 23 , 302. | TMPBTI | <i>Acta Crystallogr., Sect. B</i> , 1975, 31 , 1116. |
| CILRUK | <i>J. Chem. Soc., Chem. Commun.</i> , 1984, 1023. | TPASSN | <i>J. Chem. Soc., Dalton Trans.</i> , 1977, 514. |
| CILSAR | <i>J. Chem. Soc., Chem. Commun.</i> , 1984, 1021. | TPASTB | <i>Cryst. Struct. Commun.</i> , 1976, 5 , 39. |
| CIMHIP | <i>Acta Crystallogr., C</i> , 1984, 40 , 1458. | TPHOSI | <i>Z. Naturforsch., Teil B</i> , 1979, 34 , 1064. |
| CINTEY | <i>Dokl. Akad. Nauk SSSR</i> , 1984, 274 , 615. | TTEBPZ | <i>Z. Naturforsch., Teil B</i> , 1979, 34 , 256. |
| CIPBUY | <i>J. Struct. Chem.</i> , 1983, 2 , 281. | ZCMXSP | <i>Cryst. Struct. Commun.</i> , 1977, 6 , 93. |
| CISMUM | <i>Z. Naturforsch., Teil B</i> , 1984, 39 , 485. | | |
| CISTED | <i>Z. Anorg. Allg. Chem.</i> , 1984, 511 , 95. | | |