

## DIPOLE MOMENTS

This table gives values of the electric dipole moment for about 800 molecules. When available, values determined by microwave spectroscopy, molecular beam electric resonance, and other high-resolution spectroscopic techniques were selected. Otherwise, the values come from measurements of the dielectric constant in the gas phase or, if these do not exist, in the liquid phase. Compounds are listed by molecular formula in Hill order; compounds not containing carbon are listed first, followed by compounds containing carbon.

The dipole moment  $\mu$  is given in debye units (D). The conversion factor to SI units is  $1 \text{ D} = 3.33564 \times 10^{-30} \text{ C m}$ .

Dipole moments of individual conformers (rotational isomers) are given when they have been measured. The conformers are designated as *gauche*, *trans*, *axial*, etc. The meaning of these terms can be found in the references. In some cases an average value, obtained from measurements on the bulk gas, is also given. Other information on molecules that have been studied by spectroscopy, such as the components of the dipole moment in the molecular framework and the variation with vibrational state and isotopic species, is given in References 1 and 2.

When the accuracy of a value is explicitly stated (i.e.,  $1.234 \pm 0.005$ ), the stated uncertainty generally indicates two or three

standard deviations. When no uncertainty is given, the value may be assumed to be precise to a few units in the last decimal place. However, if more than three decimal places are given, the exact interpretation of the final digits may require analysis of the vibrational averaging.

Values measured in the gas phase that are questionable because of undetermined error sources are indicated as approximate ( $\approx$ ). Values obtained by liquid phase measurements, which sometimes have large errors because of association effects, are enclosed in brackets, e.g., [1.8].

## References

1. Nelson, R. D., Lide, D. R., and Maryott, A. A., *Selected Values of Electric Dipole Moments for Molecules in the Gas Phase*, Natl. Stand. Ref. Data Ser. - Nat. Bur. Stnds. 10, 1967.
2. *Landolt-Börnstein, Numerical Data and Functional Relationships in Science and Technology, New Series*, II/6 (1974), II/14a (1982), II/14b (1983), II/19c (1992), Springer-Verlag, Heidelberg.
3. Riddick, J. A., Bunger, W. B., and Sakano, T. K., *Organic Solvents, Fourth Edition*, John Wiley & Sons, New York, 1986.

Mol. form.	Name	$\mu/\text{D}$
<i>Compounds not containing carbon</i>		
AgBr	Silver(I) bromide	$5.62 \pm 0.03$
AgCl	Silver(I) chloride	$6.08 \pm 0.06$
AgF	Silver(I) fluoride	$6.22 \pm 0.30$
AgI	Silver(I) iodide	$4.55 \pm 0.05$
AlF	Aluminum monofluoride	$1.53 \pm 0.15$
AsCl <sub>3</sub>	Arsenic(III) chloride	$1.59 \pm 0.08$
AsF <sub>3</sub>	Arsenic(III) fluoride	$2.59 \pm 0.05$
AsH <sub>3</sub>	Arsine	$0.217 \pm 0.003$
BClH <sub>2</sub>	Chloroborane	$0.75 \pm 0.05$
BF	Fluoroborane(1)	$\approx 0.5$
BF <sub>2</sub> H	Difluoroborane	$0.971 \pm 0.010$
B <sub>4</sub> H <sub>10</sub>	Tetraborane	$0.486 \pm 0.002$
B <sub>5</sub> H <sub>9</sub>	Pentaborane(9)	$2.13 \pm 0.04$
B <sub>6</sub> H <sub>10</sub>	Hexaborane	$2.50 \pm 0.05$
BaO	Barium oxide	$7.954 \pm 0.003$
BaS	Barium sulfide	$10.86 \pm 0.02$
BrCl	Bromine chloride	$0.519 \pm 0.004$
BrF	Bromine fluoride	$1.422 \pm 0.016$
BrF <sub>3</sub> Si	Bromotrifluorosilane	$0.83 \pm 0.01$
BrF <sub>5</sub>	Bromine pentafluoride	$1.51 \pm 0.15$
BrH	Hydrogen bromide	$0.8272 \pm 0.0003$
BrH <sub>3</sub> Si	Bromosilane	1.319
BrI	Iodine bromide	$0.726 \pm 0.003$
BrK	Potassium bromide	$10.628 \pm 0.001$
BrLi	Lithium bromide	$7.268 \pm 0.001$
BrNO	Nitrosyl bromide	$\approx 1.8$
BrNa	Sodium bromide	$9.1183 \pm 0.0006$
BrO	Bromine monoxide	$1.76 \pm 0.04$
BrO <sub>2</sub>	Bromine dioxide	$2.8 \pm 0.3$
BrRb	Rubidium bromide	$\approx 10.9$
BrTl	Thallium(I) bromide	$4.49 \pm 0.05$
CaCl	Calcium monochloride	$\approx 3.6$
ClCs	Cesium chloride	$10.387 \pm 0.004$
ClF	Chlorine fluoride	0.888061

Mol. form.	Name	$\mu/\text{D}$
ClFO <sub>3</sub>	Perchloryl fluoride	$0.023 \pm 0.001$
ClF <sub>3</sub>	Chlorine trifluoride	$0.6 \pm 0.10$
ClF <sub>3</sub> Si	Chlorotrifluorosilane	$0.636 \pm 0.004$
ClGeH <sub>3</sub>	Chlorogermaine	$2.13 \pm 0.02$
ClH	Hydrogen chloride	$1.1086 \pm 0.0003$
ClHO	Hypochlorous acid	$\approx 1.3$
ClH <sub>3</sub> Si	Chlorosilane	$1.31 \pm 0.01$
ClI	Iodine chloride	$1.24 \pm 0.02$
ClIn	Indium(I) chloride	$3.79 \pm 0.19$
ClK	Potassium chloride	$10.269 \pm 0.001$
ClLi	Lithium chloride	7.12887
ClNO <sub>2</sub>	Nitryl chloride	0.53
ClNS	Thionitrosyl chloride	$1.87 \pm 0.02$
ClNa	Sodium chloride	9.00117
ClO	Chlorine oxide	$1.297 \pm 0.001$
ClRb	Rubidium chloride	$10.510 \pm 0.005$
ClTl	Thallium(I) chloride	4.54299
Cl <sub>2</sub> H <sub>2</sub> Si	Dichlorosilane	$1.17 \pm 0.02$
Cl <sub>2</sub> OS	Thionyl chloride	$1.45 \pm 0.03$
Cl <sub>2</sub> O <sub>2</sub> S	Sulfuryl chloride	$1.81 \pm 0.04$
Cl <sub>2</sub> S	Sulfur dichloride	$0.36 \pm 0.01$
Cl <sub>3</sub> FSi	Trichlorofluorosilane	$0.49 \pm 0.01$
Cl <sub>3</sub> HSi	Trichlorosilane	$0.86 \pm 0.01$
Cl <sub>3</sub> N	Nitrogen trichloride	$0.39 \pm 0.01$
Cl <sub>3</sub> OP	Phosphorus(V) oxychloride	$2.54 \pm 0.05$
Cl <sub>3</sub> P	Phosphorus(III) chloride	$0.56 \pm 0.02$
CrO	Chromium monoxide	$3.88 \pm 0.13$
CsF	Cesium fluoride	$7.884 \pm 0.001$
CsNa	Cesium sodium	$4.75 \pm 0.20$
CuF	Copper(I) fluoride	$5.77 \pm 0.29$
CuO	Copper(II) oxide	$4.5 \pm 0.5$
FGa	Gallium monofluoride	$2.45 \pm 0.05$
FGeH <sub>3</sub>	Fluorogermaine	$2.33 \pm 0.12$
FH	Hydrogen fluoride	1.826178
FHO	Hypofluorous acid	$2.23 \pm 0.11$

Mol. form.	Name	$\mu/D$	Mol. form.	Name	$\mu/D$	
FH <sub>2</sub> N	Fluoramide	2.27 ± 0.18	H <sub>4</sub> N <sub>2</sub>	Hydrazine	1.75 ± 0.09	
FH <sub>3</sub> Si	Fluorosilane	1.2969 ± 0.0006	H <sub>6</sub> OSi <sub>2</sub>	Disiloxane	0.24 ± 0.02	
FI	Iodine fluoride	1.948 ± 0.020	IK	Potassium iodide	≈10.8	
FIn	Indium(I) fluoride	3.40 ± 0.07	ILi	Lithium iodide	7.428 ± 0.001	
FK	Potassium fluoride	8.585 ± 0.003	INa	Sodium iodide	9.236 ± 0.003	
FLi	Lithium fluoride	6.3274 ± 0.0002	IO	Iodine monoxide	2.45 ± 0.05	
FNO	Nitrosyl fluoride	1.730 ± 0.003	IRb	Rubidium iodide	≈11.5	
FNO <sub>2</sub>	Nitryl fluoride	0.466 ± 0.005	ITl	Thallium(I) iodide	4.61 ± 0.07	
FNS	Thionitrosyl fluoride (NSF)	1.902 ± 0.012	KLi	Lithium potassium	3.45 ± 0.20	
FN <sub>3</sub>	Fluorine azide	≈1.3	KNa	Potassium sodium	2.693 ± 0.014	
FNa	Sodium fluoride	8.156 ± 0.001	LaO	Lanthanum monoxide	3.207 ± 0.011	
FO	Fluorine oxide	0.0043 ± 0.0004	LiNa	Lithium sodium	0.463 ± 0.002	
FRb	Rubidium fluoride	8.5465 ± 0.0005	LiO	Lithium monoxide	6.84 ± 0.03	
FS	Sulfur monofluoride	0.794 ± 0.02	LiRb	Lithium rubidium	4.0 ± 0.1	
FTl	Thallium(I) fluoride	4.2282 ± 0.0008	MgO	Magnesium oxide	6.2 ± 0.6	
F <sub>2</sub> Ge	Germanium(II) fluoride	2.61 ± 0.02	NO	Nitric oxide	0.15872	
F <sub>2</sub> HN	Difluoramine	1.92 ± 0.02	NO <sub>2</sub>	Nitrogen dioxide	0.316 ± 0.010	
F <sub>2</sub> H <sub>2</sub> Si	Difluorosilane	1.55 ± 0.02	NP	Phosphorus nitride	2.7470 ± 0.0001	
F <sub>2</sub> N <sub>2</sub>	cis-Difluorodiazine	0.16 ± 0.01	NS	Nitrogen sulfide	1.81 ± 0.02	
F <sub>2</sub> O	Fluorine monoxide	0.308180	N <sub>2</sub> O	Nitrous oxide	0.16083	
F <sub>2</sub> OS	Thionyl fluoride	1.63 ± 0.01	N <sub>2</sub> O <sub>3</sub>	Nitrogen trioxide	2.122 ± 0.010	
F <sub>2</sub> O <sub>2</sub>	Fluorine dioxide	1.44 ± 0.07	NaRb	Rubidium sodium	3.1 ± 0.3	
F <sub>2</sub> O <sub>2</sub> S	Sulfuryl fluoride	1.12 ± 0.02	OP	Phosphorus monoxide	1.88 ± 0.07	
F <sub>2</sub> S	Sulfur difluoride	1.05 ± 0.05	OPb	Lead(II) oxide	4.64 ± 0.50	
F <sub>2</sub> Si	Difluorosilylene	1.23 ± 0.02	OS	Sulfur monoxide	1.55 ± 0.02	
F <sub>3</sub> HSi	Trifluorosilane	1.27 ± 0.03	OS <sub>2</sub>	Sulfur oxide (SSO)	1.47 ± 0.03	
F <sub>3</sub> H <sub>3</sub> Si <sub>2</sub>	1,1,1-Trifluorodisilane	2.03 ± 0.10	OSi	Silicon monoxide	3.0982	
F <sub>3</sub> ISi	Trifluoroiodosilane	1.11 ± 0.03	OSn	Tin(II) oxide	4.32 ± 0.22	
F <sub>3</sub> N	Nitrogen trifluoride	0.235 ± 0.004	OSr	Strontium oxide	8.900 ± 0.003	
F <sub>3</sub> NO	Trifluoramine oxide	0.0390 ± 0.0004	OTi	Titanium(II) oxide	2.96 ± 0.05	
F <sub>3</sub> OP	Phosphorus(V) oxyfluoride	1.8685 ± 0.0001	OY	Yttrium monoxide	4.524 ± 0.007	
F <sub>3</sub> P	Phosphorus(III) fluoride	1.03 ± 0.01	OZr	Zirconium(II) oxide	2.55 ± 0.01	
F <sub>3</sub> PS	Phosphorus(V) sulfide trifluoride	0.64 ± 0.02	O <sub>2</sub> S	Sulfur dioxide	1.63305	
F <sub>4</sub> N <sub>2</sub>	Tetrafluorohydrazine ( <i>gauche</i> )	0.257 ± 0.002	O <sub>2</sub> Se	Selenium dioxide	2.62 ± 0.05	
F <sub>4</sub> S	Sulfur tetrafluoride	0.632 ± 0.003	O <sub>2</sub> Zr	Zirconium(IV) oxide	7.80 ± 0.02	
F <sub>4</sub> Se	Selenium tetrafluoride	1.78 ± 0.09	O <sub>3</sub>	Ozone	0.53373	
F <sub>5</sub> I	Iodine pentafluoride	2.18 ± 0.11	PbS	Lead(II) sulfide	3.59 ± 0.18	
GeH <sub>3</sub> N <sub>3</sub>	Germylazide	2.579 ± 0.003	SSi	Silicon monosulfide	1.73 ± 0.09	
GeO	Germanium(II) oxide	3.2823 ± 0.0001	SSn	Tin(II) sulfide	3.18 ± 0.16	
GeS	Germanium(II) sulfide	2.00 ± 0.06	<b>Compounds containing carbon</b>			
GeSe	Germanium(II) selenide	1.65 ± 0.05	CBrF <sub>3</sub>	Bromotrifluoromethane	0.65 ± 0.05	
GeTe	Germanium(II) telluride	1.06 ± 0.07	CBr <sub>2</sub> F <sub>2</sub>	Dibromodifluoromethane	0.66 ± 0.05	
HI	Hydrogen iodide	0.448 ± 0.001	CClF <sub>3</sub>	Chlorotrifluoromethane	0.50 ± 0.01	
HKO	Potassium hydroxide	7.415 ± 0.002	CClN	Cyanogen chloride	2.8331 ± 0.0002	
HLi	Lithium hydride	5.884 ± 0.001	CCl <sub>2</sub> F <sub>2</sub>	Dichlorodifluoromethane	0.51 ± 0.05	
HLiO	Lithium hydroxide	4.754 ± 0.002	CCl <sub>2</sub> O	Carbonyl chloride	1.17 ± 0.01	
HN	Imidogen	1.39 ± 0.07	CCl <sub>3</sub> F	Trichlorofluoromethane	0.46 ± 0.02	
HNO	Nitrosyl hydride	1.62 ± 0.03	CF	Fluoromethylidyne	0.645 ± 0.005	
HNO <sub>2</sub>	Nitrous acid ( <i>cis</i> )	1.423 ± 0.005	CFN	Cyanogen fluoride	2.120 ± 0.001	
HNO <sub>2</sub>	Nitrous acid ( <i>trans</i> )	1.855 ± 0.016	CF <sub>2</sub>	Difluoromethylene	0.47 ± 0.02	
HNO <sub>3</sub>	Nitric acid	2.17 ± 0.02	CF <sub>2</sub> O	Carbonyl fluoride	0.95 ± 0.01	
HN <sub>3</sub>	Hydrazoic acid	1.70 ± 0.09	CF <sub>3</sub> I	Trifluoroiodomethane	1.048 ± 0.003	
HO	Hydroxyl	1.655 ± 0.001	CH	Methylidyne	≈1.46	
HS	Mercapto	0.7580 ± 0.0001	CHBrClF	Bromochlorofluoromethane	1.5 ± 0.3	
H <sub>2</sub> O	Water	1.8546 ± 0.0040	CHBr <sub>3</sub>	Tribromomethane	0.99 ± 0.02	
H <sub>2</sub> O <sub>2</sub>	Hydrogen peroxide	1.573 ± 0.001	CHClF <sub>2</sub>	Chlorodifluoromethane	1.42 ± 0.03	
H <sub>2</sub> S	Hydrogen sulfide	0.97833	CHCl <sub>2</sub> F	Dichlorofluoromethane	1.29 ± 0.03	
H <sub>3</sub> N	Ammonia	1.4718 ± 0.0002	CHCl <sub>3</sub>	Trichloromethane	1.04 ± 0.02	
H <sub>3</sub> NO	Hydroxylamine	0.59 ± 0.05	CHFO	Formyl fluoride	2.081 ± 0.001	
H <sub>3</sub> P	Phosphine	0.5740 ± 0.0003	CHF <sub>2</sub> N	Carboimidic difluoride	1.393 ± 0.001	
H <sub>3</sub> Sb	Stibine	0.12 ± 0.05	CHF <sub>3</sub>	Trifluoromethane	1.65150	

Mol. form.	Name	$\mu/D$	Mol. form.	Name	$\mu/D$
CHN	Hydrogen cyanide	2.985188	$C_2HF_3O_2$	Trifluoroacetic acid	$2.28 \pm 0.25$
CHN	Hydrogen isocyanide	$3.05 \pm 0.15$	$C_2HI$	Iodoacetylene	0.02525
CHNO	Isocyanic acid (HNCO)	$\approx 1.6$	$C_2H_2Br_4$	1,1,2,2-Tetrabromoethane	[1.38]
CHNO	Fulminic acid	3.09934	$C_2H_2Cl_2$	1,1-Dichloroethene	$1.34 \pm 0.01$
$CH_2BrCl$	Bromochloromethane	[1.66]	$C_2H_2Cl_2$	cis-1,2-Dichloroethene	$1.90 \pm 0.04$
$CH_2Br_2$	Dibromomethane	$1.43 \pm 0.03$	$C_2H_2Cl_2O$	Chloroacetyl chloride	$2.23 \pm 0.11$
$CH_2ClF$	Chlorofluoromethane	$1.82 \pm 0.04$	$C_2H_2Cl_4$	1,1,2,2-Tetrachloroethane	$1.32 \pm 0.07$
$CH_2Cl_2$	Dichloromethane	$1.60 \pm 0.03$	$C_2H_2F_2$	1,1-Difluoroethene	$1.3893 \pm 0.0002$
$CH_2F_2$	Difluoromethane	$1.9785 \pm 0.02$	$C_2H_2F_2$	cis-1,2-Difluoroethene	$2.42 \pm 0.02$
$CH_2I_2$	Diiodomethane	[1.08]	$C_2H_2F_4$	1,1,1,2-Tetrafluoroethane	$1.80 \pm 0.22$
$CH_2N_2$	Diazomethane	$1.50 \pm 0.01$	$C_2H_2N_2S$	1,2,5-Thiadiazole	$1.579 \pm 0.007$
$CH_2N_2$	Cyanamide	$4.28 \pm 0.10$	$C_2H_2O$	Ketene	1.42215
$CH_2N_4$	1H-Tetrazole	$2.19 \pm 0.05$	$C_2H_2O_2$	Glyoxal ( <i>cis</i> )	$4.8 \pm 0.2$
$CH_2O$	Formaldehyde	$2.332 \pm 0.002$	$C_2H_3Br$	Bromoethene	$1.42 \pm 0.03$
$CH_2O_2$	Formic acid	$1.425 \pm 0.002$	$C_2H_3Cl$	Chloroethene	$1.45 \pm 0.03$
$CH_2S$	Thioformaldehyde	$1.6491 \pm 0.0004$	$C_2H_3ClF_2$	1-Chloro-1,1-difluoroethane	$2.14 \pm 0.04$
$CH_2Se$	Selenoformaldehyde	$1.41 \pm 0.01$	$C_2H_3ClO$	Acetyl chloride	$2.72 \pm 0.14$
$CH_3BCl_2$	Dichloromethylborane	$1.419 \pm 0.013$	$C_2H_3Cl_3$	1,1,1-Trichloroethane	$1.755 \pm 0.015$
$CH_3BF_2$	Difluoromethylborane	$1.668 \pm 0.003$	$C_2H_3Cl_3$	1,1,2-Trichloroethane	[1.4]
$CH_3BO$	Borane carbonyl	$1.698 \pm 0.020$	$C_2H_3F$	Fluoroethene	$1.468 \pm 0.003$
$CH_3Br$	Bromomethane	$1.8203 \pm 0.0004$	$C_2H_3FO$	Acetyl fluoride	$2.96 \pm 0.03$
$CH_3Cl$	Chloromethane	$1.8963 \pm 0.0002$	$C_2H_3F_3$	1,1,1-Trifluoroethane	$2.3470 \pm 0.005$
$CH_3Cl_3Si$	Methyltrichlorosilane	$1.91 \pm 0.01$	$C_2H_3HgN$	Cyanomethylmercury	$4.7 \pm 0.1$
$CH_3F$	Fluoromethane	$1.858 \pm 0.002$	$C_2H_3I$	Iodoethene	$1.311 \pm 0.005$
$CH_3F_2OP$	Methylphosphonic difluoride	$3.69 \pm 0.26$	$C_2H_3N$	Acetonitrile	3.92519
$CH_3F_2P$	Methyldifluorophosphine	$2.056 \pm 0.006$	$C_2H_3NO$	Methyl cyanate	$4.26 \pm 0.18$
$CH_3F_3Si$	Trifluoromethylsilane	$2.3394 \pm 0.0002$	$C_2H_3NO$	Methyl isocyanate	$\approx 2.8$
$CH_3F_3Si$	(Trifluoromethyl)silane	$2.32 \pm 0.02$	$C_2H_3NS$	Methyl isothiocyanate	$3.453 \pm 0.003$
$CH_3I$	Iodomethane	$1.6406 \pm 0.0004$	$C_2H_3N_3$	1H-1,2,4-Triazole	$2.7 \pm 0.1$
$CH_3NO$	Formamide	$3.73 \pm 0.07$	$C_2H_4BrCl$	1-Bromo-2-chloroethane	[1.2]
$CH_3NO_2$	Nitromethane	$3.46 \pm 0.02$	$C_2H_4Br_2$	1,2-Dibromoethane	[1.19]
$CH_3N_3$	Methyl azide	$2.17 \pm 0.04$	$C_2H_4ClF$	1-Chloro-1-fluoroethane	$2.068 \pm 0.014$
$CH_4O$	Methanol	$1.70 \pm 0.02$	$C_2H_4Cl_2$	1,1-Dichloroethane	$2.06 \pm 0.04$
$CH_4O_2$	Methylhydroperoxide	$\approx 0.65$	$C_2H_4Cl_2$	1,2-Dichloroethane	[1.83]
$CH_4S$	Methanethiol	$1.52 \pm 0.08$	$C_2H_4F_2$	1,1-Difluoroethane	$2.27 \pm 0.05$
$CH_5FSi$	Fluoromethylsilane	$1.700 \pm 0.008$	$C_2H_4F_2$	1,2-Difluoroethane ( <i>gauche</i> )	$2.67 \pm 0.13$
$CH_5HSi$	Iodomethylsilane	$1.862 \pm 0.005$	$C_2H_4O$	Acetaldehyde	$2.750 \pm 0.006$
$CH_5N$	Methylamine	$1.31 \pm 0.03$	$C_2H_4O$	Ethylene oxide	$1.89 \pm 0.01$
$CH_6OSi$	Methyl silyl ether	$1.15 \pm 0.02$	$C_2H_4O_2$	Acetic acid	$1.70 \pm 0.03$
$CH_6Si$	Methylsilane	0.73456	$C_2H_4O_2$	Methyl formate	$1.77 \pm 0.04$
$CH_8B_2$	Methyldiborane(6)	$0.566 \pm 0.006$	$C_2H_4O_2$	Glycolaldehyde	$2.73 \pm 0.05$
CIN	Cyanogen iodide	3.67 ± 0.02	$C_2H_5Br$	Bromoethane	2.04 ± 0.02
CO	Carbon monoxide	0.10980	$C_2H_5Cl$	Chloroethane	2.05 ± 0.02
COS	Carbon oxysulfide	0.715189	$C_2H_5ClO$	2-Chloroethanol	1.78 ± 0.09
COSe	Carbon oxyseleide	0.73 ± 0.02	$C_2H_5Cl_3Si$	Trichloroethylsilane	[2.04]
CS	Carbon monosulfide	1.958 ± 0.005	$C_2H_5F$	Fluoroethane	$1.937 \pm 0.007$
CSe	Carbon monoseleide	1.99 ± 0.04	$C_2H_5I$	Iodoethane	$1.976 \pm 0.002$
$C_2BrF$	Bromofluoroacetylene	0.448 ± 0.002	$C_2H_5N$	Ethyleneimine	$1.90 \pm 0.01$
$C_2ClF_3$	Chlorotrifluoroethene	$0.40 \pm 0.10$	$C_2H_5NO$	Acetamide	$3.68 \pm 0.03$
$C_2ClF_5$	Chloropentafluoroethane	$0.52 \pm 0.05$	$C_2H_5NO$	N-Methylformamide	$3.83 \pm 0.08$
$C_2Cl_2F_2$	1,1-Dichloro-2,2-difluoroethene	0.50	$C_2H_5NO_2$	Nitroethane	$3.23 \pm 0.03$
$C_2Cl_2F_4$	1,2-Dichloro-1,1,2-tetrafluoroethane	$\approx 0.5$	$C_2H_6O$	Ethanol ( <i>gauche</i> )	$1.68 \pm 0.03$
$C_2F_3N$	Trifluoroacetonitrile	$1.262 \pm 0.010$	$C_2H_6O$	Ethanol ( <i>trans</i> )	$1.44 \pm 0.03$
$C_2F_3N$	Trifluoroisocyanomethane	$1.153 \pm 0.010$	$C_2H_6O$	Ethanol ( <i>average</i> )	$1.69 \pm 0.03$
$C_2HBr$	Bromoacetylene	0.22962	$C_2H_6O$	Dimethyl ether	$1.30 \pm 0.01$
$C_2HCl$	Chloroacetylene	0.44408	$C_2H_6OS$	Dimethyl sulfoxide	$3.96 \pm 0.04$
$C_2HCl_3$	Trichloroethene	[0.8]	$C_2H_6O_2$	Ethylene glycol ( <i>average</i> )	$2.36 \pm 0.10$
$C_2HCl_5$	Pentachloroethane	$0.92 \pm 0.05$	$C_2H_6S$	Ethanethiol ( <i>gauche</i> )	$1.61 \pm 0.08$
$C_2HF$	Fluoroacetylene	$0.7207 \pm 0.0003$	$C_2H_6S$	Ethanethiol ( <i>trans</i> )	$1.58 \pm 0.08$
$C_2HF_3$	Trifluoroethene	$1.32 \pm 0.03$	$C_2H_6S$	Dimethyl sulfide	$1.554 \pm 0.004$
			$C_2H_6S_2$	1,2-Ethanedithiol	$2.03 \pm 0.08$

Mol. form.	Name	$\mu/D$	Mol. form.	Name	$\mu/D$
$C_2H_6S_2$	Dimethyl disulfide	[1.85]	$C_3H_6O_2$	Ethyl formate ( <i>gauche</i> )	$1.81 \pm 0.02$
$C_2H_6Si$	Vinylsilane	$0.657 \pm 0.002$	$C_3H_6O_2$	Ethyl formate ( <i>trans</i> )	$1.98 \pm 0.02$
$C_2H_7N$	Ethylamine ( <i>gauche</i> )	$1.210 \pm 0.015$	$C_3H_6O_2$	Ethyl formate ( <i>average</i> )	1.93
$C_2H_7N$	Ethylamine ( <i>trans</i> )	$1.304 \pm 0.011$	$C_3H_6O_2$	Methyl acetate	$1.72 \pm 0.09$
$C_2H_7N$	Ethylamine ( <i>average</i> )	$1.22 \pm 0.10$	$C_3H_6O_2$	1,3-Dioxolane	$1.19 \pm 0.06$
$C_2H_7N$	Dimethylamine	$1.01 \pm 0.02$	$C_3H_6O_2S$	Thietane 1,1-dioxide	$4.8 \pm 0.1$
$C_2H_7NO$	Ethanolamine	[2.27]	$C_3H_6O_3$	1,3,5-Trioxane	$2.08 \pm 0.02$
$C_2H_8N_2$	1,2-Ethanediamine	$1.99 \pm 0.10$	$C_3H_6S$	Thietane	$1.85 \pm 0.09$
$C_3HF_3$	3,3,3-Trifluoro-1-propyne	$2.317 \pm 0.013$	$C_3H_7Br$	1-Bromopropane	$2.18 \pm 0.11$
$C_3HN$	Cyanoacetylene	3.73172	$C_3H_7Br$	2-Bromopropane	$2.21 \pm 0.11$
$C_3H_2F_2$	3,3-Difluorocyclopropene	$2.98 \pm 0.02$	$C_3H_7Cl$	1-Chloropropane ( <i>gauche</i> )	$2.02 \pm 0.03$
$C_3H_2O$	2-Propynal	$2.78 \pm 0.02$	$C_3H_7Cl$	1-Chloropropane ( <i>trans</i> )	$1.95 \pm 0.02$
$C_3H_3Cl_2F$	1,1-Dichloro-2-fluoropropene	$2.43 \pm 0.02$	$C_3H_7Cl$	1-Chloropropane ( <i>average</i> )	$2.05 \pm 0.04$
$C_3H_3F$	3-Fluoropropyne	$1.73 \pm 0.02$	$C_3H_7Cl$	2-Chloropropane	$2.17 \pm 0.11$
$C_3H_3F_3$	3,3,3-Trifluoropropene	$2.45 \pm 0.05$	$C_3H_7F$	1-Fluoropropane ( <i>gauche</i> )	$1.90 \pm 0.10$
$C_3H_3N$	Acrylonitrile	$3.92 \pm 0.07$	$C_3H_7F$	1-Fluoropropane ( <i>trans</i> )	$2.05 \pm 0.04$
$C_3H_3NO$	Oxazole	$1.503 \pm 0.030$	$C_3H_7F$	2-Fluoropropane	$1.958 \pm 0.001$
$C_3H_3NO$	Isoxazole	$2.95 \pm 0.04$	$C_3H_7I$	1-Iodopropane	$2.04 \pm 0.10$
$C_3H_4$	Propyne	$0.784 \pm 0.001$	$C_3H_7I$	2-Iodopropane	[1.95]
$C_3H_4$	Cyclopropene	$0.454 \pm 0.010$	$C_3H_7N$	Allylamine	$\approx 1.2$
$C_3H_4F_2$	1,1-Difluoro-1-propene	$0.889 \pm 0.007$	$C_3H_7N$	Cyclopropylamine	$1.19 \pm 0.01$
$C_3H_4N_2$	1 <i>H</i> -Pyrazole	$2.20 \pm 0.01$	$C_3H_7N$	Propyleneimine ( <i>cis</i> )	$1.77 \pm 0.09$
$C_3H_4N_2$	Imidazole	$3.8 \pm 0.4$	$C_3H_7N$	Propyleneimine ( <i>trans</i> )	$1.57 \pm 0.03$
$C_3H_4O$	Propargyl alcohol	$1.13 \pm 0.06$	$C_3H_7NO$	<i>N,N</i> -Dimethylformamide	$3.82 \pm 0.08$
$C_3H_4O$	Acrolein ( <i>trans</i> )	$3.117 \pm 0.004$	$C_3H_7NO$	<i>N</i> -Methylacetamide	[4.3]
$C_3H_4O$	Acrolein ( <i>cis</i> )	$2.552 \pm 0.003$	$C_3H_7NO_2$	1-Nitropropane	$3.66 \pm 0.07$
$C_3H_4O$	Cyclopropanone	$2.67 \pm 0.13$	$C_3H_7NO_2$	2-Nitropropane	$3.73 \pm 0.07$
$C_3H_4O_2$	Vinyl formate	$1.49 \pm 0.01$	$C_3H_8$	Propane	$0.084 \pm 0.001$
$C_3H_4O_2$	2-Oxetanone	$4.18 \pm 0.03$	$C_3H_8O$	1-Propanol ( <i>gauche</i> )	$1.58 \pm 0.03$
$C_3H_4O_2$	3-Oxetanone	$0.887 \pm 0.005$	$C_3H_8O$	1-Propanol ( <i>trans</i> )	$1.55 \pm 0.03$
$C_3H_4O_3$	Ethylene carbonate	[4.9]	$C_3H_8O$	2-Propanol ( <i>trans</i> )	$1.58 \pm 0.03$
$C_3H_5Br$	2-Bromopropene	[1.51]	$C_3H_8O$	Ethyl methyl ether ( <i>trans</i> )	$1.17 \pm 0.02$
$C_3H_5Br$	3-Bromopropene	$\approx 1.9$	$C_3H_8O_2$	1,2-Propylene glycol	[2.25]
$C_3H_5Cl$	<i>cis</i> -1-Chloropropene	$1.67 \pm 0.08$	$C_3H_8O_2$	1,3-Propylene glycol	[2.55]
$C_3H_5Cl$	<i>trans</i> -1-Chloropropene	$1.97 \pm 0.10$	$C_3H_8O_2$	Ethylene glycol monomethyl ether ( <i>gauche</i> )	$2.36 \pm 0.05$
$C_3H_5Cl$	2-Chloropropene	$1.647 \pm 0.010$	$C_3H_8O_2$	Dimethoxymethane	[0.74]
$C_3H_5Cl$	3-Chloropropene	$1.94 \pm 0.10$	$C_3H_8O_3$	Glycerol	[2.56]
$C_3H_5ClO$	Epichlorohydrin	[1.8]	$C_3H_8S$	1-Propanethiol ( <i>gauche</i> )	$1.683 \pm 0.010$
$C_3H_5F$	<i>cis</i> -1-Fluoropropene	$1.46 \pm 0.03$	$C_3H_8S$	1-Propanethiol ( <i>trans</i> )	$1.60 \pm 0.08$
$C_3H_5F$	<i>trans</i> -1-Fluoropropene	$\approx 1.9$	$C_3H_8S$	2-Propanethiol ( <i>gauche</i> )	$1.53 \pm 0.03$
$C_3H_5F$	2-Fluoropropene	$1.61 \pm 0.03$	$C_3H_8S$	2-Propanethiol ( <i>trans</i> )	$1.61 \pm 0.03$
$C_3H_5F$	3-Fluoropropene ( <i>gauche</i> )	$1.939 \pm 0.015$	$C_3H_8S$	Ethyl methyl sulfide ( <i>gauche</i> )	$1.593 \pm 0.004$
$C_3H_5F$	3-Fluoropropene ( <i>cis</i> )	$1.765 \pm 0.014$	$C_3H_8S$	Ethyl methyl sulfide ( <i>trans</i> )	$1.56 \pm 0.03$
$C_3H_5N$	Propanenitrile	$4.05 \pm 0.03$	$C_3H_9N$	Propylamine	$1.17 \pm 0.06$
$C_3H_5NO$	Ethyl cyanate	$4.72 \pm 0.09$	$C_3H_9N$	Isopropylamine	$1.19 \pm 0.06$
$C_3H_5NO$	3-Hydroxypropanenitrile ( <i>gauche</i> )	$3.17 \pm 0.02$	$C_3H_9N$	Trimethylamine	$0.612 \pm 0.003$
$C_3H_6$	Propene	$0.366 \pm 0.001$	$C_3H_9O_4P$	Trimethyl phosphate	[3.18]
$C_3H_6Br_2$	1,2-Dibromopropane	[1.2]	$C_4H_4$	1-Buten-3-yne	$0.22 \pm 0.02$
$C_3H_6Cl_2$	1,2-Dichloropropane	[1.85]	$C_4H_4$	Methylenecyclopropene	$1.90 \pm 0.01$
$C_3H_6Cl_2$	1,3-Dichloropropane	$2.08 \pm 0.04$	$C_4H_4N_2$	Succinonitrile	[3.7]
$C_3H_6O$	Acetone	$2.88 \pm 0.03$	$C_4H_4N_2$	Pyrimidine	$2.334 \pm 0.010$
$C_3H_6O$	Propanal ( <i>gauche</i> )	$2.86 \pm 0.01$	$C_4H_4N_2$	Pyridazine	$4.22 \pm 0.02$
$C_3H_6O$	Propanal ( <i>cis</i> )	$2.52 \pm 0.05$	$C_4H_4O$	Furan	$0.66 \pm 0.01$
$C_3H_6O$	Propanal ( <i>average</i> )	2.72	$C_4H_4O_2$	Diketene	$3.53 \pm 0.07$
$C_3H_6O$	Allyl alcohol ( <i>gauche</i> )	$1.55 \pm 0.08$	$C_4H_4S$	Thiophene	$0.55 \pm 0.01$
$C_3H_6O$	Allyl alcohol ( <i>average</i> )	$1.60 \pm 0.08$	$C_4H_5N$	2-Methylacrylonitrile	$3.69 \pm 0.18$
$C_3H_6O$	Methyl vinyl ether	$0.965 \pm 0.002$	$C_4H_5N$	Pyrrole	$1.767 \pm 0.001$
$C_3H_6O$	Methyloxirane	$2.01 \pm 0.02$	$C_4H_5N$	Isocyanocyclopropane	$4.03 \pm 0.10$
$C_3H_6O$	Oxetane	$1.94 \pm 0.01$	$C_4H_5NO$	2-Methyloxazole	$1.37 \pm 0.07$
$C_3H_6O_2$	Propanoic acid ( <i>cis</i> )	$1.46 \pm 0.07$	$C_4H_5NO$	4-Methyloxazole	$1.08 \pm 0.05$
$C_3H_6O_2$	Propanoic acid ( <i>average</i> )	$1.75 \pm 0.09$			

Mol. form.	Name	$\mu/D$	Mol. form.	Name	$\mu/D$
C <sub>4</sub> H <sub>5</sub> NO	5-Methyloxazole	2.16 ± 0.04	C <sub>4</sub> H <sub>9</sub> Cl	2-Chlorobutane	2.04 ± 0.10
C <sub>4</sub> H <sub>5</sub> NO	4-Methylisoxazole	3.583 ± 0.005	C <sub>4</sub> H <sub>9</sub> Cl	1-Chloro-2-methylpropane	2.00 ± 0.10
C <sub>4</sub> H <sub>6</sub>	1,2-Butadiene	0.403 ± 0.002	C <sub>4</sub> H <sub>9</sub> Cl	2-Chloro-2-methylpropane	2.13 ± 0.04
C <sub>4</sub> H <sub>6</sub>	1-Butyne	0.782 ± 0.004	C <sub>4</sub> H <sub>9</sub> I	1-Iodobutane	[1.93]
C <sub>4</sub> H <sub>6</sub>	Cyclobutene	0.132 ± 0.001	C <sub>4</sub> H <sub>9</sub> I	2-Iodoctane	2.12 ± 0.11
C <sub>4</sub> H <sub>6</sub> O	Divinyl ether	0.78 ± 0.05	C <sub>4</sub> H <sub>9</sub> I	1-Iodo-2-methylpropane	[1.87]
C <sub>4</sub> H <sub>6</sub> O	3-Methoxy-1,2-propadiene	0.963 ± 0.020	C <sub>4</sub> H <sub>9</sub> N	Pyrrolidine	[1.57]
C <sub>4</sub> H <sub>6</sub> O	trans-2-Butenal	3.67 ± 0.07	C <sub>4</sub> H <sub>9</sub> NO	N-Methylpropanamide	3.61
C <sub>4</sub> H <sub>6</sub> O	2-Methylpropenal	2.68 ± 0.13	C <sub>4</sub> H <sub>9</sub> NO	N,N-Dimethylacetamide	[3.7]
C <sub>4</sub> H <sub>6</sub> O	Cyclobutanone	2.89 ± 0.03	C <sub>4</sub> H <sub>9</sub> NO	Morpholine	1.55 ± 0.03
C <sub>4</sub> H <sub>6</sub> O	2,3-Dihydrofuran	1.32 ± 0.03	C <sub>4</sub> H <sub>10</sub>	Isobutane	0.132 ± 0.002
C <sub>4</sub> H <sub>6</sub> O	2,5-Dihydrofuran	1.63 ± 0.01	C <sub>4</sub> H <sub>10</sub> O	1-Butanol	1.66 ± 0.03
C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	trans-Crotonic acid	[2.13]	C <sub>4</sub> H <sub>10</sub> O	2-Butanol	[1.8]
C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	Methacrylic acid	[1.65]	C <sub>4</sub> H <sub>10</sub> O	2-Methyl-1-propanol	1.64 ± 0.08
C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	Vinyl acetate	[1.79]	C <sub>4</sub> H <sub>10</sub> O	2-Methyl-2-propanol	[1.66]
C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	Methyl acrylate	[1.77]	C <sub>4</sub> H <sub>10</sub> O	Diethyl ether	1.15 ± 0.02
C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	γ-Butyrolactone	4.27 ± 0.03	C <sub>4</sub> H <sub>10</sub> O	Methyl propyl ether ( <i>trans-trans</i> )	1.107 ± 0.013
C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	2,3-Dihydro-1,4-dioxin	0.939 ± 0.008	C <sub>4</sub> H <sub>10</sub> O	Isopropyl methyl ether	1.247 ± 0.003
C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	3,6-Dihydro-1,2-dioxin	2.329 ± 0.001	C <sub>4</sub> H <sub>10</sub> O <sub>2</sub>	1,4-Butanediol	[2.58]
C <sub>4</sub> H <sub>6</sub> O <sub>3</sub>	Acetic anhydride	≈2.8	C <sub>4</sub> H <sub>10</sub> O <sub>2</sub>	Ethylene glycol monoethyl ether	[2.08]
C <sub>4</sub> H <sub>6</sub> O <sub>3</sub>	Propylene carbonate	[4.9]	C <sub>4</sub> H <sub>10</sub> O <sub>3</sub>	Diethylene glycol	[2.31]
C <sub>4</sub> H <sub>6</sub> S	2,3-Dihydrothiophene	1.61 ± 0.20	C <sub>4</sub> H <sub>10</sub> S	1-Butanethiol	[1.53]
C <sub>4</sub> H <sub>6</sub> S	2,5-Dihydrothiophene	1.75 ± 0.01	C <sub>4</sub> H <sub>10</sub> S	2-Methyl-2-propanethiol	1.66 ± 0.03
C <sub>4</sub> H <sub>7</sub> N	Butanenitrile ( <i>gauche</i> )	3.91 ± 0.04	C <sub>4</sub> H <sub>10</sub> S	Diethyl sulfide	1.54 ± 0.08
C <sub>4</sub> H <sub>7</sub> N	Butanenitrile ( <i>anti</i> )	3.73 ± 0.06	C <sub>4</sub> H <sub>11</sub> N	Butylamine	≈1.0
C <sub>4</sub> H <sub>7</sub> N	2-Methylpropanenitrile	4.29 ± 0.09	C <sub>4</sub> H <sub>11</sub> N	sec-Butylamine	[1.28]
C <sub>4</sub> H <sub>7</sub> N	2-Isocyanopropane	4.055 ± 0.001	C <sub>4</sub> H <sub>11</sub> N	tert-Butylamine	[1.29]
C <sub>4</sub> H <sub>7</sub> NO	2-Pyrrolidone	[3.5]	C <sub>4</sub> H <sub>11</sub> N	Isobutylamine	[1.27]
C <sub>4</sub> H <sub>8</sub>	1-Butene ( <i>cis</i> )	0.438 ± 0.007	C <sub>4</sub> H <sub>11</sub> N	Diethylamine	0.92 ± 0.05
C <sub>4</sub> H <sub>8</sub>	1-Butene ( <i>skew</i> )	0.359 ± 0.011	C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub>	Diethanolamine	[2.8]
C <sub>4</sub> H <sub>8</sub>	cis-2-Butene	0.253 ± 0.005	C <sub>4</sub> H <sub>13</sub> N <sub>3</sub>	Diethylenetriamine	[1.89]
C <sub>4</sub> H <sub>8</sub>	Isobutene	0.503 ± 0.010	C <sub>5</sub> F <sub>5</sub> N	Perfluoropyridine	0.98 ± 0.08
C <sub>4</sub> H <sub>8</sub>	Methylcyclopropane	0.139 ± 0.004	C <sub>5</sub> H <sub>5</sub> NS	2-Thiophenecarbonitrile	4.59 ± 0.02
C <sub>4</sub> H <sub>8</sub> Cl <sub>2</sub>	1,4-Dichlorobutane	2.22 ± 0.11	C <sub>5</sub> H <sub>5</sub> NS	3-Thiophenecarbonitrile	4.13 ± 0.02
C <sub>4</sub> H <sub>8</sub> Cl <sub>2</sub> O	Bis(2-chloroethyl) ether	[2.58]	C <sub>5</sub> H <sub>4</sub>	1,3-Pentadiyne	1.207 ± 0.001
C <sub>4</sub> H <sub>8</sub> O	cis-2-Buten-1-ol	1.96 ± 0.03	C <sub>5</sub> H <sub>4</sub> ClN	4-Chloropyridine	0.756 ± 0.005
C <sub>4</sub> H <sub>8</sub> O	trans-2-Buten-1-ol	1.90 ± 0.02	C <sub>5</sub> H <sub>4</sub> FN	3-Fluoropyridine	2.09 ± 0.26
C <sub>4</sub> H <sub>8</sub> O	2-Methyl-2-propenol ( <i>skew</i> )	1.295 ± 0.022	C <sub>5</sub> H <sub>4</sub> O	2,4-Cyclopentadien-1-one	3.132 ± 0.007
C <sub>4</sub> H <sub>8</sub> O	Ethyl vinyl ether	[1.26]	C <sub>5</sub> H <sub>4</sub> OS	4H-Pyran-4-thione	3.95 ± 0.05
C <sub>4</sub> H <sub>8</sub> O	1,2-Epoxybutane	1.891 ± 0.011	C <sub>5</sub> H <sub>4</sub> O <sub>2</sub>	Furfural	[3.54]
C <sub>4</sub> H <sub>8</sub> O	Butanal	2.72 ± 0.05	C <sub>5</sub> H <sub>4</sub> O <sub>2</sub>	4H-Pyran-4-one	3.79 ± 0.02
C <sub>4</sub> H <sub>8</sub> O	Isobutanal ( <i>gauche</i> )	2.69 ± 0.01	C <sub>5</sub> H <sub>5</sub> S <sub>2</sub>	4H-Thiopyran-4-thione	3.9 ± 0.2
C <sub>4</sub> H <sub>8</sub> O	Isobutanal ( <i>trans</i> )	2.86 ± 0.01	C <sub>5</sub> H <sub>5</sub> N	Pyridine	2.215 ± 0.010
C <sub>4</sub> H <sub>8</sub> O	2-Butanone	2.779 ± 0.015	C <sub>5</sub> H <sub>6</sub>	1,2,3-Pentatriene	0.51 ± 0.05
C <sub>4</sub> H <sub>8</sub> O	Tetrahydrofuran	1.75 ± 0.04	C <sub>5</sub> H <sub>6</sub>	1-Penten-3-yne	0.66 ± 0.02
C <sub>4</sub> H <sub>8</sub> OS	1,4-Oxathiane	0.295 ± 0.003	C <sub>5</sub> H <sub>6</sub>	cis-3-Penten-1-yne	0.78 ± 0.02
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	Butanoic acid	[1.65]	C <sub>5</sub> H <sub>6</sub>	trans-3-Penten-1-yne	1.06 ± 0.05
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	2-Methylpropanoic acid	[1.08]	C <sub>5</sub> H <sub>6</sub>	2-Methyl-1-buten-3-yne	0.513 ± 0.02
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	Propyl formate	[1.89]	C <sub>5</sub> H <sub>6</sub>	1,3-Cyclopentadiene	0.419 ± 0.004
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	Ethyl acetate	1.78 ± 0.09	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub>	2-Methylpyrimidine	1.676 ± 0.010
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	cis-2-Butene-1,4-diol	[2.48]	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub>	5-Methylpyrimidine	2.881 ± 0.006
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	trans-2-Butene-1,4-diol	[2.45]	C <sub>5</sub> H <sub>6</sub> O	2-Methylfuran	0.65 ± 0.05
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	1,3-Dioxane	2.06 ± 0.04	C <sub>5</sub> H <sub>6</sub> O	3-Methylfuran	1.03 ± 0.02
C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> S	Sulfolane	[4.8]	C <sub>5</sub> H <sub>6</sub> O	3-Cyclopenten-1-one	2.79 ± 0.03
C <sub>4</sub> H <sub>8</sub> S	3-Methylthietane	2.046 ± 0.009	C <sub>5</sub> H <sub>6</sub> O <sub>2</sub>	5-Methyl-2(3H)-furanone	4.08 ± 0.02
C <sub>4</sub> H <sub>8</sub> S	Tetrahydrothiophene	[1.90]	C <sub>5</sub> H <sub>6</sub> O <sub>2</sub>	Furfuryl alcohol	[1.92]
C <sub>4</sub> H <sub>8</sub> S <sub>2</sub>	1,3-Dithiane	2.14 ± 0.04	C <sub>5</sub> H <sub>6</sub> S	2-Methylthiophene	0.674 ± 0.005
C <sub>4</sub> H <sub>9</sub> Br	1-Bromobutane	2.08 ± 0.10	C <sub>5</sub> H <sub>6</sub> S	3-Methylthiophene	0.914 ± 0.015
C <sub>4</sub> H <sub>9</sub> Br	2-Bromobutane	2.23 ± 0.11	C <sub>5</sub> H <sub>7</sub> N	3-Methyl-2-butenenitrile	4.61 ± 0.13
C <sub>4</sub> H <sub>9</sub> Br	2-Bromo-2-methylpropane	[2.17]	C <sub>5</sub> H <sub>7</sub> N	Cyclobutanecarbonitrile	4.04 ± 0.04
C <sub>4</sub> H <sub>9</sub> Cl	1-Chlorobutane	2.05 ± 0.04	C <sub>5</sub> H <sub>7</sub> NO <sub>2</sub>	Ethyl cyanoacetate	[2.17]

Mol. form.	Name	$\mu/D$	Mol. form.	Name	$\mu/D$
C <sub>5</sub> H <sub>8</sub>	cis-1,3-Pentadiene	0.500 ± 0.015	C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub>	1-Chloro-2-nitrobenzene	4.64 ± 0.09
C <sub>5</sub> H <sub>8</sub>	trans-1,3-Pentadiene	0.585 ± 0.010	C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub>	1-Chloro-3-nitrobenzene	3.73 ± 0.07
C <sub>5</sub> H <sub>8</sub>	2-Methyl-1,3-butadiene	0.25 ± 0.01	C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub>	1-Chloro-4-nitrobenzene	2.83 ± 0.06
C <sub>5</sub> H <sub>8</sub>	1-Pentyne ( <i>gauche</i> )	0.769 ± 0.028	C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub>	<i>o</i> -Dichlorobenzene	2.50 ± 0.05
C <sub>5</sub> H <sub>8</sub>	1-Pentyne ( <i>trans</i> )	0.842 ± 0.010	C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub>	<i>m</i> -Dichlorobenzene	1.72 ± 0.09
C <sub>5</sub> H <sub>8</sub>	Cyclopentene	0.20 ± 0.02	C <sub>6</sub> H <sub>4</sub> FNO <sub>2</sub>	1-Fluoro-4-nitrobenzene	2.87 ± 0.06
C <sub>5</sub> H <sub>8</sub>	3,3-Dimethylcyclopropene	0.287 ± 0.003	C <sub>6</sub> H <sub>4</sub> F <sub>2</sub>	<i>o</i> -Difluorobenzene	2.46 ± 0.05
C <sub>5</sub> H <sub>8</sub> O	Cyclopropyl methyl ketone	2.62 ± 0.25	C <sub>6</sub> H <sub>4</sub> F <sub>2</sub>	<i>m</i> -Difluorobenzene	1.51 ± 0.02
C <sub>5</sub> H <sub>8</sub> O	Cyclopantanone	~3.3	C <sub>6</sub> H <sub>4</sub> N <sub>2</sub>	2-Pyridinecarbonitrile	5.78 ± 0.11
C <sub>5</sub> H <sub>8</sub> O	3,4-Dihydro-2H-pyran	1.400 ± 0.008	C <sub>6</sub> H <sub>4</sub> N <sub>2</sub>	3-Pyridinecarbonitrile	3.66 ± 0.11
C <sub>5</sub> H <sub>8</sub> O	3,6-Dihydro-2H-pyran	1.283 ± 0.005	C <sub>6</sub> H <sub>4</sub> N <sub>2</sub>	4-Pyridinecarbonitrile	1.96 ± 0.03
C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	Ethyl acrylate	[1.96]	C <sub>6</sub> H <sub>4</sub> O <sub>2</sub>	3,5-Cyclohexadiene-1,2-dione	4.23 ± 0.02
C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	Methyl methacrylate	[1.67]	C <sub>6</sub> H <sub>5</sub> Br	Bromobenzene	1.70 ± 0.03
C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	2,4-Pentanedione	[2.78]	C <sub>6</sub> H <sub>5</sub> Cl	Chlorobenzene	1.69 ± 0.03
C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	Dihydro-3-methyl-2(3H)-furanone	4.56 ± 0.02	C <sub>6</sub> H <sub>5</sub> ClO	<i>p</i> -Chlorophenol	2.11 ± 0.11
C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	Dihydro-5-methyl-2(3H)-furanone	4.71 ± 0.05	C <sub>6</sub> H <sub>5</sub> F	Fluorobenzene	1.60 ± 0.08
C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	Tetrahydro-4H-pyran-4-one	1.720 ± 0.003	C <sub>6</sub> H <sub>5</sub> I	Iodobenzene	1.70 ± 0.09
C <sub>5</sub> H <sub>9</sub> N	Pentanenitrile	4.12 ± 0.08	C <sub>6</sub> H <sub>5</sub> NO	2-Pyridinecarboxaldehyde	3.56 ± 0.07
C <sub>5</sub> H <sub>9</sub> N	2,2-Dimethylpropanenitrile	3.95 ± 0.04	C <sub>6</sub> H <sub>5</sub> NO	3-Pyridinecarboxaldehyde	1.44
C <sub>5</sub> H <sub>9</sub> N	1,2,5,6-Tetrahydropyridine	1.007 ± 0.003	C <sub>6</sub> H <sub>5</sub> NO	4-Pyridinecarboxaldehyde	1.66
C <sub>5</sub> H <sub>9</sub> NO	<i>N</i> -Methyl-2-pyrrolidone	[4.1]	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	Nitrobenzene	4.22 ± 0.08
C <sub>5</sub> H <sub>10</sub>	1-Pentene	~0.5	C <sub>6</sub> H <sub>6</sub>	Fulvene	0.4236 ± 0.013
C <sub>5</sub> H <sub>10</sub>	3-Methyl-1-butene ( <i>gauche</i> )	0.398 ± 0.004	C <sub>6</sub> H <sub>6</sub> ClN	<i>o</i> -Chloroaniline	[1.77]
C <sub>5</sub> H <sub>10</sub>	3-Methyl-1-butene ( <i>trans</i> )	0.320 ± 0.010	C <sub>6</sub> H <sub>6</sub> O	Phenol	1.224 ± 0.008
C <sub>5</sub> H <sub>10</sub>	1,1-Dimethylcyclopropane	0.142 ± 0.001	C <sub>6</sub> H <sub>6</sub> O	2-Vinylfuran	0.69 ± 0.07
C <sub>5</sub> H <sub>10</sub> O	2,2-Dimethylpropanal	2.66 ± 0.05	C <sub>6</sub> H <sub>6</sub> O <sub>2</sub>	<i>p</i> -Hydroquinone	2.38 ± 0.05
C <sub>5</sub> H <sub>10</sub> O	2-Pentanone	[2.70]	C <sub>6</sub> H <sub>6</sub> S	Benzenthiol	[1.23]
C <sub>5</sub> H <sub>10</sub> O	3-Pentanone	[2.82]	C <sub>6</sub> H <sub>7</sub> N	Aniline	1.13 ± 0.02
C <sub>5</sub> H <sub>10</sub> O	Tetrahydropyran ( <i>chair</i> )	1.58 ± 0.03	C <sub>6</sub> H <sub>7</sub> N	2-Methylpyridine	1.85 ± 0.04
C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	Pentanoic acid	[1.61]	C <sub>6</sub> H <sub>7</sub> N	3-Methylpyridine	[2.40]
C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	3-Methylbutanoic acid	[0.63]	C <sub>6</sub> H <sub>7</sub> N	4-Methylpyridine	2.70 ± 0.02
C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	Butyl formate	[2.03]	C <sub>6</sub> H <sub>8</sub> O	3-Methyl-2-cyclopenten-1-one	4.33 ± 0.002
C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	Isobutyl formate	[1.88]	C <sub>6</sub> H <sub>8</sub> O <sub>4</sub>	Dimethyl maleate	[2.48]
C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	Propyl acetate	[1.78]	C <sub>6</sub> H <sub>8</sub> Si	Phenylsilane	0.845 ± 0.012
C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	Ethyl propanoate	[1.74]	C <sub>6</sub> H <sub>9</sub> F	1-Fluorocyclohexene	1.942 ± 0.010
C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	Tetrahydrofurfuryl alcohol	[2.1]	C <sub>6</sub> H <sub>10</sub>	1-Hexyne	0.83 ± 0.05
C <sub>5</sub> H <sub>10</sub> O <sub>3</sub>	Diethyl carbonate	1.10 ± 0.06	C <sub>6</sub> H <sub>10</sub>	3,3-Dimethyl-1-butyne	0.661 ± 0.004
C <sub>5</sub> H <sub>10</sub> O <sub>3</sub>	Ethylene glycol monomethyl ether acetate	[2.13]	C <sub>6</sub> H <sub>10</sub>	Cyclohexene ( <i>half-chair</i> )	0.332 ± 0.012
C <sub>5</sub> H <sub>10</sub> O <sub>3</sub>	Ethyl lactate	[2.4]	C <sub>6</sub> H <sub>10</sub> F <sub>2</sub>	1,1-Difluorocyclohexane	2.556 ± 0.010
C <sub>5</sub> H <sub>10</sub> S	Thiacyclohexane	1.781 ± 0.010	C <sub>6</sub> H <sub>10</sub> O	3-Methylcyclopentanone	3.14 ± 0.03
C <sub>5</sub> H <sub>11</sub> Br	1-Bromopentane	2.20 ± 0.11	C <sub>6</sub> H <sub>10</sub> O	Cyclohexanone	3.246 ± 0.006
C <sub>5</sub> H <sub>11</sub> Cl	1-Chloropentane	2.16 ± 0.11	C <sub>6</sub> H <sub>10</sub> O	Mesityl oxide	[2.79]
C <sub>5</sub> H <sub>11</sub> Cl	1-Chloro-3-methylbutane	[1.92]	C <sub>6</sub> H <sub>10</sub> O <sub>4</sub>	Diethyl oxalate	[2.49]
C <sub>5</sub> H <sub>11</sub> N	Piperidine ( <i>equitorial</i> )	0.82 ± 0.02	C <sub>6</sub> H <sub>10</sub> O <sub>4</sub>	Ethylene glycol diacetate	[2.34]
C <sub>5</sub> H <sub>11</sub> N	Piperidine ( <i>axial</i> )	1.19 ± 0.02	C <sub>6</sub> H <sub>11</sub> Cl	Chlorocyclohexane ( <i>equitorial</i> )	2.44 ± 0.07
C <sub>5</sub> H <sub>11</sub> N	Piperidine ( <i>average</i> )	[1.19]	C <sub>6</sub> H <sub>11</sub> Cl	Chlorocyclohexane ( <i>axial</i> )	1.91 ± 0.02
C <sub>5</sub> H <sub>11</sub> N	<i>N</i> -Methylpyrrolidone	0.572 ± 0.003	C <sub>6</sub> H <sub>11</sub> F	Fluorocyclohexane ( <i>equitorial</i> )	2.11 ± 0.04
C <sub>5</sub> H <sub>12</sub>	Isopentane	0.13 ± 0.05	C <sub>6</sub> H <sub>11</sub> F	Fluorocyclohexane ( <i>axial</i> )	1.81 ± 0.04
C <sub>5</sub> H <sub>12</sub> N <sub>2</sub> O	Tetramethylurea	[3.5]	C <sub>6</sub> H <sub>11</sub> N	4-Methylpentanenitrile	[3.5]
C <sub>5</sub> H <sub>12</sub> O	1-Pentanol	[1.7]	C <sub>6</sub> H <sub>11</sub> NO	Caprolactam	[3.9]
C <sub>5</sub> H <sub>12</sub> O	2-Pentanol	[1.66]	C <sub>6</sub> H <sub>12</sub> O	Butyl vinyl ether	[1.25]
C <sub>5</sub> H <sub>12</sub> O	3-Pentanol	[1.64]	C <sub>6</sub> H <sub>12</sub> O	2-Hexanone	[2.66]
C <sub>5</sub> H <sub>12</sub> O	2-Methyl-1-butanol	[1.88]	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	Hexanoic acid	[1.13]
C <sub>5</sub> H <sub>12</sub> O	2-Methyl-2-butanol	[1.82]	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	Pentyl formate	1.90 ± 0.10
C <sub>5</sub> H <sub>12</sub> O <sub>2</sub>	1,5-Pentanediol	[2.5]	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	Butyl acetate	[1.87]
C <sub>5</sub> H <sub>12</sub> O <sub>3</sub>	Diethylene glycol monomethyl ether	[1.6]	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	sec-Butyl acetate	[1.87]
C <sub>6</sub> H <sub>2</sub> F <sub>4</sub>	1,2,3,4-Tetrafluorobenzene	2.42 ± 0.05	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	Isobutyl acetate	[1.86]
C <sub>6</sub> H <sub>2</sub> F <sub>4</sub>	1,2,3,5-Tetrafluorobenzene	1.46 ± 0.06	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	Ethyl butanoate	[1.74]
C <sub>6</sub> H <sub>3</sub> F <sub>3</sub>	1,2,4-Trifluorobenzene	1.402 ± 0.009	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	Diacetone alcohol	[3.24]
			C <sub>6</sub> H <sub>12</sub> O <sub>3</sub>	Ethylene glycol monoethyl ether acetate	[2.25]

Mol. form.	Name	$\mu/D$	Mol. form.	Name	$\mu/D$
C <sub>6</sub> H <sub>12</sub> O <sub>3</sub>	Paraldehyde	1.43 ± 0.07	C <sub>8</sub> H <sub>8</sub>	Styrene	0.123 ± 0.003
C <sub>6</sub> H <sub>13</sub> N	Cyclohexylamine	[1.26]	C <sub>8</sub> H <sub>8</sub> O	Acetophenone	3.02 ± 0.06
C <sub>6</sub> H <sub>14</sub> O	Dipropyl ether	1.21 ± 0.06	C <sub>8</sub> H <sub>8</sub> O <sub>2</sub>	Methyl benzoate	[1.94]
C <sub>6</sub> H <sub>14</sub> O	Diisopropyl ether	1.13 ± 0.10	C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>	Methyl salicylate	[2.47]
C <sub>6</sub> H <sub>14</sub> O	Butyl ethyl ether	[1.24]	C <sub>8</sub> H <sub>10</sub>	Ethylbenzene	0.59 ± 0.05
C <sub>6</sub> H <sub>14</sub> O <sub>2</sub>	2-Methyl-2,4-pentanediol	[2.9]	C <sub>8</sub> H <sub>10</sub>	<i>o</i> -Xylene	0.640 ± 0.005
C <sub>6</sub> H <sub>14</sub> O <sub>2</sub>	Ethylene glycol monobutyl ether	[2.08]	C <sub>8</sub> H <sub>10</sub> O	2,4-Xylenol	[1.4]
C <sub>6</sub> H <sub>14</sub> O <sub>2</sub>	1,1-Diethoxyethane	[1.38]	C <sub>8</sub> H <sub>10</sub> O	2,5-Xylenol	[1.45]
C <sub>6</sub> H <sub>14</sub> O <sub>3</sub>	Diethylene glycol monoethyl ether	[1.6]	C <sub>8</sub> H <sub>10</sub> O	2,6-Xylenol	[1.40]
C <sub>6</sub> H <sub>14</sub> O <sub>3</sub>	Diethylene glycol dimethyl ether	[1.97]	C <sub>8</sub> H <sub>10</sub> O	3,4-Xylenol	[1.56]
C <sub>6</sub> H <sub>15</sub> N	Dipropylamine	[1.03]	C <sub>8</sub> H <sub>10</sub> O	3,5-Xylenol	[1.55]
C <sub>6</sub> H <sub>15</sub> N	Diisopropylamine	[1.15]	C <sub>8</sub> H <sub>10</sub> O	Phenetole	1.45 ± 0.15
C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub>	Triethylamine	0.66 ± 0.05	C <sub>8</sub> H <sub>10</sub> O <sub>2</sub>	1,2-Dimethoxybenzene	[1.29]
C <sub>6</sub> H <sub>15</sub> O <sub>4</sub> P	Triethyl phosphate	[3.12]	C <sub>8</sub> H <sub>11</sub> N	<i>N,N</i> -Dimethylaniline	1.68 ± 0.17
C <sub>6</sub> H <sub>18</sub> N <sub>3</sub> OP	Hexamethylphosphoric triamide	[5.5]	C <sub>8</sub> H <sub>11</sub> N	2,4-Dimethylaniline	[1.40]
C <sub>7</sub> H <sub>5</sub> Cl <sub>3</sub>	(Trichloromethyl)benzene	[2.03]	C <sub>8</sub> H <sub>11</sub> N	2,6-Dimethylaniline	[1.63]
C <sub>7</sub> H <sub>5</sub> F <sub>3</sub>	(Trifluoromethyl)benzene	2.86 ± 0.06	C <sub>8</sub> H <sub>11</sub> N	2,4,6-Trimethylpyridine	[2.05]
C <sub>7</sub> H <sub>5</sub> N	Benzonitrile	4.18 ± 0.08	C <sub>8</sub> H <sub>16</sub> O	2-Octanone	[2.70]
C <sub>7</sub> H <sub>5</sub> N	Isocyanobenzene	4.018 ± 0.003	C <sub>8</sub> H <sub>16</sub> O <sub>2</sub>	Octanoic acid	[1.15]
C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub>	2,4-Dichlorotoluene	[1.70]	C <sub>8</sub> H <sub>16</sub> O <sub>2</sub>	<i>sec</i> -Hexyl acetate	[1.9]
C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub>	3,4-Dichlorotoluene	[2.95]	C <sub>8</sub> H <sub>16</sub> O <sub>2</sub>	Isobutyl isobutanoate	[1.9]
C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub>	(Dichloromethyl)benzene	[2.07]	C <sub>8</sub> H <sub>16</sub> O <sub>4</sub>	Diethylene glycol monoethyl ether acetate	[1.8]
C <sub>7</sub> H <sub>6</sub> O	2,4,6-Cycloheptatrien-1-one	4.1 ± 0.3	C <sub>8</sub> H <sub>17</sub> Cl	1-Chlorooctane	[2.00]
C <sub>7</sub> H <sub>6</sub> O	Benzaldehyde	[3.0]	C <sub>8</sub> H <sub>18</sub> O	1-Octanol	[1.76]
C <sub>7</sub> H <sub>6</sub> O <sub>2</sub>	Salicylaldehyde	[2.86]	C <sub>8</sub> H <sub>18</sub> O	2-Octanol	[1.71]
C <sub>7</sub> H <sub>7</sub> Cl	<i>o</i> -Chlorotoluene	1.56 ± 0.08	C <sub>8</sub> H <sub>18</sub> O	2-Ethyl-1-hexanol	[1.74]
C <sub>7</sub> H <sub>7</sub> Cl	<i>m</i> -Chlorotoluene	[1.82]	C <sub>8</sub> H <sub>18</sub> O	Dibutyl ether	1.17 ± 0.06
C <sub>7</sub> H <sub>7</sub> Cl	<i>p</i> -Chlorotoluene	2.21 ± 0.04	C <sub>8</sub> H <sub>18</sub> S	Dibutyl sulfide	[1.61]
C <sub>7</sub> H <sub>7</sub> Cl	(Chloromethyl)benzene	[1.82]	C <sub>8</sub> H <sub>19</sub> N	Dibutylamine	[0.98]
C <sub>7</sub> H <sub>7</sub> F	<i>o</i> -Fluorotoluene	1.37 ± 0.07	C <sub>9</sub> H <sub>7</sub> N	Quinoline	2.29 ± 0.11
C <sub>7</sub> H <sub>7</sub> F	<i>m</i> -Fluorotoluene	1.82 ± 0.04	C <sub>9</sub> H <sub>7</sub> N	Isoquinoline	2.73 ± 0.14
C <sub>7</sub> H <sub>7</sub> F	<i>p</i> -Fluorotoluene	2.00 ± 0.10	C <sub>9</sub> H <sub>10</sub> O <sub>2</sub>	Ethyl benzoate	2.00 ± 0.10
C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub>	2-Nitroanisole	[5.0]	C <sub>9</sub> H <sub>10</sub> O <sub>2</sub>	Benzyl acetate	[1.22]
C <sub>7</sub> H <sub>8</sub>	Toluene	0.375 ± 0.010	C <sub>9</sub> H <sub>12</sub>	Isopropylbenzene	≈0.79
C <sub>7</sub> H <sub>8</sub>	2,5-Norbornadiene	0.0587 ± 0.0001	C <sub>9</sub> H <sub>18</sub> O	2,6-Dimethyl-4-heptanone	[2.66]
C <sub>7</sub> H <sub>8</sub> O	<i>o</i> -Cresol	[1.45]	C <sub>9</sub> H <sub>18</sub> O <sub>2</sub>	Nonanoic acid	[0.79]
C <sub>7</sub> H <sub>8</sub> O	<i>m</i> -Cresol	[1.48]	C <sub>10</sub> H <sub>7</sub> Br	1-Bromonaphthalene	[1.55]
C <sub>7</sub> H <sub>8</sub> O	<i>p</i> -Cresol	[1.48]	C <sub>10</sub> H <sub>7</sub> Cl	1-Chloronaphthalene	[1.57]
C <sub>7</sub> H <sub>8</sub> O	Benzyl alcohol	1.71 ± 0.09	C <sub>10</sub> H <sub>8</sub>	Azulene	0.80 ± 0.02
C <sub>7</sub> H <sub>8</sub> O	Anisole	1.38 ± 0.07	C <sub>10</sub> H <sub>14</sub>	<i>tert</i> -Butylbenzene	≈0.83
C <sub>7</sub> H <sub>9</sub> N	<i>o</i> -Methylaniline	[1.60]	C <sub>10</sub> H <sub>16</sub> O	Camphor, (+)	[3.1]
C <sub>7</sub> H <sub>9</sub> N	<i>m</i> -Methylaniline	[1.45]	C <sub>10</sub> H <sub>20</sub> O <sub>2</sub>	2-Ethylhexyl acetate	[1.8]
C <sub>7</sub> H <sub>9</sub> N	<i>p</i> -Methylaniline	[1.52]	C <sub>10</sub> H <sub>21</sub> Br	1-Bromodecane	[1.93]
C <sub>7</sub> H <sub>9</sub> N	2,4-Dimethylpyridine	[2.30]	C <sub>10</sub> H <sub>22</sub> O	Dipentyl ether	[1.20]
C <sub>7</sub> H <sub>9</sub> N	2,6-Dimethylpyridine	[1.66]	C <sub>10</sub> H <sub>22</sub> O	Diisopentyl ether	[1.23]
C <sub>7</sub> H <sub>10</sub>	1,3-Cycloheptadiene	0.740	C <sub>11</sub> H <sub>12</sub> O <sub>2</sub>	Ethyl <i>trans</i> -cinnamate	[1.84]
C <sub>7</sub> H <sub>12</sub>	Methylenecyclohexane	0.62 ± 0.01	C <sub>12</sub> H <sub>10</sub>	Acenaphthene	≈0.85
C <sub>7</sub> H <sub>12</sub> O <sub>4</sub>	Diethyl malonate	[2.54]	C <sub>12</sub> H <sub>10</sub> O	Diphenyl ether	≈1.3
C <sub>7</sub> H <sub>14</sub> O	2-Heptanone	[2.59]	C <sub>12</sub> H <sub>27</sub> BO <sub>3</sub>	Tributyl borate	[0.77]
C <sub>7</sub> H <sub>14</sub> O	3-Heptanone	[2.78]	C <sub>12</sub> H <sub>27</sub> N	Tributylamine	[0.78]
C <sub>7</sub> H <sub>14</sub> O	2,4-Dimethyl-3-pentanone	[2.74]	C <sub>12</sub> H <sub>27</sub> O <sub>4</sub> P	Tributyl phosphate	[3.07]
C <sub>7</sub> H <sub>14</sub> O	cis-3-Methylcyclohexanol	[1.91]	C <sub>14</sub> H <sub>12</sub> O <sub>2</sub>	Benzyl benzoate	[2.06]
C <sub>7</sub> H <sub>14</sub> O	trans-3-Methylcyclohexanol	[1.75]	C <sub>16</sub> H <sub>22</sub> O <sub>4</sub>	Dibutyl phthalate	[2.82]
C <sub>7</sub> H <sub>14</sub> O <sub>2</sub>	Pentyl acetate	1.75 ± 0.10	C <sub>18</sub> H <sub>34</sub> O <sub>2</sub>	Oleic acid	[1.18]
C <sub>7</sub> H <sub>14</sub> O <sub>2</sub>	Isopentyl acetate	[1.86]	C <sub>18</sub> H <sub>34</sub> O <sub>4</sub>	Dibutyl sebacate	[2.48]
C <sub>7</sub> H <sub>15</sub> Br	1-Bromoheptane	2.16 ± 0.11	C <sub>21</sub> H <sub>21</sub> O <sub>4</sub> P	Tri- <i>o</i> -cresyl phosphate	[2.87]
C <sub>7</sub> H <sub>16</sub> O	2-Heptanol	[1.71]	C <sub>21</sub> H <sub>21</sub> O <sub>4</sub> P	Tri- <i>m</i> -cresyl phosphate	[3.05]
C <sub>7</sub> H <sub>16</sub> O	3-Heptanol	[1.71]	C <sub>21</sub> H <sub>21</sub> O <sub>4</sub> P	Tri- <i>p</i> -cresyl phosphate	[3.18]
C <sub>8</sub> H <sub>6</sub>	Phenylacetylene	0.656 ± 0.005	C <sub>22</sub> H <sub>44</sub> O <sub>2</sub>	Butyl stearate	[1.88]
C <sub>8</sub> H <sub>7</sub> N	Benzeneacetonitrile	[3.5]	C <sub>24</sub> H <sub>38</sub> O <sub>4</sub>	Bis(2-ethylhexyl) phthalate	[2.84]